

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau




(43) International Publication Date  
1 August 2002 (01.08.2002)

PCT

(10) International Publication Number  
**WO 02/059294 A1**

- (51) International Patent Classification<sup>7</sup>: **C12N 15/09**, Bingham Circuit, Kaleen, Australian Capital Territory 2617 (AU).
- (21) International Application Number: **PCT/AU02/00073** (74) Agents: **OLIVE, Mark, R.** et al.; FB RICE & CO, 139 Rathdowne Street, Carlton, Victoria 3053 (AU).
- (22) International Filing Date: 24 January 2002 (24.01.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/264,067 26 January 2001 (26.01.2001) US  
60/333,743 29 November 2001 (29.11.2001) US
- (71) Applicant (for all designated States except US): **COMMONWEALTH SCIENTIFIC AND INDUSTRIAL RESEARCH ORGANISATION** [AU/AU]; Limestone Avenue, Campbell, Australian Capital Territory 2601 (AU).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **WESLEY, Susan** [IN/AU]; 18 Pambula Street, Kaleen, Australian Capital Territory 2617 (AU). **WATERHOUSE, Peter** [AU/AU]; 5 Banjine Street, O'Connor, Australian Capital Territory 2602 (AU). **HELLIWELL, Christopher** [AU/AU]; 25A
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHODS AND MEANS FOR PRODUCING EFFICIENT SILENCING CONSTRUCT USING RECOMBINATIONAL CLONING



(57) Abstract: Methods and means are provided for producing chimeric nucleic acid constructs capable of producing dsRNA for silencing target nucleic acid sequences of interest using recombinational cloning.

WO 02/059294 A1

**Methods and means for producing efficient silencing construct using  
recombinational cloning.**

**Field of the invention.**

- 5 This invention relates to efficient methods and means for producing chimeric nucleic acid constructs capable of producing dsRNA useful for silencing target nucleic acid sequences of interest. The efficiency of the disclosed methods and means further allows high throughput analysis methods to determine the function of isolated nucleic acids, such as ESTs, without a known function and may further be put to use to
- 10 isolate particular genes or nucleotide sequences from a preselected group of genes.

**General**

- This specification contains nucleotide and amino acid sequence information prepared using PatentIn Version 3.1, presented herein after the claims. Each nucleotide
- 15 sequence is identified in the sequence listing by the numeric indicator <210> followed by the sequence identifier (e.g. <210> 1, <210> 2, <210> 3, etc). The length and type of sequence (DNA, protein (PRT), etc), and source organism for each nucleotide sequence, are indicated by information provided in the numeric indicator fields <211>, <212> and <213>, respectively. Nucleotide sequences referred to in
- 20 the specification are defined by the term "SEQ ID NO:", followed by the sequence identifier (eg. SEQ ID NO: 1 refers to the sequence in the sequence listing designated as <400> 1).

- The designation of nucleotide residues referred to herein are those recommended by
- 25 the IUPAC-IUB Biochemical Nomenclature Commission, wherein A represents Adenine, C represents Cytosine, G represents Guanine, T represents thymine, Y represents a pyrimidine residue, R represents a purine residue, M represents Adenine or Cytosine, K represents Guanine or Thymine, S represents Guanine or Cytosine, W represents Adenine or Thymine, H represents a nucleotide other than Guanine, B
- 30 represents a nucleotide other than Adenine, V represents a nucleotide other than Thymine, D represents a nucleotide other than Cytosine and N represents any nucleotide residue.

As used herein the term "derived from" shall be taken to indicate that a specified integer may be obtained from a particular source albeit not necessarily directly from that source.

5 Throughout this specification, unless the context requires otherwise, the word "comprise", or variations such as "comprises" or "comprising", will be understood to imply the inclusion of a stated step or element or integer or group of steps or elements or integers but not the exclusion of any other step or element or integer or group of elements or integers.

10

Those skilled in the art will appreciate that the invention described herein is susceptible to variations and modifications other than those specifically described. It is to be understood that the invention includes all such variations and modifications. The invention also includes all of the steps, features, compositions and compounds  
15 referred to or indicated in this specification, individually or collectively, and any and all combinations or any two or more of said steps or features.

The present invention is not to be limited in scope by the specific embodiments described herein, which are intended for the purposes of exemplification only.

20 Functionally-equivalent products, compositions and methods are clearly within the scope of the invention, as described herein.

The reference to any prior art in this specification is not, and should not be taken as, an acknowledgment or any form of suggestion that such prior art forms part of the  
25 common general knowledge in Australia.

### **Background art**

Increasingly, the nucleotide sequence of whole genomes of organisms, including *Arabidopsis thaliana*, has been determined and as these data become available they  
30 provide a wealth of unmined information. The ultimate goal of these genome projects is to identify the biological function of every gene in the genome.

Attribution of a function to a nucleic acid with a particular nucleotide sequence can be achieved in a variety of ways. Some of the genes have been characterized directly using the appropriate assays. Others have been attributed with a tentative function through homology with (parts of) genes having a known function in other organisms.

- 5 Loss-of-function mutants, obtained e.g. by tagged insertional mutagenesis have also been very informative about the role of some of these unknown genes (AzpiroLeehan and Feldmann 1997; Martienssen 1998) particularly in the large scale analysis of the yeast genome (Ross-MacDonald et al., 1999).
- 10 Structural mutants resulting in a loss-of-function may also be mimicked by interfering with the expression of a nucleic acid of interest at the transcriptional or post-transcriptional level. Silencing of genes, particularly plant genes using anti-sense or co-suppression constructs to identify gene function, especially for a larger number of targets, is however hampered by the relatively low proportion of silenced individuals
- 15 obtained, particularly those wherein the silencing level is almost complete.

Recent work has demonstrated that the silencing efficiency could be greatly improved both on quantitative and qualitative level using chimeric constructs encoding RNA capable of forming a double stranded RNA by basepairing between the antisense and

20 sense RNA nucleotide sequences respectively complementary and homologous to the target sequences.

Fire *et al.*, 1998 describe specific genetic interference by experimental introduction of double-stranded RNA in *Caenorhabditis elegans*. The importance of these findings for

25 functional genomics has been discussed (Wagner and Sun, 1998).

WO 99/32619 provides a process of introducing an RNA into a living cell to inhibit gene expression of a target gene in that cell. The process may be practiced ex vivo or in vivo. The RNA has a region with double-stranded structure. Inhibition is sequence-

30 specific in that the nucleotide sequences of the duplex region of the RNA and or a portion of the target gene are identical.

Waterhouse *et al.* 1998 describe that virus resistance and gene silencing in plants can be induced by simultaneous expression of sense and anti-sense RNA. The sense and antisense RNA may be located in one transcript that has self-complementarity.

- 5 Hamilton *et al.* 1998 describes that a transgene with repeated DNA, i.e. inverted copies of its 5' untranslated region, causes high frequency, post-transcriptional suppression of ACC-oxidase expression in tomato.

WO 98/53083 describes constructs and methods for enhancing the inhibition of a  
10 target gene within an organism which involve inserting into the gene silencing vector an inverted repeat sequence of all or part of a polynucleotide region within the vector.

WO 99/53050 provides methods and means for reducing the phenotypic expression of a nucleic acid of interest in eukaryotic cells, particularly in plant cells, by introducing  
15 chimeric genes encoding sense and antisense RNA molecules directed towards the target nucleic acid, which are capable of forming a double stranded RNA region by base-pairing between the regions with the sense and antisense nucleotide sequence or by introducing the RNA molecules themselves. Preferably, the RNA molecules comprise simultaneously both sense and antisense nucleotide sequences.

20

WO 99/49029 relates generally to a method of modifying gene expression and to synthetic genes for modifying endogenous gene expression in a cell, tissue or organ of a transgenic organism, in particular to a transgenic animal or plant. Synthetic genes and genetic constructs, capable of forming a dsRNA which are capable of repressing,  
25 delaying or otherwise reducing the expression of an endogenous gene or a target gene in an organism when introduced thereto are also provided.

WO 99/61631 relates to methods to alter the expression of a target gene in a plant using sense and antisense RNA fragments of the gene. The sense and antisense RNA  
30 fragments are capable of pairing and forming a double-stranded RNA molecule, thereby altering the expression of the gene. The present invention also relates to plants, their progeny and seeds thereof obtained using these methods.

WO 00/01846 provides a method of identifying DNA responsible for conferring a particular phenotype in a cell which method comprises a) constructing a cDNA or genomic library of the DNA of the cell in a suitable vector in an orientation relative to (a) promoter(s) capable of initiating transcription of the cDNA or DNA to double stranded (ds) RNA upon binding of an appropriate transcription factor to the promoter(s); b) introducing the library into one or more of cells comprising the transcription factor, and c) identifying and isolating a particular phenotype of a cell comprising the library and identifying the DNA or cDNA fragment from the library responsible for conferring the phenotype. Using this technique, it is also possible to assign function to a known DNA sequence by a) identifying homologues of the DNA sequence in a cell, b) isolating the relevant DNA homologue(s) or a fragment thereof from the cell, c) cloning the homologue or fragment thereof into an appropriate vector in an orientation relative to a suitable promoter capable of initiating transcription of dsRNA from said DNA homologue or fragment upon binding of an appropriate transcription factor to the promoter and d) introducing the vector into the cell from step a) comprising the transcription factor.

WO 00/44914 also describes composition and methods for in vivo and in vitro attenuation of gene expression using double stranded RNA, particularly in zebrafish.

20

WO 00/49035 discloses a method for silencing the expression of an endogenous gene in a cell, the method involving overexpressing in the cell a nucleic acid molecule of the endogenous gene and an antisense molecule including a nucleic acid molecule complementary to the nucleic acid molecule of the endogenous gene, wherein the overexpression of the nucleic acid molecule of the endogenous gene and the antisense molecule in the cell silences the expression of the endogenous gene.

25

Smith et al., 2000 as well as WO 99/53050 described that intron containing dsRNA further increased the efficiency of silencing.

30

However, the prior art has not solved the problems associated with the efficient conversion of any nucleotide sequence of interest into a chimeric construct capable of

producing a dsRNA in eukaryotic cells, particularly in plant cells, and preferably in a way amenable to the processing of large number of nucleotide sequences.

These and other problems have been solved as described hereinafter in the different  
5 embodiments and claims.

### **Summary of the invention.**

It is an object of the invention to provide vectors comprising the following operably  
10 linked DNA fragments a) an origin of replication allowing replication in microorganisms (1), preferably bacteria; particularly *Escherichia coli*; b) a selectable marker region (2) capable of being expressed in microorganisms, preferably bacteria; and c) a chimeric DNA construct comprising in sequence (i) a promoter or promoter region (3) capable of being recognized by RNA polymerases of a eukaryotic cell,  
15 preferably a plant-expressible promoter; (ii) a first recombination site (4), a second recombination site (5), a third recombination site (6) and a fourth recombination site (7); and (iii) a 3' transcription terminating and polyadenylation region (8) functional in the eukaryotic cell; wherein the first recombination site (4) and the fourth recombination site (7) are capable of reacting with a same recombination site,  
20 preferably are identical, and the second recombination site (5) and the third recombination site (6), are capable of reacting with a same recombination site, preferably are identical; and wherein the first recombination site (4) and the second recombination site (5) do not recombine with each other or with a same recombination site or the third recombination site (6) and the fourth recombination  
25 site (7) do not recombine with each other or with a same recombination site.  
Optionally the vector may further include additional elements such as: a second selectable marker gene (9) between the first (4) and second recombination site (5) and/or a third selectable marker gene (10) between the third (6) and fourth recombination site (7) and/or a region flanked by intron processing signals (11),  
30 preferably an intron, functional in the eukaryotic cell, located between the second recombination site (5) and the third recombination site (6) and/or a fourth selectable marker gene (19), located between the second (5) and third recombination site (6) and/or left and right border T-DNA sequences flanking the chimeric DNA construct

plant, cells, preferably located between the left and the right T-DNA border sequences and/or an origin of replication capable of functioning in *Agrobacterium* spp. Selectable marker genes may be selected from the group consisting of an antibiotic resistance gene, a tRNA gene, an auxotrophic marker, a toxic gene, a phenotypic marker, an antisense oligonucleotide; a restriction endonuclease; a restriction endonuclease cleavage site, an enzyme cleavage site, a protein binding site, an a sequence complementary PCR primer. Preferably the first (4) and fourth recombination site (7) are *attR1* comprising the nucleotide sequence of SEQ ID No 4 and the second (5) and third (6) recombination site are *attR2* comprising the nucleotide sequence of SEQ ID No 5 or the first (4) and fourth recombination site (7) are *attP1* comprising the nucleotide sequence of SEQ ID No 10 and the second (5) and third (6) recombination site are *attP2* comprising the nucleotide sequence of SEQ ID No 11.

It is another objective of the invention to provide a kit comprising an acceptor vector according to invention, preferably further comprising at least one recombination protein capable of recombining a DNA segment comprising at least one of the recombination sites.

It is yet another objective of the invention to provide a method for making a chimeric DNA construct capable of expressing a dsRNA in a eukaryotic cell comprising the steps of

- a) combining in vitro:
  - i) an acceptor vector as herein before described;
  - ii) an insert DNA, preferably a linear or circular insert DNA, comprising a DNA segment of interest (12) flanked by
    - (a) a fifth recombination site (13) which is capable of recombining with the first (4) or fourth recombination site (7) on the vector; and
    - (b) a sixth recombination site (14) which is capable of recombining with the second (5) or third recombination site (6) on the vector;
  - iii) at least one site specific recombination protein capable of recombining the first (4) or fourth (7) and the fifth recombination site (13) and the second (5) or third (6) and the sixth recombination site (14);



- b) allowing recombination to occur in the presence of at least one recombination protein, preferably selected from Int and IHF and (ii) Int, Xis, and IHF, so as to produce a reaction mixture comprising product DNA molecules, the product DNA molecule comprising in sequence:
- 5 i) the promoter or promoter region (3) capable of being recognized by RNA polymerases of the eukaryotic cell;
  - ii) a recombination site (15) which is the recombination product of the first (4) and the fifth recombination site (13);
  - iii) the DNA fragment of interest (12);
  - 10 iv) a recombination site (16) which is the recombination product of the second (4) and the sixth recombination site (14);
  - v) a recombination site (17) which is the recombination product of the third (5) and the sixth recombination site (14);
  - vi) the DNA fragment of interest in opposite orientation (12);
  - 15 vii) a recombination site (18) which is the recombination product of the fourth (7) and the fifth recombination site (13); and
  - viii) the 3' transcription terminating and polyadenylation region (8) functional in the eukaryotic cell;
- c) selecting the product DNA molecules, preferably in vivo.

20

The method allows that multiple insert DNAs comprising different DNA fragments of interest are processed simultaneously.

The invention also provides a method for preparing a eukaryotic non-human organism, preferably a plant, wherein the expression of a target nucleic acid of interest is reduced or inhibited, the method comprising:

- 25 a) preparing a chimeric DNA construct capable of expressing a dsRNA in cells of the eukaryotic non-human organism according to methods of the invention;
- 30 b) introducing the chimeric DNA construct in cells of the eukaryotic non-human organism; and
- c) isolating the transgenic eukaryotic organism

It is also an objective of the invention to provide a method for isolating a nucleic acid molecule involved in determining a particular trait

- a) preparing a library of chimeric DNA constructs capable of expressing a dsRNA in cells of the eukaryotic non-human organism according to any one of the methods of the invention;
- b) introducing individual representatives of the library of chimeric DNA constructs in cells of the eukaryotic non-human organism;
- c) isolating a eukaryotic organism exhibiting the particular trait; and isolating the nucleic acid molecule.

The invention also provides a eukaryotic non-human organism, preferably a plant comprising a chimeric DNA construct obtainable through the methods of the invention.

**15 Brief description of the figures.**

Figure 1. Schematic representation of vectors and method used in a preferred embodiment of the invention.

Figure 1A: A nucleic acid of interest (12) is amplified by PCR using primers comprising two different recombination sites (13, 14) which cannot react with each other or with the same other recombination site. This results in "insert DNA" wherein the nucleic acid of interest (12) is flanked by two different recombination sites (13, 14).

Figure 1B. Using at least one recombination protein, the insert DNA is allowed to recombine with the acceptor vector between the recombination sites, whereby the first (4) and fourth recombination site (7) react with one of the recombination sites (13) flanking the PCR amplified DNA of interest (12) and the second (5) and third (6) recombination site on the acceptor vector recombine with the other recombination site (14) flanking the DNA of interest (12). The desired product DNA can be isolated by selecting for loss of the selectable marker genes (9) and (10) located between respectively the first (4) and second (5) recombination sites and the third (6) and fourth (7) recombination sites. Optionally, an additional selectable marker gene may

be included between the second (5) and third (6) recombination site to allow selection for the presence of this selectable marker gene and consequently for the optional intron sequence, which is flanked by functional intron processing signal sequences (11). The acceptor vector, as well as the product vector further comprises a origin of replication (Ori; (1)) and a selectable marker gene (2) to allow selection for the presence of the plasmid.

This result in a chimeric DNA construct with the desired configuration comprising a eukaryotic promoter region (3); a recombination site (15) produced by the recombination between recombination sites (4) and (13); a first copy of the DNA of interest (12); a recombination site (16) produced by the recombination between recombination sites (5) and (14); optionally an intron sequence flanked by intron processing signals (11); a recombination site (17) produced by the recombination between recombination sites (6) and (14); a second copy of the DNA of interest (12) in opposite orientation to the first copy of the DNA of interest; a recombination site (18) produced by the recombination between recombination sites (7) and (13); a eukaryotic transcription terminator and polyadenylation signal (8).

Figure 2A: A nucleic acid of interest (12) is amplified by PCR using primers comprising two different recombination sites which upon recombination with the recombination sites on an intermediate vector (Figure 2B) will yield recombination sites compatible with the first (4) and fourth (5) and with the second (6) and third (7) recombination site on the acceptor vector respectively.

Figure 2B: The insert DNA obtained in Figure 2A is allowed to recombine with the intermediate vector in the presence of at least one recombination protein to obtain an intermediate DNA wherein the DNA of interest (12) is flanked by two different recombination sites (13, 14) and which further comprises an origin of replication (1) and a selectable marker gene (2).

Figure 2C: The intermediate DNA is then allowed to recombine with the acceptor vector using at least one second recombination protein (basically as described for Figure 1B).

Figure 3: Schematic representation of the acceptor vector "pHELLSGATE"

Figure 4: Schematic representation of the acceptor vectors "pHELLSGATE 8"

5 "pHELLSGATE 11" and "pHELLSGATE 12".

**Detailed description of preferred embodiments.**

The current invention is based on the unexpected finding by the inventors that recombinational cloning was an efficient one-step method to convert a nucleic acid  
10 fragment of interest into a chimeric DNA construct capable of producing a dsRNA transcript comprising a sense and antisense nucleotide sequence capable of being expressed in eukaryotic cells. The dsRNA molecules are efficient effectors of gene-silencing. These methods improves the efficiency problems previously encountered to produce chimeric DNAs with long inverted repeats.

15

Thus, in a first embodiment, the invention provides a method for making a chimeric DNA construct or chimeric gene capable of expressing an RNA transcript in a eukaryotic cell , the RNA being capable of internal basepairing between a stretch of nucleotides corresponding to a nucleic acid of interest and its complement (i.e. the  
20 stretch of nucleotides in inverted orientation) located elsewhere in the transcript (and thus forming a hairpin RNA) comprising the following steps:

1. Providing an "acceptor vector" comprising the following operably linked DNA fragments:
  - a) an origin of replication allowing replication in a host cell (1),
  - 25 b) a selectable marker region (2) capable of being expressed in the host cell; and
  - c) a chimeric DNA construct comprising in sequence:
    - i) a promoter or promoter region (3) capable of being recognized by RNA polymerases of a eukaryotic cell;
    - ii) a first recombination site (4), a second recombination site (5), a third  
30 recombination site (6) and a fourth recombination site (7) whereby  
(1) the first (4) and fourth recombination site (7) are capable of reacting with the same other recombination site and preferably are identical to each other;

- (2) the second (5) and third (6) recombination site are also capable of reacting with the same other recombination site and preferably are identical to each other
- (3) the first (4) and second (5) recombination site do not recombine with each other or with the same other recombination site; and
- (4) the third (6) and fourth (7) recombination site do not recombine with each other or with the same other recombination site; and
- iii) a 3' transcription terminating and polyadenylation region (8) functional in a eukaryotic cell.
2. Providing an "insert DNA" comprising the DNA segment of interest (12) flanked by
- a) a fifth recombination site (13) which is capable of recombining with the first (4) or fourth (7) recombination site but preferably not with the second (5) or third (6) recombination site;
- b) a sixth recombination site (14) which is capable of recombining with the second (5) or third (6) recombination site but preferably not with the first (4) or fourth (7) recombination site.
3. Combining *in vitro* the insert DNA and the acceptor vector in the presence of at least one specific recombination protein and allowing the recombination to occur to produce a reaction mixture comprising inter alia "product DNA" molecules which comprise in sequence
- i) the promoter or promoter region (3) capable of being recognized by RNA polymerases of a eukaryotic cell;
- ii) a recombination site (15) which is the recombination product of the first (4) and fifth recombination site (13);
- iii) a first copy of the DNA fragment of interest (12);
- iv) a recombination site (16) which is the recombination product of the second (4) and the sixth recombination site (14);
- v) a recombination site (17) which is the recombination product of the third (5) and the sixth recombination site (14);
- vi) a second copy of the DNA fragment of interest in opposite orientation (12) with regard to the first copy ;

- vii) a recombination site (18) which is the recombination product of the fourth (7) and the fifth recombination site (13); and
- viii) a 3' transcription terminating and polyadenylation region (8) functional in a eukaryotic cell;

5

#### 4. Selecting the product DNA molecules.

This method is schematically outlined in Figure 1, with non-limiting examples of recombination sites and selectable markers.

10

As used herein, a "host cell" is any prokaryotic or eukaryotic organism that can be a recipient for the acceptor vector or the product DNA. Conveniently, the host cell will be a *Escherichia coli* strain commonly used in recombinant DNA methods.

- 15 A "recombination protein" is used herein to collectively refer to site specific recombinases and associated proteins and/or co-factors. Site specific recombinases are enzymes that are present in some viruses and bacteria and have been characterized to have both endonuclease and ligase properties. These recombinases (along with associated proteins in some cases) recognize specific sequences of bases in DNA and
- 20 exchange the DNA segments flanking those segments. Various recombination proteins are described in the art (see WO 96/40724 herein incorporated by reference in its entirety, at least on page 22 to 26).

- Examples of such recombinases include Cre from bacteriophage P1 and Integrase from
- 25 bacteriophage lambda.

Cre is a protein from bacteriophage P1 (Abremski and Hoess, 1984) which catalyzes the exchange between 34 bp DNA sequences called *loxP* sites (see Hoess et al., 1986. Cre is available commercially (Novagen, Catalog 69247-1).

30

Integrase (Int) is a protein from bacteriophage lambda which mediates the integration of the lambda genome into the *E. coli* chromosome. The bacteriophage lambda Int recombinational proteins promote irreversible recombination between its substrate *att*

sites as part of the formation or induction of a lysogenic state. Reversibility of the recombination reactions results from two independent pathways for integrative or excisive recombination. Cooperative and competitive interactions involving four proteins (Int, Xis, IHF and FIS) determine the direction of recombination. Integrative  
5 recombination involves the Int and IHF proteins and *attP* (240bp) and *attB* (25b) recombination sites. Recombination results in the formation of two new sites: *attL* and *attR*. A commercial preparation comprising Int and IHF proteins is commercially available (BP clonase™ ; Life Technologies). Excisive recombination requires Int, IHF, and Xis and sites *attL* and *attR* to generate *attP* and *attB*. A commercial preparation  
10 comprising Int, IHF and Xis proteins is commercially available (LR clonase™ ; Life Technologies).

A "recombination site" as used herein refers to particular DNA sequences, which a recombinase and possibly associated proteins recognizes and binds. The  
15 recombination site recognized by Cre recombinase is *loxP* which is a 34 base pair sequence comprised of two 13 base pair inverted repeats (serving as recombinase binding sites) flanking an 8 base pair core sequence. The recombination sites *attB*, *attP*, *attL* and *attR* are recognized by lambda integrase. *AttB* is an approximately 25 base pair sequence containing two 9 base pair core-type Int binding sites and a 7 base  
20 pair overlap region. *AttP* is an approximately 240 base pair sequence containing core-type Int binding sites and arm-type Int binding sites as well as sites for auxiliary proteins IHF, FIS and Xis (Landy 1993). Each of the *att* sites contains a 15 bp core sequence with individual sequence elements of functional significance lying within, outside and across the boundaries of this common core (Landy, 1989) Efficient  
25 recombination between the various *att* sites requires that the sequence of the central common region is substantially identical between the recombining partners. The exact sequence however is modifiable as disclosed in WO 96/40724 and the variant recombination sites selected from

- i) *attB*1: AGCCTGCTTTTTTGTACAAACTTGT (SEQ ID No 1);
- 30 ii) *attB*2: AGCCTGCTTCTTGTACAAACTTGT (SEQ ID No 2);
- iii) *attB*3: ACCCAGCTTCTTGTACAAACTTGT (SEQ ID No 3);
- iv) *attR*1: GTTCAGCTTTTTTGTACAAACTTGT (SEQ ID No 4);
- v) *attR*2: GTTCAGCTTCTTGTACAAACTTGT (SEQ ID No 5);

- vi) *attR3*: GTTCAGCTTTCTTGTACAAAGTTGG (SEQ ID No 6);
- vii) *attL1*: AGCCTGCTTTTTTGTACAAAGTTGG (SEQ ID No 7);
- viii) *attL2*: AGCCTGCTTTCTTGTACAAAGTTGG (SEQ ID No 8);
- ix) *attL3*: ACCCAGCTTTCTTGTACAAAGTTGG (SEQ ID No 9);
- 5 x) *attP1*: GTTCAGCTTTTTTGTACAAAGTTGG (SEQ ID No 10); or
- xi) *attP2,P3*: GTTCAGCTTTCTTGTACAAAGTTGG (SEQ ID No 11)

allow more flexibility in the choice of suitable pairs or recombination sites which are capable to recombine (as indicated by their index number).

- 10 It will be clear to the skilled artisan that a correspondence is required between the recombination site(s) used and the recombination proteins used.

In one embodiment the following combinations of recombination sites for the acceptor vector are present in the acceptor vector:

- 15 - the first (4) and fourth (7) recombination sites are identical and comprise *attP1* comprising the nucleotide sequence of SEQ ID No 10 and the second (5) and third (6) recombination site are also identical and comprise *attP2* comprising the nucleotide sequence of SEQ ID No 11; or
- the first (4) and fourth (7) recombination sites are identical and comprise *attR1*
- 20 comprising the nucleotide sequence of SEQ ID No 4 and the second (5) and third (6) recombination site are also identical and comprise *attR2* comprising the nucleotide sequence of SEQ ID No 5; and

the following combinations of recombination sites for the insert DNA are used:

- the fifth (13) recombination site comprises *attB1* comprising the nucleotide
- 25 sequence of SEQ ID No 1 and the sixth (14) recombination site comprises *attB2* comprising the nucleotide sequence of SEQ ID No 2, the combination being suitable for recombination with the first acceptor vector mentioned above; or
- the fifth (13) recombination site comprises *attL1* comprising the nucleotide sequence of SEQ ID No 7 and the sixth (14) recombination site comprises *attL2*
- 30 comprising the nucleotide sequence of SEQ ID No 8, the combination being suitable for recombination with the second acceptor vector mentioned above.



It has been unexpectedly found that product DNA molecules (resulting from recombination between the above mentioned second acceptor vector with attR recombination sites (such as pHELLSGATE 8) and insert DNA flanked by attL recombination sites) wherein the gene inserts in both orientations are flanked by attB recombination sites are more effective in silencing of the target gene(both quantitatively and qualitatively) than product DNA molecules (resulting from recombination between the above mentioned first acceptor vector with attP recombination sites (such as pHELLSGATE or pHELLSGATE 4) and insert DNA flanked by attB recombination sites) wherein the gene inserts in both orientations are flanked by attL recombination sites. Although not intending to limit the invention to a particular mode of action it is thought that the greater length of the attL sites and potential secondary structures therein may act to inhibit transcription yielding the required dsRNA to a certain extent. However, acceptor vectors such as the above mentioned first acceptor vectors with attP sites may be used when target gene silencing to a lesser extent would be useful or required.

The dsRNA obtained by the chimeric DNA construct made according to the invention may be used, to silence a nucleic acid of interest, i.e. reduce its phenotypic expression, in a eukaryotic organism, particularly a plant, either directly or by transcription of the chimeric DNA construct in the cells of the eukaryotic organism. When this is the case, the following considerations may apply.

The length of the nucleic acid of interest (12) may vary from about 10 nucleotides (nt) up to a length equaling the length (in nucleotides) of the target nucleic acid whose phenotypic expression is to be reduced. Preferably the total length of the sense nucleotide sequence is at least 10 nt, or at least 19 nt or at least 21 nt or at least 25 nt, or at least about 50 nt, or at least about 100 nt, or at least about 150 nt, or at least about 200 nt, or at least about 500 nt. It is expected that there is no upper limit to the total length of the sense nucleotide sequence, other than the total length of the target nucleic acid. However for practical reason (such as e.g. stability of the chimeric genes) it is expected that the length of the sense nucleotide sequence should not exceed 5000 nt, particularly should not exceed 2500 nt and could be limited to about 1000 nt.

It will be appreciated that the longer the total length of the nucleic acid of interest (12), the less stringent the requirements for sequence identity between the nucleic acid of interest and the corresponding sequence in the target gene. Preferably, the nucleic acid of interest should have a sequence identity of at least about 75% with the  
5 corresponding target sequence, particularly at least about 80 %, more particularly at least about 85%, quite particularly about 90%, especially about 95%, more especially about 100%, quite especially be identical to the corresponding part of the target nucleic acid. However, it is preferred that the nucleic acid of interest always includes a sequence of about 10 consecutive nucleotides, particularly about 25 nt, more  
10 particularly about 50 nt, especially about 100 nt, quite especially about 150 nt with 100% sequence identity to the corresponding part of the target nucleic acid. Preferably, for calculating the sequence identity and designing the corresponding sense sequence, the number of gaps should be minimized, particularly for the shorter sense sequences.

15

For the purpose of this invention, the "sequence identity" of two related nucleotide or amino acid sequences, expressed as a percentage, refers to the number of positions in the two optimally aligned sequences which have identical residues (x100) divided by the number of positions compared. A gap, i.e. a position in an alignment where a  
20 residue is present in one sequence but not in the other is regarded as a position with non-identical residues. The alignment of the two sequences is performed by the Needleman and Wunsch algorithm (Needleman and Wunsch 1970) The computer-assisted sequence alignment above, can be conveniently performed using standard software program such as GAP which is part of the Wisconsin Package Version 10.1  
25 (Genetics Computer Group, Madison, Wisconsin, USA) using the default scoring matrix with a gap creation penalty of 50 and a gap extension penalty of 3. Sequences are indicated as "essentially similar" when such sequence have a sequence identity of at least about 75%, particularly at least about 80 %, more particularly at least about 85%, quite particularly about 90%, especially about 95%, more especially about  
30 100%, quite especially are identical. It is clear than when RNA sequences are the to be essentially similar or have a certain degree of sequence identity with DNA sequences, thymine (T) in the DNA sequence is considered equal to uracil (U) in the RNA sequence.

The "insert DNA" may conveniently be provided using DNA amplification procedures, such as PCR, of the nucleic acid of interest, using as primers oligonucleotide sequences incorporating appropriate recombination sites as well as oligonucleotide sequences appropriate for the amplification of the nucleic acid of interest. However, alternative methods are available in the art to provide the nucleic acid of interest with the flanking recombination sites, including but not limited to covalently linking oligonucleotides or nucleic acid fragments comprising such recombination sites to the nucleic acid(s) of interest using ligase(s).

10

The providing of the appropriate flanking recombination sites to the nucleic acid may also proceed in several steps. E.g. in a first step the flanking sites provided to the nucleic acid of interest may be such that upon recombination with the recombination sites in an intermediate vector new recombination sites are created flanking the nucleic acid of interest, now compatible for recombination with the acceptor vector. This scheme is outlined in Figure 2, with non-limiting examples of recombination sites and selectable markers. It goes without saying that the insert DNA may be in a circular form or in a linear form.

As used herein, an "origin of replication" is a DNA fragment which allows replication of the acceptor vector in microorganisms, preferably bacteria, particularly *E. coli* strains, and ensures that upon multiplication of the microorganism, the daughter cells receive copies of the acceptor vector.

"Selectable marker (gene)" is used herein to indicate a DNA segment which allows to select or screen for the presence or absence of that DNA segment under suitable conditions. Selectable markers include but are not limited to

- (1) DNA segments that encode products which provide resistance against otherwise toxic compounds (e.g. antibiotic resistance genes, herbicide resistance genes)
- (2) DNA segments encoding products which are otherwise lacking in the recipient cell (e.g. tRNA genes, auxotrophic markers)

- (3) DNA segments encoding products which suppress the activity of a gene product;
- (4) DNA segments encoding products which can readily be identified (e.g.  $\beta$ -galactosidase, green fluorescent protein (GFP),  $\beta$ -glucuronidase (GUS));
- 5 (5) DNA segments that bind products which are otherwise detrimental to cell survival and/or function;
- (6) DNA segments that are capable of inhibiting the activity of any of the DNA segments described in Nos 1 to 5 (e.g. antisense oligonucleotides);
- (7) DNA segments that bind products that modify a substrate (e.g. restriction
- 10 endonuclease);
- (8) DNA segments that can be used to isolate a desired molecule (e.g. specific protein binding sites);
- (9) DNA segments that encode a specific nucleotide sequence which can be otherwise non-functional (e.g. for PCR amplification of subpopulations
- 15 of molecules;
- (10) DNA segments, which when absent, directly or indirectly confer sensitivity to particular compound(s);
- (11) DNA segments, which when absent, directly or indirectly confer resistance to particular compound(s);

20

Preferred first selectable markers (2) are antibiotic resistance genes. A large number of antibiotic resistance genes, particularly which can be used in bacteria, are available in the art and include but are not limited to aminoglycoside phosphotransferase I and II, chloramphenicol acetyltransferase, beta-lactamase, aminoglycoside

25 adenosyltransferase.

Preferred second selectable marker (9) and third selectable markers (10) are selectable markers allowing a positive selection when absent or deleted after recombination (i.e. in the product DNA) such as but not limited to *ccdB* gene the product of which

30 interferes with *E. coli* DNA gyrase and thereby inhibits growth of most *E. coli* strains. Preferably, the second and third marker are identical.

In one embodiment of the invention, the acceptor comprises a fourth selectable marker (19) between the second (5) and third (6) recombination site, preferably a marker allowing positive selection for the presence thereof, such as a antibiotic resistance gene, e.g. chloramphenicol resistance gene. Preferably, the fourth selectable marker should be different from first selectable marker and different from the second and third selectable marker. The presence of a fourth selectable marker allows to select or screen for the retention of the DNA region between the second (5) and third (6) recombination site in the product DNA, thereby increasing the efficiency with which the desired product DNAs having the nucleic acid of interest cloned in inverted repeat and operably linked to eukaryotic expression signals may be obtained.

However, it has been found that with most of the acceptor vectors tested, the presence of a selectable marker is not required and has little influence on the ratio of expected and desired product DNA molecules (which usually exceeds about 90% of obtained product DNA molecules) to undesired product DNA molecules.

It goes without saying that a person skilled in the art has a number of techniques available for recognizing the expected and desired product DNA molecules, such as but not limited to restriction enzyme digests or even determining the nucleotide sequence of the recombination product.

In another embodiment of the invention, the acceptor vector further comprises a pair of intron processing signals (11) or an intron sequence functional in the eukaryotic cell, preferably located between the second (5) and third (6) recombination site. However, the pair of intron processing signals or the intron may also be located elsewhere in the chimeric construct between the promoter or promoter region (3) and the terminator region (8). As indicated in the background art, this will improve the efficiency with which the chimeric DNA construct encoding the dsRNA will be capable of reducing the phenotypic expression of the target gene in the eukaryotic cell. A particularly preferred intron functional in cells of plants is the *pdk* intron (*Flaveria trinervia* pyruvate orthophosphate dikinase intron 2 ; see WO99/53050 incorporated by reference). The fourth selectable marker (19) may be located between the intron processing signals or within the intron (if these are located between the

second and third recombination site), but may also be located adjacent to the intron processing signals or the intron.

A person skilled in the art will recognize that the product DNA molecules resulting from a recombination with an acceptor vector as herein described which comprise a region between the second (5) and third (6) recombination will fall into two classes which can be recognized by virtue of the orientation of that intervening region. In the embodiments wherein the acceptor vector also comprises an intron, the different orientation may necessitate an additional step of identifying the correct orientation. To avoid this additional step, the acceptor vector may comprise an intron which can be spliced out independent of its orientation (such as present in pHELLSGATE 11) or the acceptor vector may comprise an spliceable intron in both orientations (such as present in pHELLSGATE 12).

As used herein, the term "promoter" denotes any DNA which is recognized and bound (directly or indirectly) by a DNA-dependent RNA-polymerase during initiation of transcription. A promoter includes the transcription initiation site, and binding sites for transcription initiation factors and RNA polymerase, and can comprise various other sites (e.g., enhancers), at which gene expression regulatory proteins may bind.

20

The term "regulatory region", as used herein, means any DNA, that is involved in driving transcription and controlling (i.e., regulating) the timing and level of transcription of a given DNA sequence, such as a DNA coding for a protein or polypeptide. For example, a 5' regulatory region (or "promoter region") is a DNA sequence located upstream (i.e., 5') of a coding sequence and which comprises the promoter and the 5'-untranslated leader sequence. A 3' regulatory region is a DNA sequence located downstream (i.e., 3') of the coding sequence and which comprises suitable transcription termination (and/or regulation) signals, including one or more polyadenylation signals.

30

As used herein, the term "plant-expressible promoter" means a DNA sequence which is capable of controlling (initiating) transcription in a plant cell. This includes any promoter of plant origin, but also any promoter of non-plant origin which is capable

of directing transcription in a plant cell, i.e., certain promoters of viral or bacterial origin such as the CaMV35S, the subterranean clover virus promoter No 4 or No 7, or T-DNA gene promoters but also tissue-specific or organ-specific promoters including but not limited to seed-specific promoters (e.g., WO89/03887), organ-primordia  
5 specific promoters (An et al., 1996), stem-specific promoters (Keller et al., 1988), leaf specific promoters (Hudspeth et al., 1989), mesophyll-specific promoters (such as the light-inducible Rubisco promoters), root-specific promoters (Keller et al., 1989), tuber-specific promoters (Keil et al., 1989), vascular tissue specific promoters (Peleman et al., 1989), stamen-selective promoters (WO 89/10396, WO 92/13956), dehiscence  
10 zone specific promoters (WO 97/13865) and the like.

The acceptor vector may further comprise a selectable marker for expression in a eukaryotic cell. Selectable marker genes for expression in eukaryotic cells are well known in the art, including but not limited to chimeric marker genes. The chimeric  
15 marker gene can comprise a marker DNA that is operably linked at its 5' end to a promoter, functioning in the host cell of interest, particularly a plant-expressible promoter, preferably a constitutive promoter, such as the CaMV 35S promoter, or a light inducible promoter such as the promoter of the gene encoding the small subunit of Rubisco; and operably linked at its 3' end to suitable plant transcription 3' end  
20 formation and polyadenylation signals. It is expected that the choice of the marker DNA is not critical, and any suitable marker DNA can be used. For example, a marker DNA can encode a protein that provides a distinguishable colour to the transformed plant cell, such as the A1 gene (Meyer *et al.*, 1987), can provide herbicide resistance to the transformed plant cell, such as the *bar* gene, encoding resistance to  
25 phosphinothricin (EP 0,242,246), or can provide antibiotic resistance to the transformed cells, such as the *aac(6')* gene, encoding resistance to gentamycin (WO94/01560).

The acceptor vector may also further comprise left and right T-DNA border sequences  
30 flanking the chimeric DNA construct, and may comprise an origin of replication functional in *Agrobacterium spp.* and/or a DNA region of homology with a helper Ti-plasmid as described in EP 0 116 718.

The efficiency and ease by which any nucleic acid of interest may be converted into a chimeric DNA construct comprising two copies of the nucleic acid of interest in inverted repeat and operably linked to eukaryotic 5' and 3' regulatory regions using the means and methods according to the invention, makes these particularly apt for  
5 automation and high throughput analysis.

It will be clear to the person skilled in the art that the acceptor vectors as hereinbefore described can be readily adapted to provide a vector which can be used to produce *in vitro* large amounts of double stranded RNA or RNAi comprising a complementary  
10 sense and antisense portion essentially similar to a target gene of choice as described elsewhere in this application, by exchanging the promoter capable of being expressed in a eukaryotic cell for a promoter recognized by any RNA polymerase. Very suitable promoters to this end are the promoters recognized by bacteriophage single subunit RNA polymerases such as the promoters recognized by bacteriophage single subunit  
15 RNA polymerase such as the RNA polymerases derived from the E. coli phages T7, T3,  $\phi$ I,  $\phi$ II, W31, H, Y, A1, 122, cro, C21, C22, and C2; Pseudomonas putida phage gh-1; Salmonella typhimurium phage SP6; Serratia marcescens phage IV; Citrobacter phage ViIII; and Klebsiella phage No.11 [Hausmann, Current Topics in Microbiology and Immunology, 75: 77-109 (1976); Korsten et al., J. Gen Virol. 43: 57-73 (1975);  
20 Dunn et al., Nature New Biology, 230: 94-96 (1971); Towle et al., J. Biol. Chem. 250: 1723-1733 (1975); Butler and Chamberlin, J. Biol. Chem., 257: 5772-5778 (1982)]. Examples of such promoters are a T3 RNA polymerase specific promoter and a T7 RNA polymerase specific promoter, respectively. A T3 promoter to be used as a first promoter in the CIG can be any promoter of the T3 genes as described by McGraw et  
25 al, Nucl. Acid Res. 13: 6753-6766 (1985). Alternatively, a T3 promoter may be a T7 promoter which is modified at nucleotide positions -10, -11 and -12 in order to be recognized by T3 RNA polymerase [(Klement et al., J. Mol. Biol. 215, 21-29(1990)]. A preferred T3 promoter is the promoter having the "consensus" sequence for a T3 promoter, as described in US Patent 5,037,745. A T7 promoter which may be used  
30 according to the invention, in combination with T7 RNA polymerase, comprises a promoter of one of the T7 genes as described by Dunn and Studier, J. Mol. Biol. 166: 477-535 (1983). A preferred T7 promoter is the promoter having the "consensus"



sequence for a T7 promoter, as described by Dunn and Studier (supra). Thus, the invention also provides an acceptor vector comprising

- a) origin of replication allowing replication in a host cell (1),
  - b) a selectable marker region (2) capable of being expressed in the host cell; and
  - 5 c) a chimeric DNA construct comprising in sequence:
    - i) a promoter or promoter region (3) capable of being recognized by a bacteriophage single subunit RNA polymerase;
    - ii) a first recombination site (4), a second recombination site (5), a third recombination site (6) and a fourth recombination site (7) whereby
- 10 (1) the first (4) and fourth recombination site (7) are capable of reacting with the same other recombination site and preferably are identical to each other;
- (2) the second (5) and third (6) recombination site are also capable of reacting with the same other recombination site and preferably are
- 15 identical to each other
- (3) the first (4) and second (5) recombination site do not recombine with each other or with the same other recombination site; and
- (4) the third (6) and fourth (7) recombination site do not recombine with each other or with the same other recombination site; and
- 20 (5) a 3' transcription terminating and polyadenylation region (8) functional in a eukaryotic cell.

The acceptor vector may be used to convert a DNA fragment of interest into an inverted repeat structure as described elsewhere in the application and dsRNA can be

25 produced in large amounts by contacting the acceptor vector DNA with the appropriate bacteriophage single subunit RNA polymerase under conditions well known to the skilled artisan. The so-produced dsRNA can then be used for delivery into cells prone to gene silencing, such as plant cells, fungal cells or animal cells. dsRNA may be introduced in animal cells via liposomes or other transfection agents

30 (e.g. Clonfection transfection reagent or the CalPhos Mammalian transfection kit from ClonTech) and could be used for methods of treatment of animals, including humans, by silencing the appropriate target genes.

The acceptor vectors may also be equipped with any prokaryotic promoter suitable for expression of dsRNA in a particular prokaryotic host. The prokaryotic host can be used as a source of dsRNA, e.g. by feeding it to an animal, such as a nematode, in which the silencing of the target gene is envisioned.

5

The promoter capable of expression in eukaryotic cell may also be a promoter capable of expression in a mammalian cell and vectors according to the invention may transiently be delivered using a retroviral delivery system or other animal transfection system.

10

In another embodiment of the invention, a method is provided for making a eukaryotic organism, particularly a plant, wherein the phenotypic expression of a target nucleic acid of interest is reduced or inhibited, comprising the steps of preparing a chimeric DNA construct comprising a nucleic acid of interest (12) comprising a nucleotide sequence of at least 19 bp or 25 bp having at least 70% sequence identity to the target nucleic acid of interest and capable of expressing a dsRNA in cells of the eukaryotic organism, particularly a plant according to the methods of the current invention and introducing the chimeric DNA construct in cells of the eukaryotic organism, and isolating eukaryotic organism transgenic for the chimeric DNA construct.

20

As used herein, "phenotypic expression of a target nucleic acid of interest" refers to any quantitative trait associated with the molecular expression of a nucleic acid in a host cell and may thus include the quantity of RNA molecules transcribed or replicated, the quantity of post-transcriptionally modified RNA molecules, the quantity of translated peptides or proteins, the activity of such peptides or proteins.

25

A "phenotypic trait" associated with the phenotypic expression of a nucleic acid of interest refers to any quantitative or qualitative trait, including the trait mentioned, as well as the direct or indirect effect mediated upon the cell, or the organism containing that cell, by the presence of the RNA molecules, peptide or protein, or posttranslationally modified peptide or protein. The mere presence of a nucleic acid in a host cell, is not considered a phenotypic expression or a phenotypic trait of that

30

nucleic acid, even though it can be quantitatively or qualitatively traced. Examples of direct or indirect effects mediated on cells or organisms are, e.g., agronomically or industrial useful traits, such as resistance to a pest or disease; higher or modified oil content etc.

5

As used herein, "reduction of phenotypic expression" refers to the comparison of the phenotypic expression of the target nucleic acid of interest to the eucaryotic cell in the presence of the RNA or chimeric genes of the invention, to the phenotypic expression of the target nucleic acid of interest in the absence of the RNA or chimeric  
10 genes of the invention. The phenotypic expression in the presence of the chimeric RNA of the invention should thus be lower than the phenotypic expression in absence thereof, preferably be only about 25%, particularly only about 10%, more particularly only about 5% of the phenotypic expression in absence of the chimeric RNA, especially the phenotypic expression should be completely inhibited for all practical  
15 purposes by the presence of the chimeric RNA or the chimeric gene encoding such an RNA.

A reduction of phenotypic expression of a nucleic acid where the phenotype is a qualitative trait means that in the presence of the chimeric RNA or gene of the  
20 invention, the phenotypic trait switches to a different discrete state when compared to a situation in which such RNA or gene is absent. A reduction of phenotypic expression of a nucleic acid may thus, *i.a.* be measured as a reduction in transcription of (part of) that nucleic acid, a reduction in translation of (part of) that nucleic acid or a reduction in the effect the presence of the transcribed RNA(s) or translated  
25 polypeptide(s) have on the eucaryotic cell or the organism, and will ultimately lead to altered phenotypic traits. It is clear that the reduction in phenotypic expression of a target nucleic acid of interest, may be accompanied by or correlated to an increase in a phenotypic trait.

30 As used herein a "target nucleic acid of interest" refers to any particular RNA molecule or DNA sequence which may be present in a eucaryotic cell, particularly a plant cell whether it is an endogenous nucleic acid, a transgenic nucleic acid, a viral nucleic acid, or the like.

Methods for making transgenic eukaryotic organisms, particularly plants are well known in the art. Gene transfer can be carried out with a vector that is a disarmed Ti-plasmid, comprising a chimeric gene of the invention, and carried by *Agrobacterium*.

5 This transformation can be carried out using the procedures described, for example, in EP 0 116 718. A particular kind of *Agrobacterium* mediated transformation methods are the so-called *in planta* methods, which are particularly suited for *Arabidopsis* spp. transformation (e.g. Clough and Bent 1998). Alternatively, any type of vector can be used to transform the plant cell, applying methods such as direct gene transfer (as

10 described, for example, in EP 0 233 247), pollen-mediated transformation (as described, for example, in EP 0 270 356, WO85/01856 and US 4,684,611), plant RNA virus-mediated transformation (as described, for example, in EP 0 067 553 and US 4,407,956), liposome-mediated transformation (as described, for example, in US 4,536,475), and the like. Other methods, such as microprojectile bombardment, as

15 described for corn by Fromm *et al.* (1990) and Gordon-Kamm *et al.* (1990), are suitable as well. Cells of monocotyledonous plants, such as the major cereals, can also be transformed using wounded and/or enzyme-degraded compact embryogenic tissue capable of forming compact embryogenic callus, or wounded and/or degraded immature embryos as described in WO92/09696. The resulting transformed plant cell

20 can then be used to regenerate a transformed plant in a conventional manner.

The obtained transformed plant can be used in a conventional breeding scheme to produce more transformed plants with the same characteristics or to introduce the chimeric gene for reduction of the phenotypic expression of a nucleic acid of interest

25 of the invention in other varieties of the same or related plant species, or in hybrid plants. Seeds obtained from the transformed plants contain the chimeric genes of the invention as a stable genomic insert.

In another embodiment the invention provides a method for isolating a nucleic acid

30 molecule involved in determining a particular phenotypic trait of interest. The method involves the following steps:

- a) preparing a library of chimeric DNA constructs capable of expressing a dsRNA in cells of the eukaryotic non-human organism using the methods and means described in the current invention;
- b) introducing individual representatives of this library of chimeric DNA  
5 constructs in cells of the eukaryotic non-human organism, preferably by stable integration in their genome, particularly their nuclear genome;
- c) isolating a eukaryotic organism exhibiting the particular trait; and
- d) isolating the corresponding nucleic acid molecule present in the eukaryotic  
10 organism with the trait of interest, preferably from the aforementioned library.

10 It goes without saying that the methods and means of the invention may be used to determine the function of an isolated nucleic acid fragment or sequence with unknown function, by converting a part or the whole of that nucleic acid fragment or sequence according to the methods of the invention into a chimeric construct capable  
15 of making a dsRNA transcript when introduced in a eukaryotic cell, introducing that chimeric DNA construct into a eukaryotic organism to isolate preferably a number of transgenic organisms and observing changes in phenotypic traits.

The invention also provides acceptor vectors, as described in this specification as well  
20 as kits comprising the such vectors.

It goes without saying that the vectors, methods and kits according to the invention may be used in all eukaryotic organisms which are prone to gene silencing including yeast, fungi, plants, animals such as nematodes, insects and arthropods, vertebrates  
25 including mammals and humans.

Also provided by the invention are non-human organisms comprising chimeric DNA constructs comprising in sequence the following operably linked DNA fragments

- i) a promoter or promoter region (3) capable of being recognized by RNA  
30 polymerases of the eukaryotic cell;
- ii) a recombination site (15) which is the recombination product of the first (4) recombination site on the acceptor vector and the fifth recombination site (13) flanking the DNA of interest;

- iii) a first DNA copy of the nucleic acid fragment of interest (12);
- iv) a recombination site (16) which is the recombination product of the second (4) recombination site on the acceptor vector and the sixth recombination site (14) flanking the DNA of interest;
- 5 v) a recombination site (17) which is the recombination product of the third (5) recombination site on the acceptor vector and the sixth recombination site (14) flanking the DNA of interest;
- vi) a second DNA copy of the nucleic acid fragment of interest in opposite orientation (12) compared to the first copy;
- 10 vii) a recombination site (18) which is the recombination product of the fourth (7) recombination site on the acceptor vector and the fifth recombination site (13) flanking the DNA of interest; and
- viii) a 3' transcription terminating and polyadenylation region (8) functional in a eukaryotic cell.

15

As used herein "comprising" is to be interpreted as specifying the presence of the stated features, integers, steps or components as referred to, but does not preclude the presence or addition of one or more features, integers, steps or components, or groups thereof. Thus, e.g., a nucleic acid or protein comprising a sequence of nucleotides or amino acids, may comprise more nucleotides or amino acids than the actually cited ones, i.e., be embedded in a larger nucleic acid or protein. A chimeric gene comprising a DNA region which is functionally or structurally defined, may comprise additional DNA regions etc.

25 The term "gene" means any DNA fragment comprising a DNA region (the "transcribed DNA region") that is transcribed into a RNA molecule (e.g., a mRNA) in a cell operably linked to suitable regulatory regions, e.g., a plant-expressible promoter. A gene may thus comprise several operably linked DNA fragments such as a promoter, a 5' leader sequence, a coding region, and a 3' region comprising a polyadenylation site. A plant gene endogenous to a particular plant species (endogenous plant gene) is 30 a gene which is naturally found in that plant species or which can be introduced in that plant species by conventional breeding. A chimeric gene is any gene which is not normally found in a plant species or, alternatively, any gene in which the

promoter is not associated in nature with part or all of the transcribed DNA region or with at least one other regulatory region of the gene.

The term "expression of a gene" refers to the process wherein a DNA region which is operably linked to appropriate regulatory regions, particularly to a promoter, is transcribed into an RNA which is biologically active i.e., which is either capable of interaction with another nucleic acid or which is capable of being translated into a polypeptide or protein. A gene is the to encode an RNA when the end product of the expression of the gene is biologically active RNA, such as e.g. an antisense RNA, a ribozyme or a replicative intermediate. A gene is the to encode a protein when the end product of the expression of the gene is a protein or polypeptide.

A nucleic acid is "capable of being expressed", when the nucleic acid, when introduced in a suitable host cell, particularly in a plant cell, can be transcribed (or replicated) to yield an RNA, and/or translated to yield a polypeptide or protein in that host cell.

The following non-limiting Examples describe the construction of acceptor vectors and the application thereof for the conversion of nucleic acid fragments of interest into chimeric DNA constructs capable of expressing a dsRNA transcript in eukaryotic cells. Unless stated otherwise in the Examples, all recombinant DNA techniques are carried out according to standard protocols as described in Sambrook *et al.* (1989) *Molecular Cloning: A Laboratory Manual*, Second Edition, Cold Spring Harbor Laboratory Press, NY and in Volumes 1 and 2 of Ausubel *et al.* (1994) *Current Protocols in Molecular Biology*, *Current Protocols*, USA. Standard materials and methods for plant molecular work are described in *Plant Molecular Biology Labfax* (1993) by R.D.D. Croy, jointly published by BIOS Scientific Publications Ltd (UK) and Blackwell Scientific Publications, UK. Other references for standard molecular biology techniques include Sambrook and Russell (2001) *Molecular Cloning: A Laboratory Manual*, Third Edition, Cold Spring Harbor Laboratory Press, NY, Volumes I and II of Brown (1998) *Molecular Biology LabFax*, Second Edition, Academic Press (UK). Standard materials and methods for polymerase chain reactions can be found in Dieffenbach and Dveksler (1995) *PCR Primer: A Laboratory Manual*, Cold Spring

Harbor Laboratory Press, and in McPherson et al. (2000) *PCR - Basics: From Background to Bench*, First Edition, Springer Verlag, Germany.

Throughout the description and Examples, reference is made to the following

5 sequences:

- |    |               |   |
|----|---------------|---|
|    | SEQ ID No 1:  | core sequence of recombination site <i>attB1</i>  |
|    | SEQ ID No 2:  | core sequence of recombination site <i>attB2</i>  |
|    | SEQ ID No 3:  | core sequence of recombination site <i>attB3</i>  |
|    | SEQ ID No 4:  | core sequence of recombination site <i>attR1</i>  |
| 10 | SEQ ID No 5:  | core sequence of recombination site <i>attR2</i>  |
|    | SEQ ID No 6:  | core sequence of recombination site <i>attR3</i>  |
|    | SEQ ID No 7:  | core sequence of recombination site <i>attL1</i>  |
|    | SEQ ID No 8:  | core sequence of recombination site <i>attL2</i>  |
|    | SEQ ID No 9:  | core sequence of recombination site <i>attL3</i>  |
| 15 | SEQ ID No 10: | core sequence of recombination site <i>attP1</i>  |
|    | SEQ ID No 11: | core sequence of recombination sites <i>attP2,P3</i>  |
|    | SEQ ID No 12: | nucleotide sequence of chalcone synthase gene of <i>Arabidopsis</i>                                     |
|    | SEQ ID No 13: | nucleotide sequence of the acceptor vector "pHELLSGATE"   |
| 20 | SEQ ID No 14: | oligonucleotide <i>attB1</i> "forward" primer used for amplification of 400bp and 200 bp CHS fragments. |
|    | SEQ ID No 15: | oligonucleotide <i>attB2</i> "reverse" primer for amplification of the 400 bp CHS fragment.             |
|    | SEQ ID No 16: | oligonucleotide <i>attB2</i> "reverse" primer for amplification of the 200 bp CHS fragment.             |
| 25 | SEQ ID No 17: | oligonucleotide <i>attB1</i> "forward" primer used for amplification of 100 bp CHS fragment.            |
|    | SEQ ID No 18: | oligonucleotide <i>attB2</i> "reverse" primer for amplification of the 100 bp CHS fragment.             |
| 30 | SEQ ID No 19: | oligonucleotide <i>attB1</i> "forward" primer used for amplification of 50 bp CHS fragment.             |
|    | SEQ ID No 20: | oligonucleotide <i>attB2</i> "reverse" primer for amplification of the 50 bp CHS fragment.              |



- SEQ ID No 21: oligonucleotide attB1 "forward" primer for amplification of the 25 bp CHS fragment.
- SEQ ID No 22: oligonucleotide attB2 "reverse" primer for the 25 bp fragment.
- 5 SEQ ID No 23: nucleotide sequence of the acceptor vector "pHELLSGATE 4"
- SEQ ID No 24: nucleotide sequence of the acceptor vector "pHELLSGATE 8"
- 10 SEQ ID No 25: nucleotide sequence of the acceptor vector "pHELLSGATE 11"
- SEQ ID No 26: nucleotide sequence of the acceptor vector "pHELLSGATE 12"

### Examples

#### 15 Example 1

##### **Construction of the acceptor vector pHELLSGATE**

With the completion of the *Arabidopsis* genome project, the advent of micro-array technology and the ever-increasing investigation into plant metabolic, perception, and response pathways, a rapid targeted way of silencing genes would be of major assistance. The high incidence and degree of silencing in plants transformed with chimeric genes containing simultaneously a sense and antisense nucleotide sequence, as well as a functional intron sequence suggested that such vectors could form the basis of a high-throughput silencing vector. However, one of the major obstacles in using such conventional cloning vectors for a large number of defined genes or a library of undefined genes would be cloning the hairpin arm sequences for each gene in the correct orientations.

Attempts to clone PCR products of sense and antisense arms together with the appropriately cut vector as a single step four-fragment ligation failed to give efficient or reproducible results. Therefore a construct (pHELLSGATE) was made to take advantage of Gateway™ (Life Technologies). With this technology, a PCR fragment is generated, bordered with recombination sites (*attB1* and *attB2*) which is directionally recombined, *in vitro*, into a plasmid containing two sets of suitable recombination

sites (*attP1* and *attP2* sites) using the commercially available recombination protein preparation.

The pHELLSGATE vector was designed such that a single PCR product from primers  
5 with the appropriate *attB1* and *attB2* sites would be recombined into it  
simultaneously to form the two arms of the hairpin. The *ccdB* gene, which is lethal in  
standard *E.coli* strains such as DH5 $\alpha$  (but not in DB3.1), was placed in the locations to  
be replaced by the arm sequences, ensuring that only recombinants containing both  
arms would be recovered. Placing a chloramphenicol resistance gene within the  
10 intron, gives a selection to ensure the retention of the intron in the recombinant  
plasmid.

pHELLSGATE comprises the following DNA fragments:

- a spectinomycin/streptomycin resistance gene (SEQ ID No 13 from the nucleotide  
15 at position 7922 to the nucleotide sequence at 9985);
- a right T-DNA border sequence (SEQ ID No 13 from the nucleotide at position  
10706 to the nucleotide sequence at 11324);
- a CaMV35S promoter (SEQ ID No 13 from the nucleotide at position 11674 to the  
nucleotide sequence at 13019);
- 20 • an *attP1* recombination site (complement of the nucleotide sequence of SEQ ID No  
13 from the nucleotide at position 17659 to the nucleotide sequence at 17890);
- a *ccdB* selection marker (complement of the nucleotide sequence of SEQ ID No 13  
from the nucleotide at position 16855 to the nucleotide at position 17610)
- an *attP2* recombination site (complement of the nucleotide sequence of SEQ ID No  
25 13 from the nucleotide at position 16319 to the nucleotide at position 16551)
- *pdk* intron2 (SEQ ID No 13 from the nucleotide at position 14660 to the  
nucleotide at position 16258) flanked by the intron splice site (TACAG\*TT (SEQ  
ID No 13 from the nucleotide at position 16254 to the nucleotide sequence at  
16260) and the intron splice site (TG\*GTAAG) (SEQ ID No 13 from the nucleotide  
30 at position 14660 to the nucleotide sequence at 14667) and comprising a  
chloramphenicol resistance gene (SEQ ID No 13 from the nucleotide at position  
15002 to the nucleotide at position 15661);

- an *attP2* recombination site (SEQ ID No 13 from the nucleotide at position 14387 to the nucleotide at position 14619)
- a *ccdB* selection marker (complement of the nucleotide sequence of SEQ ID No 13 from the nucleotide at position 13675 to the nucleotide at position 13980)
- 5 • an *attP1* recombination site (SEQ ID No 13 from the nucleotide at position 13048 to the nucleotide at position 13279)
- a octopine synthase gene terminator region (SEQ ID No 13 from the nucleotide at position 17922 to the nucleotide sequence at 18687);
- a chimeric marker selectable in plants comprising:
  - 10 • a nopaline synthase promoter (SEQ ID No 13 from the nucleotide at position 264 to the nucleotide sequence at 496);
  - a *nptII* coding region (SEQ ID No 13 from the nucleotide at position 497 to the nucleotide sequence at 1442); and
  - a nopaline synthase gene terminator (SEQ ID No 13 from the nucleotide at
  - 15 position 1443 to the nucleotide sequence at 2148);
  - a left T-DNA border sequence (SEQ ID No 13 from the nucleotide at position 2149 to the nucleotide sequence at 2706);
  - an origin of replication
  - a kanamycin resistance gene

20

The complete nucleotide sequence of pHELLSGATE is represented in the sequence listing (SEQ ID No 13) and a schematic figure can be found in Figure 3.

### Example 2

- 25    **Use of the pHELLSGATE to convert nucleic acid fragments of interest into dsRNA producing chimeric silencing genes.**

To test the acceptor vector pHELLSGATE an about 400bp, 200bp, 100bp, 50 bp and 25 bp fragment of the *Arabidopsis thaliana* chalcone synthase isomerase coding sequence (Seq ID No 12) (having respectively the nucleotide sequence of SEQ ID No 12 from

30 the nucleotide at position 83 to the nucleotide at position 482; the nucleotide sequence of SEQ ID No 12 from the nucleotide at position 83 to the nucleotide at position 222; the nucleotide sequence of SEQ ID No 12 from the nucleotide at position 83 to the nucleotide at position 182; the nucleotide sequence of SEQ ID No 12 from

the nucleotide at position 83 to the nucleotide at position 132 ; and the nucleotide sequence of SEQ ID No 12 from the nucleotide at position 83 to the nucleotide at position 107) were used as nucleic acid fragments of insert for construction of chimeric genes capable of producing dsRNA.

5

This gene was chosen because its mutant allele has been reported in Arabidopsis to give distinct phenotypes. The CHS tt4(85) EMS mutant (Koornneef, 1990) produces inactive CHS resulting in no anthocyanin pigment in either the stem or seed-coat. Wildtype plants produce the purple-red pigment in both tissues.

10

In a first step, the respective fragments were PCR amplified using specific primers further comprising *attB1* and *attB2* recombination sites. *AttB1* and *attB2* specific primers were purchased from Life Technologies. The 25 and 50 bp fragments flanked by att sites were made by dimerization of the primers.

15

The following combinations of primers were used :

For the 400 bp fragment

Forward primer:

GGGGACAAGTTTGTACAAAAAAGCAGGCTGCACTGCTAACCCTGAGAACCATGTG

20 CTTC (SEQ ID No 14); and

Reverse primer:

GGGGACCACTTTGTACAAGAAAGCTGGGTCGCTTGACGGAAGGACGGAGACCAAG  
AAGC (SEQ ID No 15).

25 For the 200 bp fragment

Forward primer:

GGGGACAAGTTTGTACAAAAAAGCAGGCTGCACTGCTAACCCTGAGAACCATGTG  
CTTC (SEQ ID No 14); and

Reverse primer:

30 GGGGACCACTTTGTACAAGAAAGCTGGGTAGGAGCCATGTAAGCACACATGTGTG  
GGTT (SEQ ID No 16).

For the 100 bp fragment

Forward primer:

5 GGGGACAAGTTTGTACAAAAAAGCAGGCTGCACTGCTAACCCTGAGAACCATGTG  
CTTCAGGCGGAGTATCCTGACTACTACTTCCGCATCACCAACAGT (SEQ ID No 17);  
and

Reverse primer:

GGGGACCACTTTGTACAAGAAAGCTGGGTAACTTCTCCTTGAGGTCGGTCATGTG  
10 TTCACTGTTGGTGATGCGGAAGTAGTAGTCAGGATACTCCGCCTG (SEQ ID No 18).

For the 50 bp fragment

Forward primer:

GGGGACAAGTTTGTACAAAAAAGCAGGCTGCACTGCTAACCCTGAGAACCATGTG  
15 CTTCAGGCGGAGTATCCTGACTAC (SEQ ID No 19); and

Reverse primer:

GGGGACCACTTTGTACAAGAAAGCTGGGTGTAGTCAGGATACTCCGCCTGAAGCA  
CATGGTTCTCAGGGTTAGCAGTGC (SEQ ID No 20).

20 For the 25 bp fragment

Forward primer:

GGGGACAAGTTTGTACAAAAAAGCAGGCTGCACTGCTAACCCTGAGAACCATGT  
(SEQ ID No 21); and

Reverse primer:

25 GGGGACCACTTTGTACAAGAAAGCTGGGTACATGGTTCTCAGGGTTAGCAGTGC  
(SEQ ID No 22).

PCR amplification and recombination using the GATEWAY™ technology with the  
commercially available BP Clonase (Life Technologies) were performed according to  
30 the manufacturer's instructions (manual available on  
<http://www.lifetech.com/content.cfm?pageid=2497>).

Bacterial colonies obtained on chloramphenicol-containing plates spread with *E. coli* DH5 $\alpha$  bacteria, transformed (by electroporation or by heatshocking RbCl<sub>2</sub> treated competent *E. coli* cells) with the *in vitro* recombination reaction were screened.

Colonies containing the desired recombinant plasmid were obtained in each case. For  
5 the about 400 bp fragment 24 colonies were screened and 23 contained the desired  
construct with the 400 bp in inverted repeat, operably linked to the CaMV35S  
promoter. For the about 200 bp fragment 36 colonies were screened and 35 contained  
the desired construct with the 200 bp in inverted repeat, operably linked to the  
CaMV35S promoter. For the about 50 bp fragment 6 colonies were screened and 4  
10 contained the desired construct with the 50 bp in inverted repeat, operably linked to  
the CaMV35S promoter. For the 25 bp fragment, 6 colonies were screened and 1  
contained the desired construct with the 400 bp in inverted repeat, operably linked to  
the CaMV35S promoter. In a number of cases the structure was confirmed by  
sequence analysis.

15

These results show that this vector facilitates the rapid, efficient, and simple  
production of hpRNA (hairpin RNA constructs). pHELLSGATE is a T-DNA vector,  
with a high-copy-number origin of replication for ease of handling. Recombinant  
pHELLSGATE constructs can be directly transformed into *Agrobacterium* for  
20 transformation of the chimeric construct into plants. This system can be used in high  
throughput applications.

### Example 3

#### Evaluation of plants comprising the chimeric genes of Example 2.

25 The vectors containing the dsRNA producing chimeric constructs with the 400, 200,  
100, 50 and 25 nucleotides of chalcone synthase in inverted repeat (Example 2) were  
introduced into *Agrobacterium tumefaciens* strain AGL1, GV3101 or LBA4404 either  
by electroporation or tri-parental mating.

30 Transgenic Arabidopsis lines are obtained by transformation with these *Agrobacteria*  
using the dipping method of Clough and Bent (1998).

Chalcone synthase activity is monitored by visual observation of stem and leaf color (normally in plants grown under high light, and by unaided or microscope assisted visual observation of seed-coat color.

Most of the transgenic lines transformed with the above mentioned CHS silencing  
5 constructs show pronounced silencing. The seed colour of most of these lines is virtually indistinguishable from seed of the *tt4(85)* mutant to the naked eye . Examination of the seed under a light microscope reveals that the degree of pigmentation is generally uniform in the cells of the coat of an individual seed, and among seeds of the same line.

10

#### Example 4

##### Construction of the acceptor vectors pHELLSGATE 4, pHELLSGATE 8, pHELLSGATE 11 and pHELLSGATE 12.

pHELLSGATE 4 was made by excising the DNA fragment comprising the *pdk* intron  
15 and chloramphenicol resistance gene from pHELLSGATE (Example 1) with *HindIII* and *EcoRI* and replacing it with a *HindIII/EcoRI* DNA fragment containing only the *pdk* intron. The complete nucleotide sequence of pHELLSGATE 4 is represented in the sequence listing (SEQ ID No 23).

20 pHELLSGATE 8 was made by PCR amplification using pHellsgate DNA as a template and oligonucleotides with the sequence  
5'GGGCTCGAGACAAGTTTGTACAAAAAAGCTG 3' and  
5'GGCTCGAGACCACTTTGTACAAGAAAGC 3' as primers. These primers modify the attP sites within pHellsgate to attR sites. The resulting fragment was sequenced and  
25 inserted into the *XhoI* site of a vector upstream of a DNA fragment containing the *pdk* intron fragment. Similarly an *XbaI/XbaI* fragment amplified with the oligonucleotides  
5'GGGTCTAGACAAGTTTGTACAAAAAAGCTG 3' and 5'  
GGGTCTAGACCACTTTGTACAAGAAAGC 3' as primers and pHELLSGATE as  
template DNA to modify the attP sites of this cassette to attR sites. This fragment was  
30 sequenced and inserted into the *XbaI* site of the intermediate described above downstream of the *pdk* intron. The complete nucleotide sequence of pHELLSGATE 8 is represented in the sequence listing (SEQ ID No 24) and a schematic figure can be found in Figure 4.

pHELLSGATE 11 is similar to pHELLSGATE 8 except that the pdk intron has been engineered to contain a branching point in the complementary strand such that splicing of the intron is independent of its orientation (a so-called "two-way intron"). The complete nucleotide sequence of pHELLSGATE 11 is represented in the sequence listing (SEQ ID No 25) and a schematic representation thereof can be found in Figure 4.

pHELLSGATE 12 is also similar to pHELLSGATE 8 except that the pdk intron has been duplicated as an inverted repeat. The complete nucleotide sequence of pHELLSGATE 12 is represented in the sequence listing (SEQ ID No 26) and a schematic representation thereof can be found in Figure 4.

#### Example 5

##### **Use of the different pHELLSGATE vectors to generate dsRNA chimeric silencing genes targeted towards three different model target genes.**

The efficiency in gene silencing of the different pHELLSGATE vectors was tested by inserting fragments of three target genes Flowering locus C (FLC) Ethylene insensitive 2 (EIN2) and Phytoene desaturase (PDC). For FLC a 390 bp fragment was used (from the nucleotide at position 303 to the nucleotide at position 692 of the nucleotide sequence available as Genbank Accession Nr AF116527) . For EIN2 a 580 bp fragment was used (from the nucleotide at position 541 to the nucleotide at position 1120 of the nucleotide sequence available as Genbank Accession Nr AF141203). For PDS a 432 bp fragment was used (from the nucleotide at position 1027 to the nucleotide at position 1458 of the nucleotide sequence available as Genbank Accession Nr L16237). Genes of interest were amplified using gene specific primers with either a 5' attB1 extension (GGGGACAAGTTTGTACAAAAAAGCAGGCT) or an attB2 extension (GGGACCACTTTGTACAAGAAAGCTGGGT) using F1 Taq DNA polymerase (Fisher Biotec, Subiaco, WA, Australia) according to the manufacturer's protocol. PCR products were precipitated by adding 3 volumes TE and two volumes 30% (w/v) PEG 3000, 30mM MgCl<sub>2</sub> and centrifuging at 13000 g for 15 minutes. Recombination reaction of PCR products with either pDONR201 (Invitrogen, Groningen, The



Netherlands) or pHELLSGATE 4 were carried out in a total volume of 10  $\mu$ L with 2  $\mu$ L BP clonase buffer (Invitrogen), 1-2  $\mu$ L PCR product 150 ng plasmid vector and 2  $\mu$ L BP clonase (Invitrogen). The reaction was incubated at room temperature (25°C) for 1 h to overnight. After the incubation, 1  $\mu$ L proteinase K (2  $\mu$ g/ $\mu$ L; Invitrogen) was added and  
5 incubated for 10 min at 37°C. 1-2  $\mu$ L of the mix was used to transform DH5 $\alpha$ , colonies were selected on the appropriate antibiotics. Clones were checked either by digestion of DNA minipreps or PCR. Recombination reactions from pDONR201 clones to pHellsgate 8, 11 or 12 were carried out in 10  $\mu$ L total volume with 2  $\mu$ L LR clonase buffer (Invitrogen), 2  $\mu$ L pDONR201 clone (approximately 150 ng), 300 ng pHellsgate  
10 8, 11 or 12 and 2  $\mu$ L LR clonase (Invitrogen). The reaction was incubated overnight at room temperature, proteinase-treated and used to transform E. coli DH5 $\alpha$  as for the BP clonase reaction. Transformation of Arabidopsis was performed according to via the floral dip method (Clough and Bent, 1998). Plants were selected on agar solidified MS media supplemented with 100 mg/l timentin and 50 mg/l kanamycin. For *FLC* and  
15 *PDS* constructs the C24 ecotype was used; for *EIN2* constructs Landsberg *erecta* was used. For scoring of *EIN2* phenotypes transformed T1 plants were transferred to MS media containing 50  $\mu$ M 1-aminocyclopropane-1-carboxylic acid (ACC) together with homozygous *EIN2*-silenced lines and wild type Landberg *erecta* plants. T1 *FLC* hpRNA plants were scored by transferring to MS plates and scoring days to flower or  
20 rosette leaves at flowering compared to C24 wild type plants and *flc* mutant lines. T1 *PDS* hpRNA plants were scored by looking at bleaching of the leaves. The results of the analysis of plants transformed with the different pHELLSGATE vectors are shown in Table 1.

25 All plants transformed with pHellsgate 4-*FLC* and pHellsgate 8-*FLC* flowered significantly earlier than wildtype C24 and in both cases plants flowering with the same number of rosette leaves as the *flc-20* line (carrying a stable Ds insertion in the first intron of the *FLC* gene) were observed. There was no clear difference in rosette leaves at flowering between the sets of plants transformed with the pHELLSGATE 4-  
30 *FLC* and pHellsgate 8-*FLC* constructs.

A difference in the effectiveness of the pHELLSGATE 4-*EIN2* and pHELLSGATE 8-*EIN2* plants was observed. Of 36 transformants for pHG4-*EIN2* there were no plants

with an observable ACC-resistant phenotype under the conditions used for this experiment, whereas 8 of the 11 plants carrying the pHG8-EIN2 transgene showed some degree of ACC-resistance. The extent to which the pHG8-EIN2 plants were resistant to ACC was variable indicating that the severity of silencing varies between  
5 transformants.

The great majority of plants carrying pHG4-PDS and pHG8-PDS showed a phenotype consistent with the loss of photoprotection due to the absence of carotenoids. The weakest phenotype was a bleaching of the cotyledons, with the true leaves not  
10 bleaching at any stage in the life cycle. The bleached cotyledon phenotype was only seen in plants transformed with *PDS* hpRNA constructs; we confirmed that the plants with this phenotype also contained the *PDS* hpRNA construct (data not shown) strongly suggesting that this phenotype is due to *PDS* silencing and not bleaching from the kanamycin selection. Plants transformed with the pHELLSGATE 4-PDS  
15 construct gave only this weak bleached cotyledon phenotype. In contrast the five of the pHELLSGATE 8-PDS plants had the weak phenotype and three showed a stronger phenotype with extensive or complete bleaching of the true leaves.

Table 1

Construct	Test genes	T1 plants	Rate of silencing
HELLSGATE 4	FLC	13	12
	EIN2	36	0
	PDS	12	11
HELLSGATE 8	FLC	6	6
	EIN2	11	8
	PDS	9	8
HELLSGATE 11	FLC	2	2
	EIN2	30	11
	PDS	11	11
HELLSGATE 11 (intervening region in inverse orientation)	FLC EIN2 PDS	8	6
HELLSGATE 12	FLC	13	11
	EIN2	26	12
	PDS		
HELLSGATE 12 (intervening region in inverse orientation)	FLC	9	8
	EIN2	5	2
	PDS		
	CHS		

### References

- An *et al.* (1996) *The Plant Cell* 8, 15-30
- AzpiroLeehan and Feldmann (1997) *Trends Genet.* 13: 152-156
- 5 Clough and Bent (1998) *Plant J.* 16: 735-743
- Fire *et al.* (1998) *Nature* 391: 806-811
- Fromm *et al.* (1990) *Bio/Technology* 8: 833
- Gordon-Kamm *et al.* (1990) *The Plant Cell* 2: 603
- Hamilton *et al.* (1998) *Plant J.* 15: 737-746
- 10 Hoess *et al.* (1986) *Nucl. Acids Res.* 14: 2287
- Hudspeth *et al.* (1989) *Plant Mol. Biol.* 12: 579-589
- Keil *et al.* (1989) *EMBO J.* 8: 1323-1330
- Keller *et al.* (1988) *EMBO J.* 7: 3625-3633
- Keller *et al.* (1989) *Genes & Devel.* 3: 1639-1646
- 15 Koornneef (1990) *Theor. Appl. Gen.* 80: 852-857
- Landy (1993) *Current Opinions in Genetics and Development* 3: 699-707
- Landy (1989) *Ann. Rev. Biochem.* 58: 913
- Martienssen (1998) *Proc. Natl. Acad. Sci. USA* 95: 2021-2026
- Meyer *et al.* (1987) *Nature* 330: 677
- 20 Needleman and Wunsch (1970) *J. Mol. Biol.* 48: 443-453
- Peleman *et al.* (1989) *Gene* 85: 359-369
- Ross-MacDonald *et al.* (1999) *Nature* 402: 413-418
- Smith *et al.* (2000) *Nature* 407: 319-320
- Wagner and Sun (1998) *Nature* 391: 744-745
- 25 Waterhouse *et al.* (1998) *Proc. Natl. Acad. Sci. USA* 95: 13959-13964

**Claims:**

1. A vector comprising the following operably linked DNA fragments:
    - a) an origin of replication allowing replication in a recipient cell (1), preferably in bacteria; particularly in *Escherichia coli*.
    - 5 b) a selectable marker region (2) capable of being expressed in said recipient cell; and
    - c) a chimeric DNA construct comprising in sequence:
      - i) a promoter or promoter region (3) capable of being recognized by RNA polymerases of a eukaryotic cell;
      - 10 ii) a first recombination site (4), a second recombination site (5), a third recombination site (6) and a fourth recombination site (7);
      - iii) a 3' transcription terminating and polyadenylation region (8) functional in said eukaryotic cell;

wherein said first recombination site (4) and said fourth recombination site (7) are

  - 15 capable of reacting with a same recombination site, preferably are identical, and said second recombination site (5) and said third recombination site (6), are capable of reacting with a same recombination site, preferably are identical; and wherein said first recombination site (4) and said second recombination site (5) do not recombine with each other or with a same recombination site or said third
  - 20 recombination site (6) and said fourth recombination site (7) do not recombine with each other or with a same recombination site.
2. The vector of claim 1, wherein said first (4) and second recombination site (5) flank a second selectable marker gene (10) and said third (6) and fourth
  - 25 recombination site (7) flank a third selectable marker gene (9).
3. The vector of claim 1 or 2, wherein said chimeric DNA construct comprises a region flanked by intron processing signals (11), functional in said eukaryotic cell, located between said second recombination site (5) and said third recombination
  - 30 site (6).
4. The vector of claim 3, wherein said region flanked by intron processing signals is an intron sequence functional in said eukaryotic cell.

5. The vector of any one of claims 3 or 4, further comprising a fourth selectable marker gene (19), located between said second (5) and third recombination site (6).
- 5 6. The vector of any one of claims 1 to 5, wherein said selectable marker genes are selected from the group consisting of an antibiotic resistance gene, a tRNA gene, an auxotrophic marker, a toxic gene, a phenotypic marker, an antisense oligonucleotide; a restriction endonuclease; a restriction endonuclease cleavage site, an enzyme cleavage site, a protein binding site, an a sequence complementary  
10 PCR primer.
7. The vector of any one of claims 1 to 6, wherein said promoter (3) is a plant-expressible promoter.
- 15 8. The vector of any one of claim 7, wherein said chimeric DNA construct is flanked by left and right border T-DNA sequences.
9. The vector of claim 8, further comprising a selectable marker gene capable of being expressed in plant cells located between said left and said right T-DNA border  
20 sequences.
10. The vector of claim 8 or claim 9, further comprising an origin of replication capable of functioning in *Agrobacterium* sp.
- 25 11. The vector of any one of claims 1 to 10, wherein said first (4) and fourth recombination site (7) is attR1 comprising the nucleotide sequence of SEQ ID No 4 and said second (5) and third (6) recombination site is attR2 comprising the nucleotide sequence of SEQ ID No 5.
- 30 12. The vector of any one of claims 1 to 10, wherein said first (4) and fourth recombination site (7) is attP1 comprising the nucleotide sequence of SEQ ID No 10 and said second (5) and third (6) recombination site is attP2 comprising the nucleotide sequence of SEQ ID No 11.

13. A vector comprising the sequence of SEQ ID No 13.
14. A vector comprising the sequence of SEQ ID No 23.
- 5 15. A vector comprising the sequence of SEQ ID No 24.
16. A vector comprising the sequence of SEQ ID No 25.
- 10 17. A vector comprising the sequence of SEQ ID No 26.
18. A vector comprising the following operably linked DNA fragments:
- a) an origin of replication allowing replication in a recipient cell (1), preferably in bacteria; particularly in *Escherichia coli*.
  - 15 b) a selectable marker region (2) capable of being expressed in said recipient cell; and
  - c) a chimeric DNA construct comprising in sequence:
    - i) a promoter or promoter region (3) capable of being recognized by a prokaryotic RNA polymerase;
    - 20 ii) a first recombination site (4), a second recombination site (5), a third recombination site (6) and a fourth recombination site (7);
    - iii) a 3' transcription terminating and polyadenylation region (8) functional in said eukaryotic cell;
- wherein said first recombination site (4) and said fourth recombination site (7) are
- 25 capable of reacting with a same recombination site, preferably are identical, and said second recombination site (5) and said third recombination site (6), are capable of reacting with a same recombination site, preferably are identical; and wherein said first recombination site (4) and said second recombination site (5) do not recombine with each other or with a same recombination site or said third recombination site (6)
- 30 and said fourth recombination site (7) do not recombine with each other or with a same recombination site.

19. The vector of claim 18, wherein said RNA polymerase is a bacteriophage single subunit RNA polymerase.
20. A kit comprising the vector according to any one of claims 1 to 19.
- 5 21. The kit of claim 20, further comprising at least one recombination protein capable of recombining a DNA segment comprising at least one of said recombination sites.
22. A method for making a chimeric DNA construct capable of expressing a dsRNA in  
10 a eukaryotic cell comprising the step of
- a) combining in vitro:
- i) a vector according to any one of claims 1 to 19;
- ii) an insert DNA comprising a DNA segment of interest (12) flanked by  
15 (1) a fifth recombination site (13) which is capable of recombining with  
said first (4) or fourth recombination site (7) on said vector; and  
(2) a sixth recombination site (14) which is capable of recombining with  
said second (5) or third recombination site (6) on said vector;
- iii) at least one site specific recombination protein capable of recombining said  
first (4) or fourth (7) and said fifth recombination site (13) and said second  
20 (5) or third (6) and said sixth recombination site (14);
- b) allowing recombination to occur so as to produce a reaction mixture comprising  
product DNA molecules, said product DNA molecule comprising in sequence:
- i) said promoter or promoter region (3) capable of being recognized by RNA  
polymerases of said eukaryotic cell;
- 25 ii) a recombination site (15) which is the recombination product of said first  
(4) and said fifth recombination site (13);
- iii) said DNA fragment of interest (12);
- iv) a recombination site (16) which is the recombination product of said second  
(4) and said sixth recombination site (14);
- 30 v) a recombination site (17) which is the recombination product of said third  
(5) and said sixth recombination site (14);
- vi) said DNA fragment of interest in opposite orientation (12);



- vii) a recombination site (18) which is the recombination product of said fourth (7) and said fifth recombination site (13); and
  - viii) said 3' transcription terminating and polyadenylation region (8) functional in said eukaryotic cell;
- 5 c) selecting said product DNA molecules.

23. The method according to claim 22, wherein said selecting is carried out in vivo.

24. The method according to claim 22 or 23, wherein said insert DNA is a linear DNA  
10 molecule.

25. The method according to claim 22 or 23, wherein said insert DNA is a circular DNA molecule.

15 26. The method according to any of claims 22 to 25, wherein said at least one recombination protein is selected from (i) Int and IHF and (ii) Int, Xis, and IHF.

27. The method according to any one of claims 22 to 25, wherein multiple insert DNAs comprising different DNA fragments of interest are processed  
20 simultaneously.

28. A method for preparing a eukaryotic non-human organism wherein the phenotypic expression of a target nucleic acid of interest is reduced or inhibited, said method comprising:

- 25 a) preparing a chimeric DNA construct comprising a nucleic acid of interest (12) comprising a nucleotide sequence of at least 19 bp with at least 70% sequence identity to said target nucleic acid capable of expressing a dsRNA in cells of said eukaryotic non-human organism according to any one of the methods of claims 22 to 27;
- 30 b) introducing said chimeric DNA construct in cells of said eukaryotic non-human organism; and
- c) isolating said eukaryotic organism

29. The method of claim 28, wherein said eukaryotic organism is a plant.

30. A method for isolating a nucleic acid molecule involved in determining a particular trait

- 5 a) preparing a library of chimeric DNA constructs capable of expressing a dsRNA in cells of said eukaryotic non-human organism according to any one of the methods of claims 22 to 27;
- b) introducing individual representatives of said library of chimeric DNA constructs in cells of said eukaryotic non-human organism;
- 10 c) isolating a eukaryotic organism exhibiting said particular trait; and
- d) isolating said nucleic acid molecule.

31. The method according to claim 30, wherein said eukaryotic organism is a plant.

- 15 32. A eukaryotic non-human organism comprising a chimeric DNA construct obtainable through the methods of any one of claims 22 to 27.

33. The non-human eukaryotic organism according to claim 31 which is a plant.




Figure 1A

2/6




Figure 1B

3/6




Figure 2B




Figure 2A

4/6




Figure 2C





Figure 3



## Figure 4



## SEQUENCE LISTING

5 <110> COMMONWEALTH SCIENTIFIC AND INDUSTRIAL RESEARCH ORGANISATION  
 <120> Method and means for producing efficient silencing constructs using  
 recombinational cloning  
 10 <130> 500255/MRO  
 <150> US60/264,067  
 <151> 2001-01-26  
 15 <150> US60/333,743  
 <151> 2001-11-29  
 <160> 26  
 <170> PatentIn version 3.1  
 20 <210> 1  
 <211> 25  
 <212> DNA  
 <213> Artificial sequence  
 25 <220>  
 <223> core sequence of recombination site attB1  
 <400> 1  
 30 agcctgcttt tttgtacaaa cttgt 25  
 <210> 2  
 <211> 25  
 35 <212> DNA  
 <213> Artificial sequence  
 <220>  
 <223> core sequence of recombination site attB2  
 40 <400> 2  
 agcctgcttt cttgtacaaa cttgt 25  
 45 <210> 3  
 <211> 25  
 <212> DNA  
 <213> Artificial sequence  
 50 <220>  
 <223> core sequence of recombination site attB3  
 <400> 3  
 acccagcttt cttgtacaaa cttgt 25  
 55 <210> 4  
 <211> 25  
 <212> DNA  
 60 <213> Artificial sequence

<220>  
<223> core sequence of recombination site attR1

5 <400> 4  
gttcagcttt tttgtacaaa cttgt 25

<210> 5  
10 <211> 25  
<212> DNA  
<213> Artificial sequence

<220>  
15 <223> core sequence of recombination site attR2

<400> 5  
gttcagcttt cttgtacaaa cttgt 25

20  
<210> 6  
<211> 25  
<212> DNA  
<213> Artificial sequence

25  
<220>  
<223> core sequence of recombination site attR3

<400> 6  
30 gttcagcttt cttgtacaaa gttgg 25

<210> 7  
<211> 25  
35 <212> DNA  
<213> Artificial sequence

<220>  
<223> core sequence of recombination site attL1

40  
<400> 7  
agcctgcttt tttgtacaaa gttgg 25

45 <210> 8  
<211> 25  
<212> DNA  
<213> Artificial sequence

50 <220>  
<223> core sequence of recombination site attL2

<400> 8  
agcctgcttt cttgtacaaa gttgg 25

55  
<210> 9  
<211> 25  
<212> DNA  
60 <213> Artificial sequence

<220>

<223> core sequence of recombination site attL3

<400> 9  
 acccagcttt cttgtacaaa gttgg 25

5

<210> 10  
 <211> 25  
 <212> DNA  
 10 <213> Artificial sequence

<220>  
 <223> core sequence of recombination site attP1

15 <400> 10  
 gttcagcttt tttgtacaaa gttgg 25

<210> 11  
 20 <211> 25  
 <212> DNA  
 <213> Artificial sequence

<220>  
 25 <223> core sequence of recombination site attP2,P3

<400> 11  
 gttcagcttt cttgtacaaa gttgg 25

30

<210> 12  
 <211> 1188  
 <212> DNA  
 <213> Artificial sequence

35

<220>  
 <223> cDNA sequence of the Arabidopsis thaliana chalcone synthase coding region

40 <400> 12  
 atggtgatgg ctggtgcttc ttctttggat gagatcagac aggtcagag agctgatgga 60  
 cctgcaggca tcttggtat tggcactgct aaccctgaga accatgtgct tcaggcgag 120  
 45 tatcctgact actacttccg catcaccaac agtgaacaca tgaccgacct caaggagaag 180  
 ttcaagcgca tgtgcgacaa gtcgacaatt cggaaacgtc acatgcatct gacggaggaa 240  
 ttcctcaagg aaaaccaca catgtgtgct tacatggctc cttctctgga caccagacag 300  
 50 gacatcgtgg tggtcgaagt ccctaagcta ggcaaagaag cggcagtga ggccatcaag 360  
 gagtggggcc agcccaagtc aaagatcact catgtcgtct tctgcactac ctccggcgctc 420  
 55 gacatgcctg gtgctgacta ccagctcacc aagcttcttg gtctccgtcc ttccgtcaag 480  
 cgtctcatga tgtaccagca aggttgcttc gccggcggtg ctgtcctccg tatcgctaag 540  
 gatctcgccg agaacaaccg tggagcacgt gtcctcgttg tctgctctga gatcacagcc 600  
 60 gttaccttcc gtggtccctc tgacaccac cttgactccc tcgtcgggtca ggctcttttc 660

```

    agtgatggcg cgcgcgact cattgtgggg tcggaccctg acacatctgt cggagagaaa      720
    cccatctttg agatgggtgc tgccgctcag accatccttc cagactctga tggtgccata      780
5   gacggacatt tgagggaagt tgggtctcacc ttccatctcc tcaaggatgt tcccggcctc      840
    atctccaaga acattgtgaa gagtctagac gaagcgttta aacctttggg gataaagtac      900
    tggaactccc tcttctggat agcccaccct ggagggtccag cgatcctaga ccagggtggag      960
10  ataaagctag gactaaagga agagaagatg agggcgacac gtcacgtggt gagcgagtat     1020
    ggaaacatgt cgagcgcgtg cggttctcttc atactagacg agatgaggag gaagtcagct     1080
15  aaggatggtg tggccacgac aggagaaggg ttggagtggg gtgtcttggt tggtttcgga     1140
    ccaggtctca ctgttgagac agtcgtcttg cacagcgttc ctctctaa                     1188

20  <210>  13
    <211>  18691
    <212>  DNA
    <213>  Artificial sequence

25  <220>
    <223>  acceptor vector pHELLSGATE

    <220>
    <221>  misc_feature
30  <222>  (7922)..(9985)
    <223>  spectinomycin resistance

    <220>
35  <221>  misc_feature
    <222>  (10706)..(11324)
    <223>  right T-DNA border fragment

40  <220>
    <221>  misc_feature
    <222>  (11674)..(13019)
    <223>  CaMV35S promoter fragment

45  <220>
    <221>  misc_feature
    <222>  (17890)..(17659)
    <223>  attP1 recombination site (complement)

50  <220>
    <221>  misc_feature
    <222>  (17610)..(16855)
55  <223>  ccdB selection marker (complement)

    <220>
    <221>  misc_feature
60  <222>  (16551)..(16319)
    <223>  attP2 recombination site (complement)

```

<220>  
<221> misc\_feature  
<222> (14660)..(16258)  
5 <223> pdk2 intron 2

<220>  
<221> misc\_feature  
10 <222> (15002)..(15661)  
<223> chloramphenicol resistance gene

<220>  
15 <221> misc\_feature  
<222> (14387)..(14619)  
<223> attP2 recombination site

<220>  
20 <221> misc\_feature  
<222> (13675)..(13980)  
<223> ccdB selection marker (complement)

25  
<220>  
<221> misc\_feature  
<222> (13048)..(13279)  
<223> attP1 recombination site

30  
<220>  
<221> misc\_feature  
<222> (17922)..(18687)  
35 <223> octopine synthase gene terminator region

<220>  
<221> misc\_feature  
40 <222> (264)..(496)  
<223> nopaline synthase gene promoter

<220>  
45 <221> misc\_feature  
<222> (497)..(1442)  
<223> nptII coding region

50 <220>  
<221> misc\_feature  
<222> (1443)..(2148)  
<223> nopaline synthase gene terminator

55  
<220>  
<221> misc\_feature  
<222> (2149)..(2706)  
<223> a left T-DNA border region

60  
<400> 13

	ggccgcacta gtgatatccc gcggccatgg cgggccgggag catgcgacgt cgggcccgaat	60
	tcgccctata gtgagtcgta ttacaattca ctggccgtcg ttttacaacg tcgtgactgg	120
5	gaaaaccctg gcgttaccca acttaatcgc cttgcagcac atcccccttt cgccagctgg	180
	cgtaatagcg aagaggcccc caccgatcgc ccttcccaac agttgcgcag cctgaatggc	240
	gaatggaaat tgtaaactgt aatgggtttc tggagttaa tgagctaagc acatacgtca	300
10	gaaaccatta ttgcgcgttc aaaagtcgcc taaggctact atcagctagc aaatatttct	360
	tgtcaaaaat gtcocactga cgttccataa attcccctcg gtatccaatt agagtctcat	420
15	attcactctc aatccaaata atctgcaatg gcaattacct tatccgcaac ttctttacct	480
	atttccgccc ggatccgggc aggttctccg gccgcttggg tggagaggct attcggtat	540
	gactgggcac aacagacaat cggtctctct gatgccgccg tgttccggct gtcagcgag	600
20	gggcgcccgg ttctttttgt caagaccgac ctgtccgggtg ccctgaatga actgcaggac	660
	gaggcagcgc ggctatcgtg gctggccacg acgggcgttc cttgcgcagc tgtgctcgac	720
25	gttgtcactg aagcgggaag ggactggctg ctattgggcg aagtgccggg gcaggatctc	780
	ctgtcatctc accttgctcc tgccgagaaa gtatccatca tggctgatgc aatgccggcg	840
	ctgcatacgc ttgatccggc tacctgccca ttccgaccac aagcgaaaca tcgcatcgag	900
30	cgagcacgta ctcggatgga agccgggtctt gtcgatcagg atgatctgga cgaagagcat	960
	caggggctcg cgccagccga actgttcgcc aggtcgaagg cgcgcatgcc cgacggcgag	1020
35	gatctcgtcg tgacctatgg cgatgcctgc ttgccgaata tcatggtgga aaatggccgc	1080
	ttttctggat tcatcgactg tggccggctg ggtgtggcgg accgctatca ggacatagcg	1140
	ttggctaccc gtgatattgc tgaagagctt ggcggcgaat gggctgaccg cttcctcgtg	1200
40	ctttacggta tcgccgtcc cgattcgcag cgcacgcct tctatgcct tcttgacgag	1260
	ttcttctgag cgggactctg gggttcgaaa tgaccgacca agcgacgccc aacctgccat	1320
45	cacgagattt cgattccacc gccgccttct atgaaagggt gggcttcgga atcgttttcc	1380
	gggacgcgg ctggatgac ctccagcgcg gggatctcat gctggagtgc ttcgcccacc	1440
	ccgatccaac acttacgttt gcaacgtcca agagcaaata gaccacgaac gccggaagg	1500
50	tgccgcagcg tgtggattgc gtctcaattc tctcttgag gaatgcaatg atgaatatga	1560
	tactgactat gaaactttga gggaaactg cctagcaccg tcacctcata acgtgcatca	1620
55	tgcagccct gacaacatgg aacatcgcta tttttctgaa gaattatgct cggtggagga	1680
	tgtcgcggca attgcagcta ttgccaacat cgaactaccc ctacgcagc cattcatcaa	1740
	tattattcat gcggggaaag gcaagattaa tccaactggc aaatcatcca gcgtgattgg	1800
60	taacttcagt tccagcgact tgattcgttt tgggtctacc cacgttttca ataaggacga	1860

	gatggtggag taaagaagga gtgcgtcgaa gcagatcggt caaacatttg gcaataaagt	1920
	ttcttaagat tgaatcctgt tgccggtcctt gcgatgatta tcatataatt tctgttgaat	1980
5	tacgttaagc atgtaataat taacatgtaa tgcgatgacgt tatttatgag atggggtttt	2040
	atgattagag tcccgcaatt atacatttaa tacgcgatag aaaacaaaat atagcgcgca	2100
10	aactaggata aattatcgcg cgcggtgtca tctatgttac tagatcgaat taattccagg	2160
	cggatgaagg caatcagctg ttgcccgtct cactggtgaa aagaaaaacc accccagtac	2220
	attaaaaacg tccgcaatgt gttattaagt tgtctaagcg tcaatttggt tacaccacaa	2280
15	tatatcctgc caccagccag ccaacagctc cccgaccggc agctcggcac aaaatcacca	2340
	ctcgatacag gcagcccatc agtccgggac ggcgctcagcg ggagagccgt tgtaaggcgg	2400
20	cagactttgc tcatgttacc gatgctattc ggaagaacgg caactaagct gccgggtttg	2460
	aaacacggat gatctcgcgg agggtagcat gttgattgta acgatgacag agcgttgctg	2520
	cctgtgatca aatatcatct ccctcgcaga gatccgaatt atcagccttc ttattcattt	2580
25	ctcgcttaac cgtgacaggc tgtcgatctt gagaactatg ccgacataat aggaaatcgc	2640
	tggtataaagc cgctgaggaa gctgagtggt gctatttctt tagaagtga cgttgacgat	2700
30	gtcgacggat cttttccgct gcataaccct gcttcgggggt cattatagcg attttttcgg	2760
	tatatccatc ctttttcgca cgatatacag gattttgcca aagggttcgt gtagactttc	2820
	cttgggtgat ccaacggcgt cagccgggca ggataggtga agtaggcca cccgcgagcg	2880
35	ggtgttcctt cttcactgtc cettattcgc acctggcgggt gctcaacggg aatcctgctc	2940
	tgcgaggctg gccggctacc gccggcgtaa cagatgaggg caagcggatg gctgatgaaa	3000
40	ccaagccaac caggggtgat gctgccaaact tactgattta gtgtatgatg gtgtttttga	3060
	ggtgctccag tggcttctgt ttctatcagc tgtccctcct gttcagctac tgacggggtg	3120
	gtgcgtaacg gcaaaagcac cgccggacat cagcgctatc tctgctctca ctgccgtaaa	3180
45	acatggcaac tgcagttcac ttacaccgct tctcaaccgg gtacgcacca gaaaatcatt	3240
	gatatggcca tgaatggcgt tggatgccgg gcaacagccc gcattatggg cgttggcctc	3300
50	aacacgattt tacgtcactt aaaaaactca ggccgcagtc ggtaacctcg cgcatcacgc	3360
	cgggcagtgat cgtcatcgtc tgcgcggaaa tggacgaaca gtggggctat gtcggggcta	3420
	aatcgcgcca gcgctggctg ttttacgcgt atgacagtct ccggaagacg gttgttgcg	3480
55	acgtattcgg tgaacgcact atggcgacgc tggggcgctt tatgagcctg ctgtcacct	3540
	ttgacgtggt gatatggatg acggatggct ggccgctgta tgaatccgc ctgaagggaa	3600
60	agctgcacgt aatcagcaag cgatatacgc agcgaattga gcggcataac ctgaatctga	3660
	ggcagcacct ggcacggctg ggacgggaagt cgctgtcgtt ctcaaaatcg gtggagctgc	3720

	atgacaaagt catcgggcat tatctgaaca taaaacacta tcaataagtt ggagtcatta	3780
	cccaaccagg aagggcagcc cacctatcaa ggtgtactgc cttccagacg aacgaagagc	3840
5	gattgaggaa aaggcggcgg cggccggcat gagcctgtcg gcctacctgc tggccgtcgg	3900
	ccagggctac aaaatcacgg gcgtcgtgga ctatgagcac gtccgcgagc tggcccgcac	3960
	caatggcgac ctggggccgcc tggggggcct gctgaaactc tggctcaccg acgaccgcg	4020
10	cacggcgcg ttcggtgatg ccacgatcct cgccctgctg gcgaagatcg aagagaagca	4080
	ggacgagctt ggcaaggcca tgatgggcgt ggtccgccc agggcagagc catgactttt	4140
15	ttagccgcta aaacggccgg ggggtgcgcg tgattgccaa gcacgtccc atgcgtccca	4200
	tcaagaagag cgacttcgcg gagctggtat tcgtgcaggg caagattcgg aataccaagt	4260
	acgagaagga cggccagacg gtctacggga ccgacttcat tgccgataag gtggattatc	4320
20	tggacaccaa ggcaaccagg gggtaaatc aggaataagg gcacattgcc ccggcgtgag	4380
	tcggggcaat cccgcaagga gggtagaatg atcggacgtt tgaccggaag gcatacaggc	4440
25	aagaactgat cgacgcgggg ttttccgccg aggatgccga aaccatcgca agccgcaccg	4500
	tcattgcgtgc gcccgcgaa accttccagt ccgtcggctc gatggtccag caagctacgg	4560
	ccaagatcga gcgcgacagc gtgcaactgg ctccccctgc cctgcccgcg ccatcggccg	4620
30	ccgtggagcg ttcgcgtcgt ctcgaaacagg aggcggcagg tttggcgaag tcgatgacca	4680
	tcgacacgcg aggaactatg acgaccaaga agcgaaaaac cgccggcgag gacctggcaa	4740
35	aacaggctcag cgaggccaag caggccgcgt tgctgaaaca cacgaagcag cagatcaagg	4800
	aatgacagct ttccttgttc gatattgcgc cgtggccgga cacgatgcga gcgatgccaa	4860
	acgacacggc ccgctctgcc ctgttcacca cgcgcaacaa gaaaatccc cgcgaggcgc	4920
40	tgcaaaacaa ggtcattttc cacgtcaaca aggacgtgaa gatcacctac accggcgtcg	4980
	agctgcgggc cgacgatgac gaactggtgt ggcagcaggt gttggagtac gcgaagcgca	5040
45	cccctatcgg cgagccgatc accttcacgt tctacgagct ttgccaggac ctgggctggt	5100
	cgatcaatgg ccggtattac acgaaggccg aggaatgcct gtcgcgccta caggcgacgg	5160
	cgatgggctt cacgtccgac cgcgttgggc acctggaatc ggtgtcgtcg ctgcaccgct	5220
50	tccgcgtcct ggaccgtggc aagaaaacgt cccgttgcca ggtcctgacg gacgaggaaa	5280
	tcgtcgtgct gtttgctggc gaccactaca cgaaattcat atgggagaag taccgcaagc	5340
55	tgtcgccgac ggcccagcgg atgttcgact atttcagctc gcaccgggag ccgtaccgcg	5400
	tcaagctgga aaccttccgc ctcatgtgcg gatcggattc caccgcgctg aagaagtggc	5460
	gcgagcaggt cggcgaagcc tgcaagagt tgcgaggcag cggcctggtg gaacacgcct	5520
60	gggtcaatga tgacctggtg cattgcaaac gctagggcct tgtggggcca gttccggctg	5580



	gggggttcagc agccagcgct ttactggcat ttcaggaaca agcgggcact gctcgacgca	5640
	cttgcttcgc tcagtatcgc tcgggacgca cggcgcgctc tacgaactgc cgataaacag	5700
5	aggattaaaa ttgacaattg tgattaaggc tcagattcga cggcttggag cggccgacgt	5760
	gcaggatttc cgcgagatcc gattgtcggc cctgaagaaa gctccagaga tgttcgggtc	5820
	cgttttacgag cagcaggaga aaaagcccat ggaggcgttc gctgaacggg tgcgagatgc	5880
10	cgtggcattc ggcgccctaca tcgacggcga gatcattggg ctgtcgggtc tcaaacagga	5940
	ggacggcccc aaggacgctc acaaggcgca tctgtccggc gttttcgtgg agcccgaaca	6000
15	gcgaggccga ggggtcgcgg gtatgtctgt gcgggcggtt ccggcggtt tattgtctgt	6060
	gatgatcgtc cgacagattc caacgggaat ctggtggatg cgcattctca tcctcggcgc	6120
	acttaatat tgcctattct ggagcttggt gtttatttcg gtctaccgcc tgccgggcgg	6180
20	ggtcgcgggc acggtaggcg ctgtgcagcc gctgatggc gtgttcattc ctgccgtct	6240
	gctaggtagc ccgatacgat tgatggcggc cctgggggct atttgcggaa ctgcgggcgt	6300
25	ggcgctgttg gtgttgacac caaacgcagc gctagatcct gtcggcgctc cagcgggcct	6360
	ggcggggggc gtttccatgg cgttcggaac cgtgctgacc cgcaagtggc aacctcccgt	6420
	gcctctgctc acctttaccg cctggcaact ggcgccgga ggacttctgc tcgttccagt	6480
30	agcttttagtg tttgatccgc caatcccgat gcctacagga accaatgttc tcggcctggc	6540
	gtggctcggc ctgatcggag cgggtttaac ctacttcctt tggttccggg ggatctcgcg	6600
35	actcgaacct acagttgttt ccttactggg ctttctcagc cgggatggcg ctaagaagct	6660
	attgcgcgcg atcttcatat gcggtgtgaa ataccgcaca gatgcgtaag gagaaaatac	6720
	cgcacagggc gctcttcgc ttctcgcctc actgactcgc tgcgctcggc cgttcggctg	6780
40	cggcgagcgg tatcagctca ctcaaaggcg gtaatacggg tatccacaga atcaggggat	6840
	aacgcaggaa agaacatgtg agcaaaaggc cagcaaaagg ccaggaaaccg taaaaaggcc	6900
45	gcgttgctgg cgtttttcca taggctccgc cccctgacg agcatcaca aaatcgacgc	6960
	tcaagtcaga ggtggcgaaa ccgacagga ctataaagat accaggcggt tccccctgga	7020
	agctccctcg tgcgctctcc tgttcgacc ctgccgtta ccgataacct gtccgccttt	7080
50	ctcccttcgg gaagcgtggc gctttctcaa tgctcacgct gtaggtatct cagttcggtg	7140
	taggtcgttc gtcceaagct gggctgtgtg cacgaacccc ccgttcagcc cgaccgctgc	7200
55	gccttatccg gtaactatcg tcttgagtcc aaccggtaa gacacgactt atcgccactg	7260
	gcagcagcca ctggtaacag gattagcaga gcgaggtatg taggcgggtc tacagagttc	7320
	ttgaagtggg gccctaacta cggctacact agaaggacag tatttggtat ctgcgctctg	7380
60	ctgaagccag ttaccttcgg aaaaagagtt ggtagctctt gatccggcaa acaaacacc	7440

	gctggtagcg	gtgggtttttt	tgtttgcaag	cagcagatta	cgcgagaaa	aaaaggatat	7500
	caagaagatc	ctttgatctt	ttctacgggg	tctgacgctc	agtggaacga	aaactcacgt	7560
5	taagggattt	tggtcatgag	attatcaaaa	aggatcttca	cctagatcct	tttaaattaa	7620
	aaatgaagtt	ttaaataaat	ctaaagtata	tatgagtaaa	cttggtctga	cagttaccaa	7680
	tgcttaatac	gtgaggcacc	tatctcagcg	atctgtctat	ttcgttcatc	catagttgcc	7740
10	tgactccccg	tcgtgtagat	aactacgata	cgggagggct	taccatctgg	ccccagtgc	7800
	gcaatgatac	cgcgagaccc	acgctcaccg	gctccagatt	tatcagcaat	aaaccagcca	7860
15	gccggaaggg	ccgagcgag	aagtggctct	gcaactttat	ccgcctccat	ccagtctatt	7920
	aaacaagtgg	cagcaacgga	ttcgcaaacc	tgctacgcct	tttgtgcaa	aagccgcgcc	7980
	aggtttgca	tccgctgtgc	caggcgtag	gcgtcatatg	aagatttcgg	tgatccctga	8040
20	gcagggtggcg	gaaacattgg	atgctgagaa	ccatttcatt	gttcgtgaag	tgttcgatgt	8100
	gcacctatcc	gaccaaggct	ttgaactatc	taccagaagt	gtgagcccct	accggaagga	8160
25	ttacatctcg	gatgatgact	ctgatgaaga	ctctgcttgc	tatggcgcat	tcacgacca	8220
	agagcttgct	gggaagattg	aactcaactc	aacatggaac	gatctagcct	ctatcgaaca	8280
	cattgttggtg	tcgcacacgc	accgaggcaa	aggagtcgcg	cacagtctca	tcgaatttgc	8340
30	gaaaaagtgg	gactaagca	gacagctcct	tggcatacga	ttagagacac	aaacgaacaa	8400
	tgtacctgcc	tgcaatttgt	acgcaaaatg	tggctttact	ctcggcggca	ttgacctggt	8460
35	cacgtataaa	actagacctc	aagtctcgaa	cgaaacagcg	atgtactggg	actggttctc	8520
	gggagcacag	gatgacgcct	aacaattcat	tcaagccgac	accgcttcgc	ggcgcggtt	8580
	aattcaggag	ttaaacaatc	tgagggaagc	ggtgatcgcc	gaagtatcga	ctcaactatc	8640
40	agaggtagtt	ggcgtcatcg	agcgccatct	cgaaccgacg	ttgctggccg	tacatttgta	8700
	cggctccgca	gtggatggcg	gcctgaagcc	acacagtgat	attgatttgc	tggttacggg	8760
45	gaccgtaagg	cttgatgaaa	caacgcggcg	agctttgatc	aacgaccttt	tggaaacttc	8820
	ggcttcccct	ggagagagcg	agattctccg	cgctgtagaa	gtcaccattg	ttgtgcacga	8880
	cgacatcatt	ccgtggcggt	atccagctaa	gcgcgaactg	caatttgag	aatggcagcg	8940
50	caatgacatt	cttgacaggta	tcttcagacc	agccacgata	gacattgatc	tggttatctt	9000
	gctgacaaaa	gcaagagaac	atagcggttg	cttggttaggt	ccagcggcgg	aggaactctt	9060
55	tgatccgggt	cctgaacagg	atctatttga	ggcgctaaat	gaaaccttaa	cgctatggaa	9120
	ctcgccgccc	gactgggctg	gcgatgagcg	aaatgtagtg	cttacgttgt	cccgcatttg	9180
	gtacagcgca	gtaaccggca	aaatcgcgcc	gaaggatgtc	gctgccgact	gggcaatgga	9240
60	gcgcctgccc	gcccagtatc	agcccgctcat	acttgaagct	aggcaggctt	atcttgga	9300

agaagatcgc ttggcctcgc gcgcagatca gttggaagaa tttgttcact acgtgaaagg 9360  
 cgagatcacc aaggtagtcg gcaaataatg tctaacaatt cgttcaagcc gacgccgctt 9420  
 5 cgcggcgcgcg cttaaactcaa gcgttagaga gctggggaag actatgcgcg atctgttgaa 9480  
 ggtggttcta agcctcgtac ttgcgatggc atcggggcag gcacttgctg acctgccaat 9540  
 10 tgttttagtg gatgaagctc gtcttcctta tgactactcc ccatccaact acgacatttc 9600  
 tccaagcaac tacgacaact ccataagcaa ttacgacaat agtccatcaa attacgacaa 9660  
 ctctgagagc aactacgata atagttcatc caattacgac aatagtcgca acggaatcg 9720  
 15 taggcttata tatagcgcaa atgggtctcg cactttcgcc ggctactacg tcattgccaa 9780  
 caatgggaca acgaacttct tttccacatc tggcaaaagg atgttctaca ccccaaaagg 9840  
 ggggcgcgcg gtctatggcg gcaaagatgg gagcttctgc ggggcattgg tcgtcataaa 9900  
 20 tggccaattt tcgcttgccc tgacagataa cggcctgaag atcatgtatc taagcaacta 9960  
 gcctgctctc taataaaatg ttaggagctt ggctgccatt tttggggtga ggccgttcgc 10020  
 25 ggccgagggg cgcagccctt ggggggatgg gaggcccgcg ttagcgggcc gggagggttc 10080  
 gagaaggggg ggcaccccc ttggcgctgc gcggtcacgc gccagggcgc agccctggtt 10140  
 aaaaacaagg tttataaata ttggtttaaa agcaggttaa aagacagggt agcgggtggc 10200  
 30 gaaaaacggg cggaaaccct tgcaaatgct ggattttctg cctgtggaca gcccctcaa 10260  
 tgtcaatagg tgcccccctc atctgtcagc actctgcccc tcaagtgtca aggatcgcg 10320  
 35 ccctcatctg tcagtagtcg cgcccctcaa gtgtcaatac cgcagggcac ttatccccag 10380  
 gcttgtccac atcatctgtg ggaaactcgc gtaaaatcag gcgttttcgc cgatttgcca 10440  
 ggctggccag ctccacgtcg ccggccgaaa tcgagcctgc ccctcatctg tcaacgccgc 10500  
 40 gccgggtgag tcggcccctc aagtgtcaac gtccgcccct catctgtcag tgagggccaa 10560  
 gttttccgcg aggtatccac aacgccggcg gccggccgcg gtgtctcgca cacggcttcg 10620  
 45 acggcgtttc tggcgcgttt gcagggccat agacggccgc cagcccagcg gcgagggcaa 10680  
 ccagcccgtt gagcgtcgga aagggtcgac atcttgctgc gttcgatat tttcggtgag 10740  
 ttcccgccac agaccggat tgaaggcgag atccagcaac tcgcgccaga tcatctgtg 10800  
 50 acggaacttt ggcgcgtgat gactggccag gacgtcggcc gaaagagcga caagcagatc 10860  
 acgattttcg acagcgtcgg atttgcatc gaggattttt cggcgctgcg ctacgtccgc 10920  
 55 gaccgcgttg agggatcaag ccacagcagc ccaactcgacc ttctagccga ccagacgag 10980  
 ccaagggatc tttttggaat gctgctccgt cgtcaggctt tccgacgtt ggggtggtga 11040  
 60 acagaagtca ttatcgtacg gaatgccagc actcccagag ggaaccctgt ggttgcatg 11100  
 cacatacaaa tggacgaacg gataaacctt ttcacgcctt tttaaatc cgttattcta 11160

ataaacgctc ttttctctta ggtttaccgc ccaatatatc ctgtcaaaca ctgatagttt 11220  
aaactgaagg cgggaaacga caatctgac atgagcggag aattaaggga gtcacgttat 11280  
5 gacccccgcc gatgacgcgg gacaagccgt tttacgtttg gaactgacag aaccgcaacg 11340  
attgaaggag ccactcagcc ccaatacgca aaccgcctct ccccgcgcggt tggccgattc 11400  
attaatgcag ctggcacgac aggtttcccg actggaaagc gggcagtgag cgcaacgcaa 11460  
10 ttaatgtgag ttagctcact cattaggcac ccaggtttt acactttatg cttccggtc 11520  
gtatgttggtg tggaattgtg agcggataac aatttcacac aggaaacagc tatgaccatg 11580  
15 attacgcaa gctatttagg tgacactata gaatactcaa gctatgcac caacgcgttg 11640  
ggagctctcc catatcgacc tgcaggcggc cgctcgacga attaatcca atcccacaaa 11700  
aatctgagct taacagcaca gttgctctc tcagagcaga atcgggtatt caacaccctc 11760  
20 atatcaacta ctacgttggtg tataacggtc cacatgccgg tatatacgat gactgggggtt 11820  
gtacaaaggc ggcaacaaac ggcgttcccg gagttgcaca caagaaattt gccactatta 11880  
25 cagaggcaag agcagcagct gacgcgtaca caacaagtca gcaaacagac aggttgaact 11940  
tcattcccaa aggagaagct caactcaagc ccaagagctt tgctaaggcc ctaacaagcc 12000  
caccaaagca aaaagccac tggctcacgc taggaaccaa aaggcccagc agtgatccag 12060  
30 ccccaaaaga gatctccttt gcccggaga ttacaatgga cgatttcctc tatctttacg 12120  
atctaggaag gaagttcgaa ggtgaagggtg acgacactat gttcaccact gataatgaga 12180  
35 aggttagcct cttcaatttc agaaagaatg ctgaccacga gatgggttaga gaggcctacg 12240  
cagcaggtct catcaagacg atctaccga gtaacaatct ccaggagatc aaataccttc 12300  
ccaagaaggt taaagatgca gtcaaaagat tcaggactaa ttgcatcaag aacacagaga 12360  
40 aagacatatt tctcaagatc agaagtacta ttccagtatg gacgattcaa ggcttgcttc 12420  
ataaaccaag gcaagtaata gagattggag tctctaaaaa ggtagttcct actgaatcta 12480  
45 aggccatgca tggagtctaa gattcaaact gaggatctaa cagaactcgc cgtgaagact 12540  
ggcgaacagt tcatacagag tcttttacga ctcaatgaca agaagaaaat cttcgtcaac 12600  
atgggtggagc acgacactct ggtctactcc aaaaatgtca aagatacagt ctgagaagac 12660  
50 caaagggcta ttgagacttt tcaacaaagg ataatttcgg gaaacctcct cggattccat 12720  
tgcccagcta tctgtcactt catcgaaagg acagtagaaa aggaagggtg ctctacaaa 12780  
55 tgccatcatt gcgataaagg aaaggctatc attcaagatc tctctgccga cagtgggtccc 12840  
aaagatggac cccacccac gaggagcatc gtggaaaaag aagacgttcc aaccacgtct 12900  
tcaaagcaag tggattgatg tgacatctcc actgacgtaa gggatgacgc acaatccac 12960  
60 tatccttcgc aagaccttc ctctatataa ggaagttcat ttcatttgga gaggacacgc 13020

tcgaggctag catggatctc gggcccaaaa taatgatttt attttgactg atagtgcct 13080  
 gttcgttgca acaattgat gagcaatgct tttttataat gccaaacttg taaaaaaag 13140  
 5 ctgaacgaga aacgtaaaat gatataaata tcaatatatt aaattagatt ttgcataaaa 13200  
 aacagactac ataatactgt aaaacacaac atatccagtc actatgaatc aactacttag 13260  
 10 atgggtattag tgacctgtag tcgaccgaca gccttccaaa tgttcttcgg gtgatgctgc 13320  
 caacttagtc gaccgacagc cttccaaatg ttcttctcaa acggaatcgt cgtatccagc 13380  
 ctactcgcta ttgtcctcaa tgccgtatta aatcataaaa agaaataaga aaaagagggtg 13440  
 15 cgagcctctt ttttgtgtga caaaataaaa acatctacct attcatatac gctagtgtca 13500  
 tagtcctgaa aatcatctgc atcaagaaca atttcacaac tcttatactt ttctcttaca 13560  
 agtcgttcgg cttcatctgg attttcagcc tctatactta ctaaactgta taaagtttct 13620  
 20 gtaatttcta ctgtatcgac ctgcagactg gctgtgtata agggagcctg acatttatat 13680  
 tccccagaac atcagggtta tggcggtttt gatgtcattt tcgcggtggc tgagatcagc 13740  
 25 cacttcttcc ccgataacgg agaccggcac actggccata tcggtggtca tcatgcgcca 13800  
 gctttcatcc ccgatatgca ccaccgggta aagttcacgg gagactttat ctgacagcag 13860  
 acgtgcactg gccaggggga tcaccatccg tcgcccgggc gtgtcaataa tatcactctg 13920  
 30 tacatccaca aacagacgat aacggctctc tcttttatag gtgtaaacct taaactgcat 13980  
 ttcaccagtc cctgttctcg tcagcaaaag agccgttcat ttcaataaac cgggcgacct 14040  
 35 cagccatccc ttctgattt tccgctttcc agcgttcggc acgcagacga cgggcttcat 14100  
 tctgcatggt tgtgcttacc agaccggaga tattgacatc atatatgcct tgagcaactg 14160  
 atagctgtcg ctgtcaactg tcaactgtaac acgctgcttc atagcacacc tctttttgac 14220  
 40 atacttcggg tagtgccgat caacgtctca ttttcgcaa aagttggccc agggcttccc 14280  
 ggtatcaaca gggacaccag gatttattta ttctgcgaag tgatcttccg tcacagggtat 14340  
 45 ttattcggcg caaagtgcgt cgggtgatgc tgccaactta gtcgactaca ggtcactaat 14400  
 accatctaag tagttgattc atagtgactg gatatgttgt gttttacagt attatgtagt 14460  
 ctgtttttta tgcaaaatct aatttaatat attgatattt atatcatttt acgtttctcg 14520  
 50 ttcagctttc ttgtacaaag ttggcattat aagaaagcat tgcttatcaa tttgttgcaa 14580  
 cgaacaggtc actatcagtc aaaataaaat cattatttgc catccagctg cagctcctcg 14640  
 55 aggaattcgg taccocaatt ggtaaggaaa taattatttt cttttttcct ttagtataa 14700  
 aatagttaag tgatgttaat tagtatgatt ataataatat agttgttata atttgaaaa 14760  
 aataatttat aaatatattg tttacataaa caacatagta atgtaaaaaa atatgacaag 14820  
 60 tgatgtgtaa gacgaagaag ataaaagttg agagtaagta tattattttt aatgaatttg 14880

atcgaacatg taagatgata tacggccggt aagagggttc aactttcacc ataatgaaat 14940  
 aagatcacta ccgggcgtat tttttgagtt atcgagattt tcaggagcta aggaagctaa 15000  
 5 aatggagaaa aaaatcactg gatataccac cgttgatata tccaatggc atcgtaaaga 15060  
 acattttgag gcatttcagt cagttgctca atgtacctat aaccagaccg ttcagctgga 15120  
 tattacggcc tttttaaaga ccgtaaagaa aaataagcac aagttttatc cggcctttat 15180  
 10 tcacattctt gcccgctga tgaatgctca tccggaattc cgtatggcaa tgaaagacgg 15240  
 tgagctggtg atatgggata gtgttcaccc ttgttacacc gttttccatg agcaaactga 15300  
 15 aacgttttca tcgctctgga gtgaatacca cgacgatttc cggcagtttc tacacatata 15360  
 ttcgcaagat gtggcgtggt acggtgaaaa cctggcctat ttccctaaag gggtttattga 15420  
 gaatatgttt ttcgtctcag ccaatccctg ggtgagtttc accagttttg atttaaactg 15480  
 20 ggccaatatg gacaacttct tcgccccgt tttcaccatg ggcaaataat atacgcaagg 15540  
 cgacaagggt ctgatgccgc tggcgattca ggttcatcat gccgtctgtg atggcttcca 15600  
 25 tgtcggcaga atgcttaatg aattacaaca gtactgcat gagtggcagg gcggggcgta 15660  
 atcgcgtgga tccggcttac taaaagccag ataacagtat gcgtatttgc gcgctgattt 15720  
 ttgcggtata agaatatata ctgatatgtc gggcccataa tagtaattct agctggtttg 15780  
 30 atgaattaaa tatcaatgat aaaatactat agtaaaaata agaataaata aattaaata 15840  
 atattttttt atgattaata gtttattata taattaaata tctataccat tactaaatat 15900  
 35 tttagtttaa aagttaataa atattttgtt agaaattcca atctgcttgt aatttatcaa 15960  
 taaacaaaat attaaataac aagctaaagt aacaaataat atcaaaacta tagaaacagt 16020  
 aatctaattg aacaaaacat aatctaattg taatataaca aagcgcaaga tctatcattt 16080  
 40 tatatagtat tttttcaat caacattctt attaatctt aaataatact tgtagtttta 16140  
 ttaacttcta aatggattga ctattaatta aatgaattag tcgaacatga ataaacaagg 16200  
 45 taacatgata gatcatgtca ttgtgttatc attgatctta ctttggatt gattacagtt 16260  
 gggaaattgg gttcgaaatc gataagcttg gatcctctag agagctgcag ctggatggca 16320  
 aataatgatt ttattttgac tgatagtgc ctgttcgttg caacaaattg ataagcaatg 16380  
 50 ctttcttata atgccaactt tgtacaagaa agctgaacga gaaacgtaaa atgatataaa 16440  
 tatcaatata ttaaattaga ttttgcataa aaaacagact acataatact gtaaaacaca 16500  
 55 acatatccag tcactatgaa tcaactactt agatggtatt agtgacctgt agtcgactaa 16560  
 gttggcagca tcacccgacg cactttgcgc cgaataaata cctgtgacgg aagatcactt 16620  
 cgcagaataa ataaatcctg gtgtccctgt tgataccggg aagccctggg ccaacttttg 16680  
 60 gcgaaaatga gacgttgatc ggcactaccc atttcacaac tcttatactt ttctcttaca 16740

agtcgttcgg cttcatctgg attttcagcc tctatactta ctaaactga taaagtttct 16800  
gtaatttcta ctgtatcgac ctgcagactg gctgtgtata agggagcctg acattttatat 16860  
5 tccccagaac atcagggttaa tggcggtttt gatgtcattt tcgcgggtggc tgagatcagc 16920  
cacttcttcc ccgataacgg agaccggcac actggccata tcggtggtca tcatgcgcca 16980  
10 gctttcatcc ccgatatgca ccaccgggta aagttcacgg gagactttat ctgacagcag 17040  
acgtgcactg gccaggggga tcaccatccg tcgcccgggc gtgtcaataa tatcactctg 17100  
tacatccaca aacagacgat aacggctctc tcttttatag gtgtaaacct taaactgcat 17160  
15 ttcaccagtc cctgttctcg tcagcaaaag agccgttcat ttcaataaac cgggcgacct 17220  
cagccatccc ttctgattt tccgctttcc agcgttcggc acgcagacga cgggcttcat 17280  
tctgcatggt tgtgcttacc agaccggaga tattgacatc atatatgcct tgagcaactg 17340  
20 atagctgtcg ctgtcaactg tcactgtaat acgtgcttc atagcacacc tctttttgac 17400  
atacttctgt tcttgatgca gatgattttc aggactatga cactagcgta tatgaatagg 17460  
25 tagatgtttt tattttgtca cacaaaaaag aggctcgac ctctttttct tatttctttt 17520  
tatgatttaa tacggcattg aggacaatag cgagtaggct ggatacgacg attccgtttg 17580  
agaagaacat ttggaaggct gtcggtcgac taagttagca gcatcaccg aagaacattt 17640  
30 ggaaggctgt cggctgacta caggtcacta ataccatcta agtagttgat tcatagtac 17700  
tggaatggtt gtgttttaca gtattatgta gtctgttttt tatgcaaaat ctaatttaat 17760  
35 atattgatat ttatatcatt ttacgtttct cgttcagctt ttttgtaaa agttggcatt 17820  
ataaaaaagc attgctcatc aatttgttgc aacgaacagg tcactatcag tcaaaataaa 17880  
atcattattt ggggcccag atccatgcta gctctagagt cctgctttta tgagatatgc 17940  
40 gagacgccta tgatcgcatg atatttgctt tcaattctgt tgtgcacgtt gtaaaaaacc 18000  
tgagcatgtg tagctcagat ccttaccgcc ggtttcgggt cattctaata aatatacac 18060  
45 ccgttactat cgtattttta tgaataatat tctccgttca atttactgat tgtaccctac 18120  
tacttatatg tacaatatta aaatgaaaac aatatattgt gctgaatagg tttatagcga 18180  
catctatgat agagcgccac aataacaaac aattgcgttt tattattaca aatccaattt 18240  
50 taaaaaaagc ggcagaaccg gtcaaaccta aaagactgat tacataaatc ttattcaaat 18300  
ttcaaaaggc ccagggggt agtatctacg acacaccgag cggcgaacta ataacgttca 18360  
55 ctgaagggaa ctccggttcc ccgccggcgc gcatgggtga gattccttga agttgagtat 18420  
tgcccgctccg ctctaccgaa agttacgggc accattcaac ccggtccagc acggcgcccg 18480  
ggtaaccgac ttgctgcccc gagaattatg cagcattttt ttggtgtatg tgggcccac 18540  
60 atgaagtgcg ggtcaaacct tgacagtgc gacaaatcgt tgggcgggtc cagggcgaat 18600

```

tttgcgacaa catgtcgagg ctcagcagga cctgcaggca tgcaagctag cttactagtg 18660
atgcatattc tatagtgtca cctaaatctg c                                     18691

5
  <210> 14
  <211> 59
  <212> DNA
  <213> Artificial sequence
10
  <220>
  <223> forward primer used for the amplification of 200 and 400 bp CHS f
        ragments

15 <400> 14
    ggggacaagt ttgtacaaaa aagcaggctg cactgctaac cctgagaacc atgtgcttc      59

    <210> 15
20 <211> 59
    <212> DNA
    <213> Artificial sequence

    <220>
25 <223> reverse primer for amplification of 400 bp CHS fragment

    <400> 15
    ggggaccact ttgtacaaga aagctggggtc gcttgacgga aggacggaga ccaagaagc      59

30
    <210> 16
    <211> 59
    <212> DNA
    <213> Artificial sequence
35
    <220>
    <223> reverse primer for amplification of 200bp CHS fragment

    <400> 16
40 ggggaccact ttgtacaaga aagctgggta ggagccatgt aagcacacat gtgtggggtt      59

    <210> 17
    <211> 100
45 <212> DNA
    <213> Artificial sequence

    <220>
    <223> forward primer for amplification of 100bp CHS fragment
50
    <400> 17
    ggggacaagt ttgtacaaaa aagcaggctg cactgctaac cctgagaacc atgtgcttca      60
    ggcggagtat cctgactact acttccgcat caccaacagt                               100

55
    <210> 18
    <211> 100
    <212> DNA
60 <213> Artificial sequence

    <220>

```



<223> reverse primer for amplification of 100 bp CHS fragment

<400> 18  
 5 ggggaccact ttgtacaaga aagctgggta acttctcctt gaggtcggtc atgtgttcac 60  
 tgttgggtgat gcggaagtag tagtcaggat actccgcctg 100

<210> 19  
 10 <211> 79  
 <212> DNA  
 <213> Artificial sequence

<220>  
 15 <223> forward primer for amplification of 50 bp CHS fragment

<400> 19  
 ggggacaagt ttgtacaaaa aagcaggctg cactgctaac cctgagaacc atgtgcttca 60  
 20 ggcggagtat cctgactac 79

<210> 20  
 <211> 79  
 25 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> reverse primer for 50 bp CHS fragment

30  
 <400> 20  
 ggggaccact ttgtacaaga aagctgggtg tagtcaggat actccgcctg aagcacatgg 60  
 ttctcagggt tagcagtgc 79  
 35

<210> 21  
 <211> 54  
 <212> DNA  
 40 <213> Artificial sequence

<220>  
 <223> forward primer for amplification of the 25 bp CHS fragment

45 <400> 21  
 ggggacaagt ttgtacaaaa aagcaggctg cactgctaac cctgagaacc atgt 54

<210> 22  
 50 <211> 54  
 <212> DNA  
 <213> Artificial sequence

<220>  
 55 <223> reverse primer for amplification of the 25 bp CHS fragment

<400> 22  
 ggggaccact ttgtacaaga aagctgggta catggttctc aggggttagca gtgc 54  
 60

<210> 23  
 <211> 15

<212> DNA  
<213> Artificial sequence

<220>  
5 <223> acceptor vector pHELLSGATE4

<400> 23  
aaaaaaaaaa aaaaaa 15

10  
<210> 24  
<211> 17476  
<212> DNA  
<213> Artificial sequence

15  
<220>  
<223> acceptor vector pHELLSGATE8

<400> 24  
20 ggccgcacta gtgatatccc gcggccatgg cggccgggag catgcgacgt cgggcccaat 60  
tcgccctata gtgagtcgta ttacaattca ctggccgtcg ttttacaacg tcgtgactgg 120  
gaaaaccctg gcgttaccca acttaatcgc cttgcagcac atcccccttt cgccagctgg 180  
25 cgtaatatcg aagaggcccg caccgatcgc ctttcccaac agttgcgcag cctgaatggc 240  
gaatggaaat tgtaaacgtt aatgggtttc tggagtttaa tgagctaagc acatacgtca 300  
30 gaaaccatta ttgcgcgttc aaaagtcgcc taaggctact atcagctagc aaatatttct 360  
tgtcaaaaat gctccactga cgttccataa attcccctcg gtatccaatt agagtctcat 420  
attcactctc aatccaaata atctgcaatg gcaattacct tatccgcaac ttctttacct 480  
35 atttccgccc ggatccgggc aggttctccg gccgcttggg tggagaggct attcggctat 540  
gactgggcac aacagacaat cggctgctct gatgccgccc tgttccggct gtcagcgag 600  
40 gggcgcccgg ttctttttgt caagaccgac ctgtccggtg ccctgaatga actgcaggac 660  
gaggcagcgc ggctatcgtg gctggccacg acgggcgttc cttgcgcagc tgtgctcgac 720  
gttgtcactg aagcgggaag ggactggctg ctattgggag aagtgccggg gcaggatctc 780  
45 ctgtcatctc accttctcc tgccgagaaa gtatccatca tggctgatgc aatgcggcgg 840  
ctgcatacgc ttgatccggc tacctgcccc ttcgaccacc aagcgaaaca tcgcatcgag 900  
50 cgagcacgta ctcgatgga agccggtctt gtcgatcagg atgatctgga cgaagagcat 960  
caggggctcg cgccagccga actgttcgcc aggtcgaagg cgcgcatgcc cgacggcgag 1020  
gatctcgtcg tgacctatgg cgatgcctgc ttgccgaata tcatggtgga aaatggccgc 1080  
55 ttttctggat tcatcgactg tggccggctg ggtgtggcgg accgctatca ggacatagcg 1140  
ttggctaccc gtgatattgc tgaagagctt ggcggcgaat gggtgaccg cttcctcgtg 1200  
60 ctttacggta tcgccgtcc cgattcgag cgcatcgcc tctatcgcc tcttgacgag 1260  
ttcttctgag cgggactctg gggttcgaaa tgaccgacca agcgacgccc aacctgccat 1320

	cacgagattt cgattccacc gccgccttct atgaaagggt gggcttcgga atcgttttcc	1380
5	gggacgccgg ctggatgatc ctccagcgcg gggatctcat gctggagttc ttcgcccacc	1440
	ccgatccaac acttacgttt gcaacgtcca agagcaaata gaccacgaac gccggaagggt	1500
	tgccgcagcg tgtggattgc gtctcaattc tctcttcgag gaatgcaatg atgaatatga	1560
10	tactgactat gaaactttga gggaatactg cctagcaccg tcacctcata acgtgcatca	1620
	tgcattgccct gacaacatgg aacatcgcta tttttctgaa gaattatgct cgttggagga	1680
15	tgtcgcggca attgcagcta ttgccaacat cgaactaccc ctcacgcatg cattcatcaa	1740
	tattattcat gcggggaaag gcaagattaa tccaactggc aaatcatcca gcgtgattgg	1800
	taacttcagt tccagcgact tgattcgttt tgggtgctacc cacgttttca ataaggacga	1860
20	gatggtggag taaagaagga gtgcgtcgaa gcagatcggt caaacatttg gcaataaagt	1920
	ttcttaagat tgaatcctgt tgccggtcct gcgatgatta tcatataatt tctgttgaat	1980
25	tacgttaagc atgtaataat taacatgtaa tgcattgacgt tatttatgag atgggttttt	2040
	atgattagag tcccgcaatt atacatttaa tacgcgatag aaaacaaaat atagcgcgca	2100
	aactaggata aattatcgcg cgcggtgtca tctatgttac tagatcgaat taattccagg	2160
30	cggtgaaggg caatcagctg ttgcccgtct cactggtgaa aagaaaaacc accccagtac	2220
	attaaaaacg tccgcaatgt gttattaagt tgtctaagcg tcaatttggt tacaccacaa	2280
35	tatatcctgc caccagccag ccaacagctc ccgaccggc agctcggcac aaaatcacca	2340
	ctcgatacag gcagcccatc agtccgggac ggcgtcagcg ggagagccgt tgtaaggcgg	2400
	cagactttgc tcatgttacc gatgctattc ggaagaacgg caactaagct gccgggtttg	2460
40	aaacacggat gatctcgcgg agggtagcat gttgattgta acgatgacag agcgttgctg	2520
	cctgtgatca aatatcatct ccctcgcaga gatccgaatt atcagccttc ttattcattt	2580
45	ctcgcttaac cgtgacaggc tgtcgatctt gagaactatg ccgacataat aggaaatcgc	2640
	tggataaagc cgctgaggaa gctgagtggc gctatttctt tagaagtga cgttgacgat	2700
	gtcgcaggat cttttccgct gcataaccct gcttcgggggt cattatagcg attttttcgg	2760
50	tatatccatc ctttttcgca cgatatacag gattttgcca aagggttcgt gtagactttc	2820
	cttggtgtat ccaacggcgt cagccgggca ggataggtga agtaggcca cccgcgagcg	2880
55	ggtgttcctt cttactgtc ccttattcgc acctggcggg gctcaacggg aatcctgctc	2940
	tgcgaggctg gccggctacc gccggcgtaa cagatgaggg caagcggatg gctgatgaaa	3000
	ccaagccaac caggggtgat gctgccaact tactgattta gtgtatgatg gtgtttttga	3060
60	ggtgctccag tggcttctgt ttctatcagc tgtccctcct gttcagctac tgacgggggtg	3120
	gtgcgtaacg gcaaaagcac cgccggacat cagcgcctac tctgctctca ctgccgtaaa	3180

	acatggcaac tgcagttcac ttacaccgct tctcaaccgc gtacgcacca gaaaatcatt	3240
5	gatatggcca tgaatggcgt tggatgccgg gcaacagccc gcattatggg cgttggcctc	3300
	aacacgattt tacgtcactt aaaaaactca ggccgcagtc ggtaacctcg cgcatacagc	3360
	cgggcagtgga cgctcatcgtc tgcgcggaaa tggacgaaca gtgggggctat gtcgggggcta	3420
10	aatcgcgcca gcgctggctg ttttacgcgt atgacagtct ccggaagacg gttgttgcg	3480
	acgtattcgg tgaacgcact atggcgacgc tggggcgctt tatgagcctg ctgtcacctt	3540
15	ttgacgtggt gatatggatg acggatggct ggccgctgta tgaatcccg ctgaaggga	3600
	agctgcacgt aatcagcaag cgatatacgc agcgaattga gcggcataac ctgaatctga	3660
	ggcagcacct ggcacggctg ggacggaagt cgctgtcgtt ctcaaatcg gtggagctgc	3720
20	atgacaaagt catcgggcat tatctgaaca taaaacta tcaataagtt ggagtcatta	3780
	cccaaccagg aagggcagcc cacctatcaa ggtgtactgc cttccagacg aacgaagac	3840
25	gattgaggaa aagggcgcg cgcccgcat gaggctgtcg gcctacctg tggccgtcg	3900
	ccagggctac aaaatcacgg gcgtcgtgga ctatgagcac gtccgcgagc tggcccgcat	3960
	caatggcgac ctgggcccgc tggggcgctt gctgaaactc tggctcacg acgaccgcg	4020
30	cacggcgcg ttcggtgatg ccacgatcct cgccctgtg gcgaagatcg aagagaagca	4080
	ggacgagctt ggcaaggta tgatggcggt ggtccgccc agggcagagc catgactttt	4140
35	ttagccgcta aaacggccgg ggggtgcg tgaattgcaa gcacgtccc atgcgtcca	4200
	tcaagaagag cgacttcg cgagctggtat tcgtgcagg caagattcgg aataccaagt	4260
	acgagaagga cggccagacg gtctacggga ccgacttcat tgccgataag gtggattatc	4320
40	tggacaccaa ggcaccaggc ggtcaaact aggaataagg gcacattgcc ccggcgtgag	4380
	tcggggcaat cccgcaagga gggatgaatg atcggacgtt tgaccggaag gcatacaggc	4440
45	aagaactgat cgacgcgggg ttttccgcg aggatgccga aaccatcgca agccgcaccg	4500
	tcattgcgtgc gcccgcgaa accttcag cgcgcggctc gatggtccag caagctacgg	4560
	ccaagatcga gcgcgacagc gtgcaactgg ctccccctgc cctgcccgcg ccatcgggcg	4620
50	ccgtggagcg ttcggtcgt ctcgaacagg aggcggcagg tttggcgaag tcgatgacca	4680
	tcgacacgcg aggaactatg acgaccaaga agcgaaaaac cgccggcgag gacctggcaa	4740
55	aacaggctcag cgaggccaag caggccgct tgctgaaaca cacgaagcag cagatcaagg	4800
	aaatgcagct ttccttgct gatattgcg cgtggccgga cacgatgcga gcgatgcaa	4860
	acgacacggc ccgctctgcc ctgttcacca cgcgcaaca gaaaatccc cgcgaggcgc	4920
60	tgcaaaacaa ggtcattttc cacgtcaaca aggacgtgaa gatcacctac accggcgtcg	4980
	agctgcgggc cgacgatgac gaactggtgt ggcagcaggt gttggagtac gcgaagcgca	5040

	cccctatcgg cgagccgatc accttcacgt tctacgagct ttgccaggac ctgggctggt	5100
5	cgatcaatgg ccggtattac acgaaggccg aggaatgcct gtcgcgcta caggcgacgg	5160
	cgatgggctt cacgtccgac cgcgttgggc acctggaatc ggtgtcgtg ctgcaccgct	5220
	tccgcgtcct ggaccgtggc aagaaaacgt cccgttgcca ggtcctgatc gacgaggaaa	5280
10	tcgtcgtgct gtttgctggc gaccactaca cgaaattcat atgggagaag taccgcaagc	5340
	tgctgccgac ggcccgcagg atgttcgact atttcagctc gcaccgggag ccgtacccgc	5400
15	tcaagctgga aaccttcgc ctcatgtgcg gatcggattc caccgcgtg aagaagtggc	5460
	gcgagcaggt cggcgaagcc tgcgaagagt tgcgaggcag cggcctggtg gaacacgcct	5520
	gggtcaatga tgacctggtg cattgcaaac gctagggcct tgtggggtca gttccgctg	5580
20	ggggttcagc agccagcgt ttactggcat ttcaggaaca agcgggcact gctcgacgca	5640
	cttgcttcgc tcagtatcgc tcgggacgca cggcgcgtc tacgaactgc cgataaacag	5700
25	aggattaaaa ttgacaattg tgattaaggc tcagattcga cggcttgag cggccgacgt	5760
	gcaggatttc cgcgagatcc gattgtcggc cctgaagaaa gctccagaga tggtcgggtc	5820
	cgtttacgag cacgaggaga aaaagcccat ggaggcgttc gctgaacggt tgcgagatgc	5880
30	cgtggcattc ggcgcctaca tcgacggcga gatcattggg ctgtcgtct tcaaacagga	5940
	ggacggcccc aaggacgtc acaaggcgca tctgtccggc gttttcgtg agcccgaaca	6000
35	gcgaggccga ggggtcgccg gtatgctgct gcgggcgtt cggcggggtt tattgctcgt	6060
	gatgatcgtc cgacagattc caacgggaat ctggtgatg cgcattctca tctcggcgc	6120
	acttaatat tcgctattct ggagcttggt gtttatttcg gtctaccgcc tgccgggcgg	6180
40	ggtcgcggcg acggtaggcg ctgtgcagcc gctgatggtc gtgttcattc ctgccgtct	6240
	gctaggtagc ccgatacgat tgatggcggc cctgggggct atttgcgaa ctgcgggcgt	6300
45	ggcgtgttg gtgttgacac caaacgcagc gctagatcct gtcggcgtc cagcgggcct	6360
	ggcgggggcg gtttccatgg cggtcggaa cgtgctgacc cgcaagtggc aacctcccgt	6420
	gcctctgctc acctttaccg cctggcaact ggcgccgga ggacttctgc tcgttccagt	6480
50	agctttagt tttgatccgc caatcccgat gcctacagga accaatgttc tcggcctggc	6540
	gtggctcggc ctgatcggag cgggtttaac ctacttcctt tgggtccggg ggatctcgcg	6600
55	actcgaacct acagttgttt cttactggg ctttctcagc cgggatggcg ctaagaagct	6660
	attgccgccg atcttcatat gcggtgtgaa ataccgcaca gatgcgtaag gagaaaatac	6720
	cgcacaggc gctcttcgc ttcctcgtc actgactcgc tgcgctcggc cgttcggctg	6780
60	cggcgagcgg tatcagctca ctcaaaggcg gtaatacggc tatccacaga atcaggggat	6840
	aacgcaggaa agaacatgtg agcaaaaggc cagcaaaagg ccaggaaccg taaaaaggcc	6900

	gcgttgctgg	cgtttttcca	taggctccgc	ccccctgacg	agcatcaca	aaatcgacgc	6960
	tcaagtcaga	ggtggcgaaa	cccgacagga	ctataaagat	accaggcggt	tccccctgga	7020
5	agctccctcg	tgcgctctcc	tgttccgacc	ctgccgctta	cgggatacct	gtccgccttt	7080
	ctcccttcgg	gaagcgtggc	gctttctcaa	tgtctacgct	gtaggtatct	cagttcgggtg	7140
10	taggtcggtc	gctccaagct	gggctgtgtg	cacgaacccc	ccgttcagcc	cgaccgctgc	7200
	gccttatccg	gtaactatcg	tcttgagtcc	aaccgggtaa	gacacgactt	atcgccactg	7260
	gcagcagcca	ctggtaacag	gattagcaga	gcgaggtatg	tagggcgggtg	tacagagttc	7320
15	ttgaagtgg	ggcctaacta	cggctacact	agaaggacag	tatttggtat	ctgcgctctg	7380
	ctgaagccag	ttaccttcgg	aaaaagagtt	ggtagctctt	gatccggcaa	acaaaccacc	7440
20	gctggtagcg	gtggtttttt	tgtttgcaag	cagcagatta	cgcgagaaa	aaaaggatat	7500
	caagaagatc	ctttgatctt	ttctacgggg	tctgacgctc	agtggaacga	aaactcacgt	7560
	taagggattt	tggcatgag	attatcaaaa	aggatcttca	cctagatcct	tttaaattaa	7620
25	aaatgaagtt	ttaaataaat	ctaaagtata	tatgagtaaa	cttgggtctga	cagttaccaa	7680
	tgcttaatac	gtgaggcacc	tatctcagcg	atctgtctat	ttcgttcatc	catagttgcc	7740
30	tgactccccg	tcgtgtagat	aactacgata	cgggagggct	taccatctgg	ccccagtgtc	7800
	gcaatgatac	cgcgagaccc	acgctcaccg	gctccagatt	tatcagcaat	aaaccagcca	7860
	gccggaaggg	ccgagcgag	aagtggctct	gcaactttat	ccgcctccat	ccagtctatt	7920
35	aaacaagtgg	cagcaacgga	ttcgcaaacc	tgtcacgcct	tttgtgccaa	aagccgcgcc	7980
	aggtttgcga	tccgctgtgc	caggcggttag	gcgtcatatg	aagatttcgg	tgatccctga	8040
40	gcaggtggcg	gaaacattgg	atgctgagaa	ccatttcatt	gttcgtgaag	tgttcgatgt	8100
	gcacctatcc	gaccaaggct	ttgaactatc	taccagaagt	gtgagcccct	accggaagga	8160
	ttacatctcg	gatgatgact	ctgatgaaga	ctctgcttgc	tatggcgcat	tcatcgacca	8220
45	agagcttgtc	gggaagattg	aactcaactc	aacatggaac	gatctagcct	ctatcgaaca	8280
	cattgttggtg	tcgcacacgc	accgaggcaa	aggagtgcgc	cacagtctca	tcgaatttgc	8340
50	gaaaaagtgg	gcactaagca	gacagctcct	tggcatacga	ttagagacac	aaacgaacaa	8400
	tgtacctgcc	tgcaatttgt	acgcaaatg	tggctttact	ctcggcggca	ttgacctgtt	8460
	cacgtataaa	actagacctc	aagtctcgaa	cgaacacgag	atgtactggg	actggttctc	8520
55	gggagcacag	gatgacgcct	aacaattcat	tcaagccgac	accgcttcgc	ggcgcggtt	8580
	aattcaggag	ttaaacaatc	tgagggaagc	ggtgatcgcc	gaagtatcga	ctcaactatc	8640
60	agaggtagtt	ggcgatcatg	agcgccatct	cgaaccgacg	ttgctggccg	tacatttgta	8700
	cggctccgca	gtggatggcg	gcctgaagcc	acacagtgat	attgatttgc	tggttacggg	8760

	gaccgtaagg	cttgatgaaa	caacgcggcg	agctttgatc	aacgaccttt	tggaacttc	8820
5	ggcttcccct	ggagagagcg	agattctccg	cgctgtagaa	gtcaccattg	ttgtgcacga	8880
	cgacatcatt	ccgtggcggt	atccagctaa	gcgcgaactg	caatttgag	aatggcagcg	8940
	caatgacatt	cttgacagga	tcttcgagcc	agccacgatc	gacattgatc	tggtatctt	9000
10	gctgacaaaa	gcaagagaac	atagcggttc	cttggtaggt	ccagcggcgg	aggaactctt	9060
	tgatccgggt	cctgaacagg	atctatttga	ggcgctaaat	gaaaccttaa	cgctatggaa	9120
15	ctcgccgccc	gactgggctg	gcgatgagcg	aaatgtagtg	cttacgttgt	cccgcatttg	9180
	gtacagcgca	gtaaccggca	aaatcgcgcc	gaaggatgtc	gctgccgact	gggcaatgga	9240
	gcgcctgccg	gcccagtatc	agcccgctcat	acttgaagct	aggcaggctt	atcttgga	9300
20	agaagatcgc	ttggcctcgc	gcgcagatca	gttgaagaa	tttgttcact	acgtgaaagg	9360
	cgagatcacc	aaggtagtcg	gcaaataatg	tctaacaatt	cggtcaagcc	gacgccgctt	9420
25	cgcgccgcg	cttaactcaa	gcgttagaga	gctggggaag	actatgcgcg	atctgttgaa	9480
	ggtggttcta	agcctcgtag	ttgcgatggc	atcggggcag	gcacttgctg	acctgccaat	9540
	tgttttagtg	gatgaagctc	gtcttcctca	tgactactcc	ccatccaact	acgacatttc	9600
30	tccaagcaac	tacgacaact	ccataagcaa	ttacgacaat	agtccatcaa	attacgacaa	9660
	ctctgagagc	aactacgata	atagttcatc	caattacgac	aatagtcgca	acggaaatcg	9720
35	taggcttata	tatagcgcaa	atgggtctcg	cactttcgcc	ggctactacg	tcattgccaa	9780
	caatgggaca	acgaacttct	tttccacatc	tggcaaaagg	atgttctaca	ccccaaaagg	9840
	ggggcgcggc	gtctatggcg	gcaaagatgg	gagcttctgc	ggggcattgg	tcgtcataaa	9900
40	tggccaatth	tcgcttgccc	tgacagataa	cggcctgaag	atcatgtatc	taagcaacta	9960
	gcctgctctc	taataaaatg	ttaggagctt	ggctgcccatt	tttgggggtga	ggccgttcgc	10020
45	ggccgagggg	cgcagcccct	ggggggatgg	gagggccgcg	ttagcggggc	gggaggggtc	10080
	gagaaggggg	ggcaccccc	ttcggcgtgc	gcggtcacgc	gccagggcgc	agccctgggt	10140
	aaaaacaagg	tttataaata	ttggtttaaa	agcagggtta	aagacagggt	agcggtgggc	10200
50	gaaaaacggg	cggaaaccct	tgcaaatgct	ggattttctg	cctgtggaca	gcccctcaaa	10260
	tgtcaatagg	tgccccctc	atctgtcagc	actctgcccc	tcaagtgtca	aggatcgcg	10320
55	ccctcatctg	tcagtagtcg	cggccctcaa	gtgtcaatac	cgcagggcac	ttatccccag	10380
	gcttgctcac	atcatctgtg	ggaaactcgc	gtaaaatcag	gcgttttcgc	cgatttgca	10440
	ggctggccag	ctccacgtcg	cgggccgaaa	tcgagcctgc	ccctcatctg	tcaacgccgc	10500
60	gccgggtgag	tcggcccctc	aagtgtcaac	gtccgcccct	catctgtcag	tgagggccaa	10560
	gttttcgcg	aggtatccac	aacgcggcg	gccggccgcg	gtgtctcgca	cacggcttcg	10620

acggcggtttc tggcgcggttt gcagggccat agacggccgc cagcccagcg gcgagggcaa 10680  
 ccagcccgggt gagcgtcgga aagggtcgac atcttgctgc gttcggatat tttcgtggag 10740  
 5 tttcccgcac agaccggat tgaaggcgag atccagcaac tcgcgccaga tcatcctgtg 10800  
 acggaacttt ggcgctgat gactggccag gacgtcggcc gaaagagcga caagcagatc 10860  
 10 acgattttcg acagcgtcgg atttgcatc gaggattttt cggcgctgcg ctacgtccgc 10920  
 gaccgcgttg agggatcaag ccacagcagc cactcgacc ttctagccga cccagacgag 10980  
 ccaagggatc tttttggaat gctgctccgt cgtcaggctt tccgacgttt ggggtggtga 11040  
 15 acagaagtca ttatcgtacg gaatgccagc actcccagg ggaaccctgt ggttggcatg 11100  
 cacatacaaa tggacgaacg gataaacctt ttcacgccct tttaaatata cgttattcta 11160  
 20 ataaacgctc ttttctctta gggttaccgc ccaatatata ctgtcaaaca ctgatagttt 11220  
 aaactgaagg cgggaaacga caatctgatc atgagcggag aattaaggga gtcacgttat 11280  
 gacccccgcc gatgacgcgg gacaagccgt tttacgtttg gaactgacag aaccgcaacg 11340  
 25 attgaaggag cactcagcc ccaatacgca aaccgcctct cccgcgcgt tggccgatc 11400  
 attaattgag ctggcacgac aggtttcccg actggaaagc gggcagtga cgcaacgcaa 11460  
 30 ttaatgtgag ttagctcact cattagcac cccaggcttt acactttatg cttccggctc 11520  
 gtatgttgtg tgaattgtg agcggataac aatttcacac aggaaacagc tatgacctg 11580  
 attacgcaa gctatttagg tgacactata gaatactcaa gctatgcac caacgcgttg 11640  
 35 ggagctctcc catatcgacc tgcaggcggc cgctcgacga attaatcca atcccacaaa 11700  
 aatctgagct taacagcaca gttgctctc tcagagcaga atcgggtatt caacaccctc 11760  
 40 atatcaacta ctacgttgtg tataacggtc cacatgccg tatatacgat gactgggggt 11820  
 gtacaaaggc ggcaacaaac ggcgttcccg gagttgcaca caagaaattt gccactatta 11880  
 cagaggcaag agcagcagct gacgcgtaca caacaagtca gcaaacagac aggttgaact 11940  
 45 tcatcccaa aggagaagct caactcaagc ccaagagctt tgctaaggcc ctaacaagcc 12000  
 caccaaagca aaaagccac tggctcacgc taggaaccaa aaggcccagc agtgatccag 12060  
 50 ccccaaaaga gatctccttt gcccggaga ttacaatgga cgatttcctc tatctttacg 12120  
 atctaggaag gaagttcgaa ggtgaagggt acgacactat gttcaccact gataatgaga 12180  
 aggttagcct cttcaatttc agaaagaatg ctgaccacga gatgggtaga gaggcctacg 12240  
 55 cagcaggctc catcaagacg atctaccga gtaacaatct ccaggagatc aaataccttc 12300  
 ccaagaagg taaagatgca gtcaaaagat tcaggactaa ttgcatcaag aacacagaga 12360  
 60 aagacatatt tctcaagatc agaagtacta ttccagtatg gacgattcaa ggcttgcttc 12420  
 ataaaccaag gcaagtaata gagattggag tctctaaaaa ggtagttcct actgaatcta 12480



aggccatgca tggagtctaa gattcaaadc gaggatctaa cagaactcgc cgtgaagact 12540  
5 ggcgaaacagt tcatacagag tcttttacga ctcaatgaca agaagaaaat cttcgtcaac 12600  
atggtggagc acgacactct ggtctactcc aaaaatgtca aagatacagt ctcaagaagac 12660  
caaagggcta ttgagacttt tcaacaaagg ataatttcgg gaaacctcct cggattccat 12720  
10 tgcccagcta tctgtcactt catcgaaagg acagtagaaa aggaaggtgg ctcctacaaa 12780  
tgccatcatt gcgataaagg aaaggctatc attcaagatc tctctgccga cagtgggtccc 12840  
aaagatggac cccacccac gagggagcatc gtggaaaaag aagacgttcc aaccacgtct 12900  
15 tcaaagcaag tggattgatg tgacatctcc actgacgtaa gggatgacgc acaatccac 12960  
tatccttcgc aagaccttc ctctatataa ggaagttcat ttcatttga gaggacacgc 13020  
20 tcgagacaag tttgtacaaa aaagctgaac gagaaacgta aaatgatata aatatcaata 13080  
tattaaatta gattttgcat aaaaaacaga ctacataata ctgtaaaaca caacatatcc 13140  
agtcaactatg aatcaactac ttagatggta ttagtgacct gtagtcgacc gacagccttc 13200  
25 caaatgttct tcgggtgatg ctgccaactt agtcgaccga cagccttcca aatgttcttc 13260  
tcaaacggaa tcgtcgtatc cagcctactc gctattgtcc tcaatgccgt attaaatcat 13320  
30 aaaaagaaat aagaaaaaga ggtgcgagcc tcttttttgt gtgacaaaat aaaaacatct 13380  
acctattcat atacgctagt gtcatagtcc tgaaaatcat ctgcatcaag aacaatttca 13440  
caactcttat acttttctct tacaagtcgt tcggcttcat ctggattttc agcctctata 13500  
35 cttactaaac gtgataaagt ttctgtaatt tctactgtat cgacctgcag actggctgtg 13560  
tataagggag cctgacattt atattcccca gaacatcagg ttaatggcgt ttttgatgtc 13620  
40 attttcgcgg tggctgagat cagccacttc ttccccgata acggagaccg gcacactggc 13680  
catatcgggtg gtcacatgc gccagcttcc atccccgata tgcaccaccg ggtaaagtcc 13740  
acgggagact ttatctgaca gcagacgtgc actggccagg gggatcacca tccgtcgcgc 13800  
45 gggcgtgtca ataatacac tctgtacatc caaaaacaga cgataacggc tctctctttt 13860  
ataggtgtaa accttaaaact gcatttcacc agtccctgtt ctgctcagca aaagagccgt 13920  
50 tcatttcaat aaaccgggag acctcagcca tcccttcctg attttccgct ttccagcgtt 13980  
cggcacgcag acgacgggtc tcattctgca tggttgtgct taccagaccg gagatattga 14040  
catcatatat gccttgagca actgatagct gtcgctgtca actgtcactg taatacgtcg 14100  
55 cttcatagca cacctctttt tgacatactt cgggtagtgc cgatcaacgt ctcatcttcg 14160  
ccaaaagtgt gccacgggtc tcccggtatc aacagggaca ccaggattta tttattctgc 14220  
60 gaagtgatct tccgtcacag gtatttatcc ggcgcaaagt gcgtcgggtg atgctgcaa 14280  
cttagtcgac tacaggtcac taataccatc taagtagttg attcatagt actggatatg 14340

ttgtgtttta cagtattatg tagtctgttt tttatgcaaa atctaattta atatattgat 14400  
atztatatca ttttacgttt ctcgttcage tttcttgtag aaagtggctc cgaggaattc 14460  
5 ggtaccccag cttggtaagg aaataattat tttctttttt ccttttagta taaaatagtt 14520  
aagtgatgtt aattagtagt attataataa tatagttgtt ataattgtga aaaaataatt 14580  
10 tataaatata ttgtttacat aaacaacata gtaatgtaaa aaaatatgac aagtgatgtg 14640  
taagacgaag aagataaaaag ttgagagtaa gtatattatt tttaatgaat ttgatcgaac 14700  
atgtaagatg atatactagc attaatatatt gttttaatca taatagtaat tctagctggt 14760  
15 ttgatgaatt aaatatcaat gataaaatac tatagtaaaa ataagaataa ataaattaaa 14820  
ataatatattt tttatgatta atagtttatt atataattaa atatctatac cactactaaa 14880  
20 tatttttagtt taaaagttaa taaatatattt gttagaaatt ccaatctgct tgtaatttat 14940  
caataaacia aatattaaat aacaagctaa agtaacaaat aatatcaaac taatagaaac 15000  
agtaatctaa tgtaacaaaa cataatctaa tgctaataa acaaagcgca agatctatca 15060  
25 ttttatatag tattattttc aatcaacatt cttattaatt tctaaataat acttgtagtt 15120  
ttattaactt ctaaatggat tgactattaa ttaaatgaat tagtcgaaca tgaataaaca 15180  
30 aggtaacatg atagatcatg tcattgtgtt atcattgatc ttacatttgg attgattaca 15240  
gttggaagc tgggttcgaa atcgataagc ttggatcctc tagaccactt tgtacaagaa 15300  
agctgaacga gaaacgtaaa atgatataaa tatcaatata ttaaattaga ttttgcataa 15360  
35 aaaacagact acataatact gtaaaacaca acatatccag tcactatgaa tcaactactt 15420  
agatggtatt agtgacctgt agtcgactaa gttggcagca tcacccgacg cactttgcgc 15480  
40 cgaataaata cctgtgacgg aagatcactt cgcagaataa ataaatcctg gtgtccctgt 15540  
tgataccggg aagccctggg ccaacttttg gcgaaatga gacgttgatc ggatttcaca 15600  
actcttatac ttttctctta caagtcgttc ggcttcatct ggattttcag cctctatact 15660  
45 tactaaacgt gataaagttt ctgtaatttc tactgtatcg acctgcagac tggctgtgta 15720  
taaggagacc tgacatttat attcccaga acatcagggtt aatggcgttt ttgatgtcat 15780  
50 tttcgcggtg gctgagatca gccacttctt ccccataac ggagaccggc aactggcca 15840  
tatcgggtgt catcatgcgc cagctttcat ccccgatatg caccacggg taaagttcac 15900  
gggagacttt atctgacagc agacgtgcac tggccagggg gatcaccatc cgtcgccgg 15960  
55 gcgtgtcaat aatatcactc tgtacatcca caaacagacg ataacggctc tctcttttat 16020  
agggtgaaac cttaaaactgc atttcaccag tccctgttct cgtcagcaaa agagccgttc 16080  
60 atttcaataa accgggagac ctcagccatc ccttcctgat tttccgcttt ccagcggttcg 16140  
gcacgcagac gacgggcttc attctgcatg gttgtgctta ccagaccgga gatattgaca 16200

```

tcatatatgc cttgagcaac tgatagctgt cgctgtcaac tgtcactgta atacgtgct 16260
tcatagcaca cctctttttg acatacttct gttcttgatg cagatgattt tcaggactat 16320
5 gacactagcg tatatgaata ggtagatgtt tttattttgt cacacaaaaa agaggctcgc 16380
acctcttttt cttatttctt tttatgattt aatacggcat tgaggacaat agcgagtagg 16440
10 ctggatacga cgattccgtt tgagaagaac atttggaagg ctgtcggtcg actaagttgg 16500
cagcatcacc cgaagaacat ttggaaggct gtcggtcgac tacaggtcac taataccatc 16560
taagtagttg attcatagtg actggatatg ttgtgtttta cagtattatg tagtctgttt 16620
15 tttatgcaaa atctaattta atatattgat atttatatca ttttacgttt ctcgttcagc 16680
ttttttgtac aaacttgtct agagtcctgc tttaatgaga tatgcgagac gcctatgatc 16740
20 gcatgatatt tgctttcaat tctgttgatg acgttgtaaa aaacctgagc atgtgtagct 16800
cagatcctta ccgccggttt cggttcattc taatgaatat atcaccggt actatcgat 16860
ttttatgaat aatattctcc gttcaattta ctgattgtac cctactactt atatgtacaa 16920
25 tattaaaatg aaaacaatat attgtgctga ataggtttat agcgacatct atgatagagc 16980
gccacaataa caaacaattg cgttttatta ttacaaatcc aattttaaaa aaagcggcag 17040
30 aaccggtcaa acctaaaaga ctgattacat aaatcttatt caaatttcaa aaggccccag 17100
gggctagtat ctacgacaca ccgagcggcg aactaataac gttcactgaa gggaactccg 17160
gttccccgcc ggcgcgcatg ggtgagattc cttgaagttg agtattggcc gtccgctcta 17220
35 ccgaaagtta cgggcaccat tcaaccgggt ccagcacggc ggccgggtaa ccgacttgct 17280
gccccgagaa ttatgcagca tttttttggt gtatgtgggc cccaaatgaa gtgcagggtca 17340
40 aaccttgaca gtgacgacaa atcgttgggc gggccaggg cgaattttgc gacaacatgt 17400
cgaggctcag caggacctgc aggcattgca gctagcttac tagtgatgca tattctatag 17460
tgtcacctaa atctgc 17476
45
<210> 25
<211> 17458
<212> DNA
50 <213> Artificial sequence

<220>
<223> acceptor vector pHELLSGATE11

55 <400> 25
ggccgcacta gtgatatecc gcggccatgg cgccggggag catgcgacgt cgggccaat 60
tcgccctata gtgagtcgta ttacaattca ctggccgtcg ttttacaacg tcgtgactgg 120
60 gaaaaccctg gcgttaccca acttaatcgc cttgcagcac atcccccttt cgccagctgg 180
cgtaatagcg aagaggcccg caccgatcgc cttcccaac agttgcgcag cctgaatggc 240

```

	gaatggaaat tgtaaacggtt aatgggtttc tggagtttaa tgagctaagc acatacgtca	300
5	gaaaccatta ttgcgcgttc aaaagtcgcc taaggctact atcagctagc aaatatttct	360
	tgtcaaaaat gctccactga cgttcataa attcccctcg gtatccaatt agagtctcat	420
	attcactctc aatccaaata atctgcaatg gcaattacct tatccgcaac ttctttacct	480
10	atttccgccc ggatccgggc aggttctccg gccgcttggg tggagaggct attcggctat	540
	gactgggcac aacagacaat cggtctctct gatgccgccg tgttccggct gtcagcgag	600
	gggcgcccgg ttctttttgt caagaccgac ctgtccgggtg ccctgaatga actgcaggac	660
15	gaggcagcgc ggctatcgtg gctggccacg acgggcgttc cttgcgcagc tgtgctcgac	720
	gttgtcactg aagcgggaag ggactggctg ctattggcg aagtgccggg gcaggatctc	780
20	ctgtcatctc accttgctcc tgccgagaaa gtatccatca tggctgatgc aatgcggcgg	840
	ctgcatacgc ttgatccggc tacctgccca ttccgaccac aagcgaaaca tcgcatcgag	900
	cgagcacgta ctccgatgga agccggtctt gtcgatcagg atgatctgga cgaagagcat	960
25	caggggctcg cgccagccga actgttcgcc aggctcaagg cgcgcatgcc cgacggcgag	1020
	gatctcgtcg tgacctatgg cgatgcctgc ttgccgaata tcatgggtgga aaatggccgc	1080
30	ttttctggat tcatcgactg tggccggctg ggtgtggcgg accgctatca ggacatagcg	1140
	ttggctaccc gtgatattgc tgaagagctt ggcggcgaat gggctgaccg cttcctcgtg	1200
	ctttacggta tcgccgctcc cgattcgcag cgcatcgcct tctatcgcct tcttgacgag	1260
35	ttcttctgag cgggactctg gggttcgaaa tgaccgacca agcgacgccc aacctgccat	1320
	cacgagattt cgattccacc gccgccttct atgaaagggt gggcttcgga atcgttttcc	1380
40	gggacgcggc ctggatgata ctccagcgcg gggatctcat gctggagttc ttgccccacc	1440
	ccgatccaac acttacgttt gcaacgtcca agagcaaata gaccacgaac gccggaagg	1500
	tgccgcagcg tgtggattgc gtctcaattc tctcttgagc gaatgcaatg atgaatatga	1560
45	tactgactat gaaactttga gggaaactg cctagcaccg tcacctcata acgtgcatca	1620
	tgcatgccct gacaacatgg aacatcgcta tttttctgaa gaattatgct cggtggagga	1680
50	tgtcgcggca attgcagcta ttgccaacat cgaactaccc ctcacgcatg cattcatcaa	1740
	tattattcat gcggggaaag gcaagattaa tccaactggc aaatcatcca gcgtgattgg	1800
	taacttcagt tccagcgact tgattcgttt tgggtgctacc cacgttttca ataaggacga	1860
55	gatggtggag taaagaagga gtgcgtcgaa gcagatcggt caaacatttg gcaataaagt	1920
	ttcttaagat tgaatcctgt tgccggtctt gcgatgatta tcatataatt tctgttgaat	1980
60	tacgttaagc atgtaataat taacatgtaa tgcgatgacgt tatttatgag atgggttttt	2040
	atgattagag tcccgaatt atacatttaa tacgcgatag aaaacaaaat atagcgcgca	2100

	aactaggata aattatcgcg cgcggtgtca tctatgttac tagatcgaat taattccagg	2160
	cggtgaaggg caatcagctg ttgcccgtct cactggtgaa aagaaaaacc accccagtac	2220
5	attaaaaacg tccgcaatgt gttattaagt tgtctaagcg tcaatttggt tacaccacaa	2280
	tatatcctgc caccagccag ccaacagctc cccgaccggc agctcggcac aaaatcacca	2340
10	ctcgatacag gcagcccatc agtccgggac ggcgtcagcg ggagagccgt tgtaaggcgg	2400
	cagactttgc tcatgttacc gatgctattc ggaagaacgg caactaagct gccgggtttg	2460
	aaacacggat gatctcgcg agggtagcat gttgattgta acgatgacag agcgttgctg	2520
15	cctgtgatca aatatcatct ccctcgcaga gatccgaatt atcagccttc ttattcattt	2580
	ctcgtttaac cgtgacaggc tgtcgatctt gagaactatg ccgacataat aggaaatcgc	2640
20	tggataaagc cgtgaggaa gctgagtggc gctatttctt tagaagtga cgttgacgat	2700
	gtcgacggat cttttccgct gcataaccct gcttcggggt cattatagcg attttttcgg	2760
	tatatccatc ctttttcgca cgatatacag gattttgcc aagggttcgt gtagactttc	2820
25	cttggtgtat ccaacggcgt cagccgggca ggataggtga agtaggcca cccgcgagcg	2880
	ggtgttcctt cttcactgtc ccttattcgc acctggcggg gctcaacggg aatcctgctc	2940
30	tgcgaggctg gccggctacc gccggcgtaa cagatgaggg caagcggatg gctgatgaaa	3000
	ccaagccaac caggggtgat gctgccaaact tactgattta gtgtatgatg gtgtttttga	3060
	ggtgtccag tggtctctgt ttctatcagc tgctccctct gttcagctac tgacgggggtg	3120
35	gtgcgtaacg gcaaaagcac cgccggacat cagcgtatc tctgctctca ctgccgtaaa	3180
	acatggcaac tgcagttcac ttacaccgct tctcaaccg gtacgcacca gaaaatcatt	3240
40	gatatggcca tgaatggcgt tggatgccgg gcaacagccc gcattatggg cggtggcctc	3300
	aacacgattt tacgtcactt aaaaaactca ggccgcagtc ggtaacctcg cgcatacagc	3360
	cgggcagtga cgtcatcgtc tgccggaata tggacgaaca gtggggctat gtcggggcta	3420
45	aatcgcgcca gcgtggctg ttttacgct atgacagtct ccggaagacg gttgttgccg	3480
	acgtattcgg tgaacgcact atggcgacgc tggggcgtct tatgagcctg ctgtcacctt	3540
50	ttgacgtggt gatatggatg acggatggct ggccgctgta tgaatcccgc ctgaaggaa	3600
	agctgcacgt aatcagcaag cgatatacgc agcgaattga gcggcataac ctgaatctga	3660
	ggcagcacct ggcacggctg ggacggaagt cgctgtcgtt ctcaaaatcg gtggagctgc	3720
55	atgacaaagt catcgggcat tatctgaaca taaaacacta tcaataagtt ggagtcatta	3780
	cccaaccagg aagggcagcc cacctatcaa ggtgtactgc cttccagacg aacgaagagc	3840
60	gattgaggaa aaggcggcgg cgcccgcat gagcctgtcg gcctacctgc tggccgtcgg	3900
	ccagggctac aaaatcacgg gcgtcgtgga ctatgagcac gtccgcgagc tggcccgcgt	3960

	caatggcgac	ctgggcccgc	tgggcccgcct	gctgaaactc	tggctcaccg	acgacccgcg	4020
5	cacggcgcg	ttcggtgatg	ccacgatcct	cgccctgctg	gcgaagatcg	aagagaagca	4080
	ggacgagctt	ggcaaggcca	tgatgggctg	ggccgccccg	agggcagagc	catgactttt	4140
	ttagccgcta	aaacggcccg	ggggtgcccc	tgattgcca	gcacgtcccc	atgcgctcca	4200
10	tcaagaagag	cgacttcgcg	gagctggtat	tcgtgcaggg	caagattcgg	aataccaagt	4260
	acgagaagga	cggccagacg	gtctacggga	ccgacttcat	tgccgataag	gtggattatc	4320
	tggacaccaa	ggcaccaggc	gggtcaaata	aggaataagg	gcacattgcc	ccggcgtag	4380
15	tcggggcaat	cccgcgaagg	gggtgaatga	atcgacgctt	tgaccggaag	gcatacaggc	4440
	aagaactgat	cgacgcgggg	ttttccgccc	aggatgccga	aaccatcgca	agccgcaccg	4500
20	tcattgcgtg	gccccgcgaa	accttcacgt	ccgtcggtcc	gatgggtccg	caagctacgg	4560
	ccaagatcga	gcgcgacagc	gtgcaactgg	ctccccctgc	cctgccccgc	ccatcgggccg	4620
	ccgtggagcg	ttcgcgtcgt	ctcgaacagg	aggcggcagg	tttggcgaag	tcgatgacca	4680
25	tcgacacgcg	aggaactatg	acgaccaaga	agcgaaaaac	cgccggcgag	gacctggcaa	4740
	aacaggctcag	cgaggccaag	caggcccgct	tgctgaaaca	cacgaagcag	cagatcaagg	4800
30	aaatgcagct	ttccttggtc	gatattgcgc	cgtggccgga	cacgatgcga	gcgatgccaa	4860
	acgacacggc	ccgctctgcc	ctgttcacca	cgcgcaacaa	gaaaatcccc	cgcgaggcgc	4920
	tgcaaaaaca	ggtcattttc	cacgtcaaca	aggacgtgaa	gatcacctac	accggcgctc	4980
35	agctgcgggc	cgacgatgac	gaactggtgt	ggcagcaggt	gttggagtac	gcgaagcgca	5040
	cccctatcgg	cgagccgatc	accttcacgt	tctacgagct	ttgccaggac	ctgggctggt	5100
40	cgatcaatgg	ccggtattac	acgaaggccg	aggaatgcct	gtcgcgccta	caggcgacgg	5160
	cgatgggctt	cacgtccgac	cgcgttgggc	acctggaatc	ggtgtcgctg	ctgcaccgct	5220
	tccgcgtcct	ggaccgtggc	aagaaaacgt	cccgttgcca	ggtcctgatc	gacgaggaaa	5280
45	tcgtcgtgct	gtttgctggc	gaccactaca	cgaaattcat	atgggagaag	taccgcaagc	5340
	tgctgccgac	ggcccagcgg	atgttcgact	atttcagctc	gcaccgggag	ccgtacccgc	5400
50	tcaagctgga	aaccttcgcg	ctcatgtgcg	gatcggattc	cacccgcgtg	aagaagtggc	5460
	gcgagcaggt	cggcgaagcc	tgcaagaggt	tgcgaggcag	cggcctgggtg	gaacacgcct	5520
	gggtcaatga	tgacctgggtg	cattgcaaac	gctagggcct	tgtgggggtca	gttccggctg	5580
55	ggggttcagc	agccagcgct	ttactggcat	ttcaggaaca	agcgggcact	gctcgacgca	5640
	cttgcttcgc	tcagtatcgc	tcgggacgca	cggcgcgctc	tacgaactgc	cgataaacag	5700
60	aggattaaaa	ttgacaattg	tgattaaggc	tcagattcga	cggcttgagg	cggccgacgt	5760
	gcaggatttc	cgcgagatcc	gattgtcggc	cctgaagaaa	gctccagaga	tgttcgggtc	5820

	cgttttacgag	cacgaggaga	aaaagcccat	ggaggcggttc	gctgaacggt	tgcgagatgc	5880
5	cgtggcattc	ggcgcctaca	tcgacggcga	gatcattggg	ctgtcgggtct	tcaaacagga	5940
	ggacggcccc	aaggacgctc	acaaggcgca	tctgtccggc	gttttcgtgg	agcccgaaca	6000
	gcgaggccga	ggggtcgccg	gtatgctgct	gcgggcgttg	ccggcggtt	tattgctcgt	6060
10	gatgatcgtc	cgacagattc	caacgggaat	ctgggtgatg	cgcatcttca	tcctcggcgc	6120
	acttaatat	tcgctattct	ggagcttggt	gtttatttcg	gtctaccgcc	tgccgggcgg	6180
	ggtcgcggcg	acggtaggcg	ctgtgcagcc	gctgatggtc	gtgttcatct	ctgccgtct	6240
15	gctaggtagc	ccgatacgat	tgatggcggt	cctgggggct	atttgcgga	ctgcggcgct	6300
	ggcgctgttg	gtgttgacac	caaacgcagc	gctagatcct	gtcggcgctc	cagcgggcct	6360
20	ggcggggggc	gtttccatgg	cgttcggaac	cggtctgacc	cgcaagtggc	aacctcccgt	6420
	gcctctgctc	acctttaccg	cctggcaact	ggcggccgga	ggacttctgc	tcgttccagt	6480
	agcttttagtg	tttgatccgc	caatcccgat	gcctacagga	accaatgttc	tcggcctggc	6540
25	gtggctcggc	ctgatcggag	cgggtttaac	ctacttcctt	tggttccggg	ggatctcgcg	6600
	actcgaacct	acagttgttt	ccttactggg	ctttctcagc	cgggatggcg	ctaagaagct	6660
30	attgccgcgc	atcttcatat	gcggtgtgaa	ataccgcaca	gatgcgtaag	gagaaaatac	6720
	cgcacagggc	gctcttcgc	ttcctcgctc	actgactcgc	tgcgctcggg	cgttcggctg	6780
	cggcgagcgg	tatcagctca	ctcaaaggcg	gtaatacggg	tatccacaga	atcaggggat	6840
35	aacgcaggaa	agaacatgtg	agcaaaaggc	cagcaaaagg	ccaggaaccg	taaaaaggcc	6900
	gcgttgctgg	cgtttttcca	taggtccgc	cccctgacg	agcatcaca	aaatcgacgc	6960
40	tcaagtcaga	ggtggcgaaa	cccgcagga	ctataaagat	accaggcggt	ttcccctgga	7020
	agctccctcg	tgcgctctcc	tgttccgacc	ctgccgctta	ccggatacct	gtccgccttt	7080
	ctcccttcgg	gaagcgtggc	gctttctcaa	tgtcacgct	gtaggtatct	cagttcgggtg	7140
45	taggtcgttc	gctccaagct	gggctgtgtg	cacgaacccc	ccgttcagcc	cgaccgctgc	7200
	gccttatccg	gtaactatcg	tcttgagtcc	aacccggtaa	gacacgactt	atcgccactg	7260
50	gcagcagcca	ctggtaacag	gattagcaga	gcgaggatg	taggcgggtgc	tacagagtgc	7320
	ttgaagtggg	ggcctaacta	cggctacact	agaaggacag	tatttggtat	ctgcgctctg	7380
	ctgaagccag	ttaccttcgg	aaaaagagtt	ggtagctctt	gatccggcaa	acaaaccacc	7440
55	gctggtagcg	gtggtttttt	tgtttgcaag	cagcagatta	cgcgcagaaa	aaaaggatat	7500
	caagaagatc	ctttgatctt	ttctacgggg	tctgacgctc	agtggaacga	aaactcacgt	7560
60	taagggattt	tggatcatgag	attatcaaaa	aggatcttca	cctagatcct	tttaaattaa	7620
	aatgaagtt	ttaaataaat	ctaaagtata	tatgagtaaa	cttgggtctga	cagttaccaa	7680

	tgcttaatca	gtgaggcacc	tatctcagcg	atctgtctat	ttcgttcac	catagttgcc	7740
5	tgactccccg	tcgtgtagat	aactacgata	cgggagggct	taccatctgg	ccccagtgtc	7800
	gcaatgatac	cgcgagaccc	acgctcaccg	gtccagatt	tatcagcaat	aaaccagcca	7860
	gccggaaggg	ccgagcgag	aagtggctct	gcaactttat	ccgcctccat	ccagtctatt	7920
10	aaacaagtgg	cagcaacgga	ttcgcaaacc	tgtcacgcct	tttgtgcaa	aagccgcgcc	7980
	aggtttgcga	tccgctgtgc	caggcgtag	gcgtcatatg	aagatttcgg	tgatccctga	8040
15	gcaggtggcg	gaaacattgg	atgctgagaa	ccatttcatt	gttcgtgaag	tgttcgatgt	8100
	gcacctatcc	gaccaaggct	ttgaactatc	taccagaagt	gtgagccct	accggaagga	8160
	ttacatctcg	gatgatgact	ctgatgaaga	ctctgcttgc	tatggcgcat	tcatcgacca	8220
20	agagcttgtc	gggaagattg	aactcaactc	aacatggaac	gatctagcct	ctatcgaaca	8280
	cattgtttgtg	tcgcacacgc	accgaggcaa	aggagtcgcg	cacagtctca	tcgaatttgc	8340
25	gaaaaagtgg	gactaagca	gacagctcct	tggcatacga	ttagagacac	aaacgaacaa	8400
	tgtacctgcc	tgcaatttgt	acgcaaaatg	tggttttact	ctcggcgcca	ttgacctgtt	8460
	cacgtataaa	actagacctc	aagtctcgaa	cgaaacagcg	atgtactggg	actggttctc	8520
30	gggagcacag	gatgacgcct	aacaattcat	tcaagccgac	accgcttcgc	ggcgcggtt	8580
	aattcaggag	ttaaaccatca	tgagggaagc	ggtgatcgcc	gaagtatcga	ctcaactatc	8640
35	agaggtagtt	ggcgtcatcg	agcgccatct	cgaaccgacg	ttgctggccg	tacatttgta	8700
	cggctccgca	gtggatggcg	gcctgaagcc	acacagtgat	attgatttgc	tggttacggg	8760
	gaccgtaagg	cttgatgaaa	caacgcggcg	agctttgatc	aacgaccttt	tggaacttc	8820
40	ggcttccoct	ggagagagcg	agattctccg	cgctgtagaa	gtcaccattg	ttgtgcacga	8880
	cgacatcatt	ccgtggcggt	atccagctaa	gcgcgaactg	caatttgag	aatggcagcg	8940
45	caatgacatt	cttgacagga	tcttcgagcc	agccacgatc	gacattgatc	tggtatctt	9000
	gctgacaaaa	gcaagagaac	atagcggttc	cttggttaggt	ccagcgcgcg	aggaactctt	9060
	tgatccgggt	cctgaacagg	atctatttga	ggcgctaaat	gaaaccttaa	cgctatggaa	9120
50	ctcgccgccc	gactgggctg	gcgatgagcg	aaatgtagtg	cttacgttgt	cccgcatttg	9180
	gtacagcgca	gtaaccggca	aaatcgcgcc	gaaggatgtc	gctgccgact	gggcaatgga	9240
55	gcgcctgccc	gccagtatc	agcccgctcat	acttgaagct	aggcaggctt	atcttgga	9300
	agaagatcgc	ttggcctcgc	gcgcagatca	gttgaagaa	tttgttact	acgtgaaagg	9360
	cgagatcacc	aaggtagtcg	gcaaataatg	tctaacaatt	cggtcaagcc	gacgccgctt	9420
60	cgcggcgcgg	cttaactcaa	gcgttagaga	gctggggaag	actatgcgcg	atctgttgaa	9480
	ggtggttcta	agcctcgta	ttgcgatggc	atcggggcag	gcacttgctg	acctgccaat	9540



tggttttagtg gatgaagctc gtcttcccta tgactactcc ccatccaact acgacatttc 9600  
tccaagcaac tacgacaact ccataagcaa ttacgacaat agtccatcaa attacgacaa 9660  
5 ctctgagagc aactacgata atagttcatc caattacgac aatagtcgca acggaaatcg 9720  
taggcttata tatagcgcaa atgggtctcg cactttcggc ggctactacg tcattgccaa 9780  
10 caatgggaca acgaacttct tttccacatc tggcaaaagg atgttctaca ccccaaagg 9840  
ggggcgcggc gtctatggcg gcaaagatgg gagcttctgc ggggcattgg tcgtcataaa 9900  
tggccaattt tcgcttgccc tgacagataa cggcctgaag atcatgtatc taagcaacta 9960  
15 gcctgctctc taataaaatg ttaggagctt ggctgccatt tttggggtga ggccgttcgc 10020  
ggccgagggg cgcagcccct ggggggatgg gagggccgcg ttagcgggccc gggagggttc 10080  
20 gagaaggggg ggcaccccc ttcggcgctgc gcggtcacgc gccagggcgc agccctggtt 10140  
aaaaacaagg ttataaata ttggtttaa agcaggttaa aagacagggt agcggtgggc 10200  
gaaaaacggg cggaaccct tgcaaagctt ggattttctg cctgtggaca gccctcaaa 10260  
25 tgtcaatagg tgcgcccctc atctgtcagc actctgcccc tcaagtgtca aggatcgcg 10320  
ccctcatctg tcagtagtcg cgcccctcaa gtgtcaatac cgcagggcac ttatccccag 10380  
30 gcttgccac atcatctgtg ggaaactcgc gtaaaatcag gcgttttcgc cgatttgcca 10440  
ggctggccag ctccacgtcg ccggccgaaa tcgagcctgc ccctcatctg tcaacgccgc 10500  
gccgggtgag tcggcccctc aagtgtcaac gtccgcccct catctgtcag tgagggccaa 10560  
35 gttttccgcg aggtatccac aacgccggcg gccggccgcg gtgtctcgca cacggcttcg 10620  
acggcgtttc tggcgcgttt gcagggccat agacggccgc cagcccagcg gcgagggcaa 10680  
40 ccagcccggt gagcgtcgga aagggtcgac atcttgctgc gttcggatat tttcgtggag 10740  
ttcccgccac agaccggat tgaaggcgag atccagcaac tcgcgccaga tcatcctgtg 10800  
acggaacttt ggcgctgat gactggccag gacgtcggcc gaaagagcga caagcagatc 10860  
45 acgattttcg acagcgtcgg atttgcatc gaggattttt cggcgctgcg ctacgtccgc 10920  
gaccgcttg agggatcaag ccacagcagc ccaactcgacc ttctagccga cccagacgag 10980  
50 ccaagggatc tttttggaat gctgctccgt cgtcaggctt tccgacgttt ggggtggtga 11040  
acagaagtca ttatcgtacg gaatgccagc actcccagg ggaaccctgt ggttgcatg 11100  
cacatacaaa tggacgaacg gataaacctt ttacgcccct tttaaataac cgttattcta 11160  
55 ataaacgctc ttttctctta ggtttaccgc ccaatatatc ctgtcaaaca ctgatagttt 11220  
aaactgaagg cgggaaacga caatctgatc atgagcggag aattaaggga gtcacgttat 11280  
60 gacccccgcc gatgacgcgg gacaagccgt tttacgtttg gaactgacag aaccgcaacg 11340  
attgaaggag ccaactcagc ccaatacgca aaccgcctct ccccgcgctg tggccgattc 11400

attaatgcag ctggcacgac aggtttcccg actggaaagc gggcagtgag cgcaacgcaa 11460  
5 ttaatgtgag ttagctcact cattaggcac cccaggcttt acactttatg cttccggctc 11520  
gtatgttggtg tggattgtg agcggataac aatttcacac aggaaacagc tatgacctatg 11580  
attacgcaa gctatttagg tgacactata gaatactcaa gctatgcac caacgcgttg 11640  
10 ggagctctcc catatcgacc tgcaggcggc cgctcgacga attaatcca atcccacaaa 11700  
aatctgagct taacagcaca gttgctcctc tcagagcaga atcgggtatt caacaccctc 11760  
atatcaacta ctacgttggtg tataacggtc cacatgccgg tatatacgat gactgggggtt 11820  
15 gtacaaaggc ggcaacaaac ggcgttcccg gagttgcaca caagaaattt gccactatta 11880  
cagaggcaag agcagcagct gacgcgtaca caacaagtca gcaaacagac aggttgaact 11940  
20 tcatcccaa aggagaagct caactcaagc ccaagagctt tgctaaggcc ctaacaagcc 12000  
caccaaagca aaaagccac tggctcacgc taggaaccaa aaggcccagc agtgatccag 12060  
ccccaaaaga gatctccttt gcccgggaga ttacaatgga cgatttcctc tatctttacg 12120  
25 atctaggaag gaagttcgaa ggtgaagggtg acgacactat gttcaccact gataatgaga 12180  
aggttagcct cttcaatttc agaaagaatg ctgaccacga gatgggttaga gaggcctacg 12240  
30 cagcaggtct catcaagacg atctaccgga gtaacaatct ccaggagatc aaataccttc 12300  
ccaagaaggt taaagatgca gtcaaaagat tcaggactaa ttgcatcaag aacacagaga 12360  
aagacatatt tctcaagatc agaagtacta ttccagtagt gacgattcaa ggcttgcttc 12420  
35 ataaaccaag gcaagtaata gagattggag tctctaaaaa ggtagttcct actgaatcta 12480  
aggccatgca tggagtctaa gattcaaacg gaggatctaa cagaactcgc cgtgaagact 12540  
40 ggcgaacagt tcatacagag tcttttacga ctcaatgaca agaagaaaat cttcgtcaac 12600  
atggtggagc acgacactct ggtctactcc aaaaatgtca aagatacagt ctcagaagac 12660  
caaagggcta ttgagacttt tcaacaaagg ataatttcgg gaaacctcct cggattccat 12720  
45 tgcccagcta tctgtcactt catcgaaagg acagtagaaa aggaagggtg ctccatacaa 12780  
tgccatcatt gcgataaagg aaaggctatc attcaagatc tctctgccga cagtgggtccc 12840  
50 aaagatggac cccacccac gaggagcatc gtggaaaaag aagacgttcc aaccacgtct 12900  
tcaaagcaag tggattgatg tgacatctcc actgacgtaa gggatgacgc acaatccac 12960  
tatccttcgc aagacccttc ctctatataa ggaagttcat ttcatgttga gaggacacgc 13020  
55 tcgagacaag tttgtacaaa aaagctgaac gagaaacgta aatgatata aatatcaata 13080  
tattaaatta gatgttgcat aaaaaacaga ctacataata ctgtaaaaca caacatatcc 13140  
60 agtcactatg aatcaactac ttagatggta ttagtgacct gtagtcgacc gacagccttc 13200  
caaatgttct tcgggtgatg ctgccaactt agtcgaccga cagccttcca aatgttcttc 13260

tcaaacggaa tcgtcgtatc cagcctactc gctattgtcc tcaatgccgt attaaatcat 13320  
5 aaaaagaaat aagaaaaaga ggtgcgagcc tcttttttgt gtgacaaaat aaaaacatct 13380  
acctattcat atacgctagt gtcatagtcc tgaaaatcat ctgcatcaag aacaatttca 13440  
caactcttat acttttctct tacaagtcgt tcggcttcat ctggattttc agcctctata 13500  
10 cttactaaac gtgataaagt ttctgtaatt tctactgtat cgacctgcag actggctgtg 13560  
tataaggag cctgacattt atattcccca gaacatcagg ttaatggcgt ttttgatgtc 13620  
attttcgcgg tggctgagat cagccacttc ttccccgata acggagaccg gcacactggc 13680  
15 catatcgggtg gtcatcatgc gccagcttcc atccccgata tgcaccaccg ggtaaagttc 13740  
acgggagact ttatctgaca gcagacgtgc actggccagg gggatcacca tccgtcgccc 13800  
20 gggcgtgtca ataatatcac tctgtacatc caaaaacaga cgataacggc tctctctttt 13860  
ataggtgtaa accttaaact gcatttcacc agtccctgtt ctctgcagca aaagagccgt 13920  
tcatttcaat aaaccgggcg acctcagcca tcccttctg attttccgct ttccagcgtt 13980  
25 cggcacgcag acgacgggct tcattctgca tggttgtgct taccagaccg gagatattga 14040  
catcatatat gccttgagca actgatagct gtcgctgtca actgtcactg taatacgtg 14100  
30 cttcatagca cacctctttt tgacatactt cgggtagtgc cgatcaacgt ctcatcttcg 14160  
ccaaaagttg gccaggggt tcccggatc aacagggaca ccaggattta tttattctgc 14220  
gaagtgatct tccgtcacag gtatttattc ggcgcaaagt gcgtcgggtg atgctgcaa 14280  
35 cttagtcgac tacaggtcac taataccatc taagtagttg attcatagtg actggatatg 14340  
ttgtgtttta cagtattatg tagtctgtt tttatgcaa atctaattta atatattgat 14400  
40 atttatatca ttttacgttt ctggttcagc tttctgtac aaagtggctc cgaggaattc 14460  
ggtaccaact gtaaggaaat aattattttt ttttttcctt ttagtataaa atagttaagt 14520  
gatgttaatt agtatgatta taataatata gttgttataa ttgtgaaaaa ataatttata 14580  
45 aatatattgt ttacataaac aacatagtaa tgtaaaaaaa tatgacaagt gatgtgtaag 14640  
acgaagaaga taaaagttga gagtaagtat attattttta atgaatttga tcgaacatgt 14700  
50 aagatgatat actagcatta atatttgttt taatcataat agtaattcta gctggtttga 14760  
tgaattaaat atcaatgata aaatactata gtaaaaataa gaataaataa attaaaataa 14820  
tattttttta tgattaatag tttattatat aattaaatat ctataccatt actaaatatt 14880  
55 ttagttttaa agttaataaa tattttgtta gaaattccaa tctgcttgta atttatcaat 14940  
aaacaaaata ttaaataaca agctaaagta acaataata tcaactaat agaaacagta 15000  
60 atctaagtga acaaaacata atctaagtct aatataacaa agcgcaagat ctatcatctt 15060  
atatagtatt attttcaatc aacattctta ttaatttcta aataatactt gtagttttat 15120

taacttctaa atggattgac tattaattaa atgaattagt cgaacatgaa taaacaaggt 15180  
aacatgatag atcatgtcat tgtgttatca ttgatcttac atttgattg attacagtta 15240  
5 cttaccttaa gcttgatcc tctagaccac tttgtacaag aaagctgaac gagaaacgta 15300  
aaatgatata aatatcaata tattaaatta gattttgcat aaaaaacaga ctacataata 15360  
10 ctgtaaaaca caacatatcc agtcactatg aatcaactac ttagatggta ttagtgacct 15420  
gtagtcgact aagttggcag catcaccgga cgcactttgc gccgaataaa tacctgtgac 15480  
ggaagatcac ttcgcagaat aaataaatcc tgggtgtccct gttgataaccg ggaagccctg 15540  
15 ggccaacttt tggcgaaaat gagacgttga tcggatttca caactcttat acttttctct 15600  
tacaagtcgt tcggcttcat ctggattttc agcctctata cttactaaac gtgataaagt 15660  
20 ttctgttaatt tctactgtat cgacctgcag actggctgtg tataaggag cctgacattt 15720  
atattcccca gaacatcagg ttaatggcgt ttttgatgtc attttcgcgg tggctgagat 15780  
cagccacttc ttccccgata acggagaccg gcacactggc catatcggtg gtcacatgc 15840  
25 gccagctttc atccccgata tgcaccaccg ggtaaagtcc acgggagact ttatctgaca 15900  
gcagacgtgc actggccagg gggatcacca tccgtcgccc gggcgtgtca ataatacac 15960  
30 tctgtacatc caaaaacaga cgataacggc tctctctttt ataggtgtaa accttaaact 16020  
gcatttcacc agtccctgtt ctgctcagca aaagagccgt tcatttcaat aaaccgggcy 16080  
acctcagcca tcccttcctg attttccgtt ttccagcgtt cggcacgcag acgacgggct 16140  
35 tcattctgca tggttgtgct taccagaccg gagatattga catcatatat gccttgagca 16200  
actgatagct gtcgctgtca actgtcactg taatacgtg cttcatagca cacctctttt 16260  
40 tgacatactt ctgttcttga tgcagatgat ttccaggact atgacactag cgtatatgaa 16320  
taggtagatg tttttatttt gtcacacaaa aaagaggctc gcacctcttt ttcttatttc 16380  
tttttatgat ttaatacggc attgaggaca atagcgagta ggctggatac gacgattccg 16440  
45 tttgagaaga acatttgaa ggctgtcggc cgactaagtt ggcagcatca cccgaagaac 16500  
atltggaagg ctgtcggtcg actacaggct actaatacca tctaagtagt tgattcatag 16560  
50 tgactggata tgttggtgtt tacagtatta ttagtctgt tttttatgca aaatctaatt 16620  
taatataattg atatttatat cattttacgt ttctcgttca gctttttgt acaaacttgt 16680  
ctagagtcc tctttaatga gatatgcgag acgctatga tcgcatgata tttgctttca 16740  
55 attctgttgt gcacgttga aaaaacctga gcatgtgtag ctcagatcct taccgcccgt 16800  
ttcggttcat tctaataaat atatcaccgg ttactatcgt atttttatga ataataattct 16860  
60 ccgttcaatt tactgattgt accctactac ttatatgtac aatattaaaa tgaaaacaat 16920  
atattgtgct gaataggttt atagcgacat ctatgataga gcgccacaat aacaaacaat 16980

tgcgttttat tattacaaat ccaattttta aaaaagcggc agaaccggtc aaacctaata 17040  
 5 gactgattac ataaatctta ttcaaatttc aaaaggcccc aggggctagt atctacgaca 17100  
 caccgagcgg cgaactaata acgttcactg aagggaactc cggttccccg ccggcgcgca 17160  
 tgggtgagat tccttgaagt tgagtattgg ccgtccgctc taccgaaagt tacgggcacc 17220  
 10 attcaaccgg gtccagcacg gcggccgggt aaccgacttg ctgccccgag aattatgcag 17280  
 catttttttg gtgtatgtgg gcccctaatg aagtgcaggc caaaccttga cagtgcagac 17340  
 aaatcgttgg gcgggtccag ggcgaatttt gcgacaacat gtcgaggctc agcaggacct 17400  
 15 gcaggcatgc aagctagctt actagtgatg catattctat agtgtcacct aaatctgc 17458  
  
 <210> 26  
 20 <211> 17681  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 25 <223> acceptor vector pHELLSGATE12  
  
 <400> 26  
 ggccgcacta gtgatatccc gcggccatgg cggccgggag catgcgacgt cgggccaat 60  
 30 tcgccctata gtgagtcgta ttacaattca ctggccgctg ttttacaacg tcgtgactgg 120  
 gaaaaccctg gcgttaccca acttaatcgc cttgcagcac atcccccttt cgccagctgg 180  
 cgtaatagcg aagaggcccc caccgatcgc ctttcccaac agttgcgcag cctgaatggc 240  
 35 gaatggaaat tgtaaacgtt aatgggtttc tggagttaa tgagctaagc acatacgtca 300  
 gaaaccatta ttgcgcgttc aaaagtcgcc taaggctact atcagctagc aaatatttct 360  
 40 tgtcaaaaat gctccactga cgttcataa attcccctcg gtatccaatt agagtctcat 420  
 attcactctc aatccaaata atctgcaatg gcaattacct tatccgcaac ttctttacct 480  
 atttccgccc ggatccgggc aggttctccg gccgcttggg tggagaggct attcggctat 540  
 45 gactgggcac aacagacaat cggctgctct gatgccgccc tgttccggct gtcagcgag 600  
 gggcgcccgg ttctttttgt caagaccgac ctgtccggtg ccctgaatga actgcaggac 660  
 50 gaggcagcgc ggctatcgtg gctggccacg acgggcgttc cttgcgcagc tgtgctcgac 720  
 gttgtcactg aagcgggaag ggactggctg ctattgggag aagtgccggg gcaggatctc 780  
 ctgtcatctc accttgctcc tgccgagaaa gtatccatca tggctgatgc aatgcggcgg 840  
 55 ctgcatacgc ttgatccggc tacctgcccc ttcgaccacc aagcgaaca tcgcatcgag 900  
 cgagcacgta ctcgatgga agccggtctt gtcgatcagg atgatctgga cgaagagcat 960  
 60 caggggctcg cgccagccga actgttcgcc aggtcaagg cgcgcatgcc cgacggcgag 1020  
 gatctcgtcg tgacctatgg cgatgcctgc ttgccgaata tcatggtgga aaatggccgc 1080

	ttttctggat tcatcgactg tggccggctg ggtgtggcgg accgctatca ggacatagcg	1140
5	ttggctaccc gtgatattgc tgaagagctt ggcggcgaat gggctgaccg cttoctcgtg	1200
	ctttacggta tcgccgctcc cgattcgag cgcatcgct tctatcgct tcttgacgag	1260
	ttcttctgag cgggactctg gggttcgaaa tgaccgacca agcgacgccc aacctgccat	1320
10	cacgagattt cgattccacc gccgccttct atgaaagggt gggcttcgga atcgttttcc	1380
	gggacgccgg ctggatgac ctccagcgcg gggatctcat gctggagtgc ttcgccacc	1440
15	ccgatccaac acttacgttt gcaacgtcca agagcaaata gaccacgaac gccggaagggt	1500
	tgccgcagcg tgtggattgc gtctcaattc tctcttgag gaatgcaatg atgaatatga	1560
	tactgactat gaaactttga gggaaactg cctagcaccg tcacctcata acgtgcatca	1620
20	tgcatgccct gacaacatgg aacatcgcta tttttctgaa gaattatgct cggttgaggga	1680
	tgctgcggca attgcagcta ttgccaacat cgaactaccc ctacgcagtg cattcatcaa	1740
25	tattattcat gcggggaaag gcaagattaa tccaactggc aaatcatcca gcgtgattgg	1800
	taacttcagt tccagcgact tgattcgttt tgggtgctacc cacgttttca ataaggacga	1860
	gatggtggag taaagaagga gtgcgctgaa gcagatcggt caaacatttg gcaataaagt	1920
30	ttcttaagat tgaatcctgt tgccggtctt gcgatgatta tcatataatt tctgttgaat	1980
	tacgttaagc atgtaataat taacatgtaa tgcatgacgt tatttatgag atgggttttt	2040
35	atgattagag tcccgcgaatt atacatttaa tacgcgatag aaaacaaaat atagcgcgca	2100
	aactaggata aattatcgcg cgcggtgtca tctatgttac tagatcgaat taattccagg	2160
	cggatgaagg caatcagctg ttgccgtct cactggtgaa aagaaaaacc accccagtac	2220
40	attaaaaacg tccgcaatgt gttattaagt tgtctaagcg tcaatttggt tacaccacaa	2280
	tatatcctgc caccagccag ccaacagctc ccgacccggc agctcggcac aaaatcacca	2340
45	ctcgatacag gcagcccatc agtccgggac ggcgtcagcg ggagagccgt tgtaaggcgg	2400
	cagactttgc tcatgttacc gatgctattc ggaagaacgg caactaagct gccgggtttg	2460
	aaacacggat gatctcgcg agggtagcat gttgattgta acgatgacag agcgttgctg	2520
50	cctgtgatca aatatcatct ccctcgaga gatccgaatt atcagccttc ttattcattt	2580
	ctcgcttaac cgtgacaggc tgtcgatctt gagaactatg ccgacataat aggaaatcgc	2640
55	tggataaagc cgctgaggaa gctgagtggc gctatttctt tagaagtgaa cggtgacgat	2700
	gtcgacggat cttttccgct gcataaccct gcttcgggggt cattatagcg attttttcgg	2760
	tatatccatc ctttttcgca cgatatacag gattttgcc aagggttcgt gtagactttc	2820
60	cttgggtgat ccaacggcgt cagccgggca ggatagggtga agtaggccca cccgcgagcg	2880
	ggtgttcctt cttcactgtc ccttattcgc acctggcggg gctcaacggg aatcctgctc	2940

	tgcgaggctg gccggctacc gccggcgtaa cagatgaggg caagcggatg gctgatgaaa	3000
	ccaagccaac caggggtgat gctgccaaact tactgattta gtgtatgatg gtgtttttga	3060
5	ggtgctccag tggcttctgt ttctatcagc tgtccctcct gttcagctac tgacgggggtg	3120
	gtgcgtaacg gcaaaagcac cgccggacat cagcgctatc tctgctctca ctgccgtaaa	3180
10	acatggcaac tgcagttcac ttacaccgct tctcaaccg gtacgcacca gaaaatcatt	3240
	gatatggcca tgaatggcgt tggatgccgg gcaacagccc gcattatggg cgttggcctc	3300
	aacacgattt tacgtcactt aaaaaactca ggccgcagtc ggtaacctcg cgcatacagc	3360
15	cgggcagtga cgtcatcgtc tgcgcggaaa tggacgaaca gtggggctat gtcggggcta	3420
	aatcgcgcca gcgctggctg ttttacgcgt atgacagtct ccggaagacg gttgttgcgc	3480
20	acgtattcgg tgaacgcact atggcgacgc tggggcgctc tatgagcctg ctgtcaccct	3540
	ttgacgtggt gatatggatg acggatggct ggccgctgta tgaatccgc ctgaaggaa	3600
	agctgcacgt aatcagcaag cgatatacgc agcgaattga gcggcataac ctgaatctga	3660
25	ggcagcacct ggacggctg ggacggaagt cgctgtcgtt ctcaaatcg gtggagctgc	3720
	atgacaaagt catcgggcat tatctgaaca taaaacacta tcaataagtt ggagtcatta	3780
30	cccaaccagg aagggcagcc cacctatcaa ggtgtactgc cttccagacg aacgaagagc	3840
	gattgaggaa aaggcggcgg cgcccgcat gagcctgtcg gcctacctgc tggccgtcgg	3900
	ccagggctac aaaatcacgg gcgtcgtgga ctatgagcac gtccgcgagc tggcccgcat	3960
35	caatggcgac ctgggccgcc tgggcggcct gctgaaactc tggctcaccg acgaccgcg	4020
	cacggcgcg ttcggtgatg ccacgatcct cgccctgctg gcgaagatcg aagagaagca	4080
40	ggacgagctt ggcaaggta tgatggcggt ggtccgccc agggcagagc catgactttt	4140
	ttagccgcta aaacggccgg ggggtgcgct tgattgcaa gcacgtcccc atgcgctcca	4200
	tcaagaagag cgacttcgct gagctggtat tcgtgcagg caagattcgg aataccaagt	4260
45	acgagaagga cggccagacg gtctacggga ccgacttcat tgccgataag gtggattatc	4320
	tggacaccaa ggcaccaggc ggggtcaaact aggaataagg gcacattgcc ccggcgtag	4380
50	tcggggcaat cccgcaagga gggatgaatga atcggacgtt tgaccggaag gcatacaggc	4440
	aagaactgat cgacgcgggg tttccgccg aggatgccga aaccatcgca agccgcaccg	4500
	tcacgcgtgc gccccgcgaa accttccagt ccgtcggctc gatggtccag caagctacgg	4560
55	ccaagatcga gcgcgacagc gtgcaactgg ctccccctgc cctgcccgcg ccatcggccg	4620
	ccgtggagcg ttcgcgtcgt ctcgaaacagg aggcggcagg tttggcgaag tcgatgacca	4680
60	tcgacacgcg aggaactatg acgaccaaga agcgaaaaac cgccggcgag gacctggcaa	4740
	aacaggtcag cgaggccaag caggccgcgt tgctgaaaca cacgaagcag cagatcaagg	4800

	aaatgcagct ttccttggtc gatattgctc cgtggccgga cacgatgcga gcgatgccaa	4860
	acgacacggc ccgctctgcc ctgttcacca cgcgcaacaa gaaaatcccg cgcgaggcgc	4920
5	tgcaaaacaa ggtcattttc cacgtcaaca aggacgtgaa gatcacctac accggcgtcg	4980
	agctgcgggc cgacgatgac gaactggtgt ggcagcaggt gttggagtac gcgaagcgca	5040
10	cccctatcgg cgagccgatc accttcacgt tctacgagct ttgccaggac ctgggctggt	5100
	cgatcaatgg ccggtattac acgaaggccg aggaatgcct gtcgcgccta caggcgacgg	5160
	cgatgggctt cacgtccgac cgcgttgggc acctggaatc ggtgtcgctg ctgcaccgct	5220
15	tccgcgtcct ggaccgtggc aagaaaacgt cccgttgcca ggtcctgatc gacgaggaaa	5280
	tcgtcgtgct gtttgctggc gaccactaca cgaaattcat atgggagaag taccgcaagc	5340
20	tgtcgccgac ggcccagcgg atgttcgact atttcagctc gcaccgggag ccgtaccgcg	5400
	tcaagctgga aaccttcgc ctcattgtgcg gatcggattc caccgcgctg aagaagtggc	5460
	gcgagcaggt cggcgaagcc tgcgaagagt tgcgaggcag cggcctggtg gaacacgcct	5520
25	gggtcaatga tgacctggtg cattgcaaac gctagggcct tgtggggtca gttccggctg	5580
	ggggttcagc agccagcgtt ttactggcat ttcaggaaca agcgggcact gtcgacgca	5640
30	cttgcttcgc tcagtatcgc tcgggacgca cggcgcgctc tacgaactgc cgataaacag	5700
	aggattaaaa ttgacaattg tgattaaggc tcagattcga cggcttgag cggccgacgt	5760
	gcaggatttc cgcgagatcc gattgtcggc cctgaagaaa gctccagaga tgttcgggtc	5820
35	cgtttacgag cacgaggaga aaaagcccat ggaggcgttc gctgaacggg tgcgagatgc	5880
	cgtggcattc ggcgcctaca tcgacggcga gatcattggg ctgtcggctt tcaaacagga	5940
40	ggacggcccc aaggacgctc acaaggcgcga tctgtccggc gttttcgtgg agcccgaaca	6000
	gcgaggccga ggggtcgccg gtatgctgct gcgggcggtt ccggcggggt tattgctcgt	6060
	gatgatcgtc cgacagattc caacgggaat ctggtggatg cgcattctca tcctcggcgc	6120
45	acttaatat tgcgtattct ggagcttggt gtttatttcg gtctaccgcc tgccgggcgg	6180
	ggtcgcggcg acggtaggcg ctgtgcagcc gctgatgggt gtgttcatct ctgccgtct	6240
50	gctaggtagc ccgatacgat tgatggcggc cctgggggct atttgcggaa ctgcgggcgt	6300
	ggcgtggtg gtgttgacac caaacgcagc gctagatcct gtcggcgtcg cagcgggcct	6360
	ggcgggggcg gtttccatgg cgttcggaac cgtgctgacc cgcaagtggc aacctcccgt	6420
55	gcctctgctc acctttaccg cctggcaact ggcggccgga ggacttctgc tcgttccagt	6480
	agcttttagtg tttgatccgc caatcccgat gcctacagga accaatgttc tcggcctggc	6540
60	gtggctcggc ctgatcggag cgggtttaac ctacttcctt tggttccggg ggatctcgg	6600
	actcgaacct acagttgttt cttactggg ctttctcagc cgggatggcg ctaagaagct	6660



attgccgccg atcttcatat gcggtgtgaa ataccgcaca gatgcgtaag gagaaaatac 6720  
 5 cgcacagggc gctcttccgc ttcctcgctc actgactcgc tgcgctcggc cggtcggctg 6780  
 cggcgagcgg tatcagctca ctcaaaggcg gtaatacggc tatccacaga atcaggggat 6840  
 aacgcaggaa agaacatgtg agcaaaaggc cagcaaaagg ccaggaaccg taaaaggcc 6900  
 10 gcgttgctgg cgtttttcca taggctccgc cccctgacg agcatcaca aaatcgacgc 6960  
 tcaagtcaga ggtggcgaaa cccgacagga ctataaagat accaggcggt tccccctgga 7020  
 agctccctcg tgcgctctcc tggtccgacc ctgccgctta ccggatacct gtccgccttt 7080  
 15 ctcccttcgg gaagcgtggc gctttctcaa tgctcacgct gtaggtatct cagttcgggtg 7140  
 taggtcgttc gctccaagct gggctgtgtg cacgaacccc ccgttcagcc cgaccgctgc 7200  
 20 gccttatccg gtaactatcg tcttgagtcc aaccgggtaa gacacgactt atcgccactg 7260  
 gcagcagcca ctggtaacag gattagcaga gcgaggtatg taggcgggtgc tacagagttc 7320  
 ttgaagtggg ggccctaacta cggctacact agaaggacag tatttggtat ctgcgctctg 7380  
 25 ctgaagccag ttaccttcgg aaaaagagtt ggtagctctt gatccggcaa acaaaccacc 7440  
 gctggtagcg gtgggttttt tggttgcaag cagcagatta cgcgagaaa aaaaggatat 7500  
 30 caagaagatc ctttgatctt ttctacggg tctgacgctc agtggaacga aaactcacgt 7560  
 taagggattt tggatcatgag attatcaaaa aggatcttca cctagatcct tttaaattaa 7620  
 aaatgaagtt ttaaatcaat ctaaagtata tatgagtaaa cttggtctga cagttacca 7680  
 35 tgcttaatca gtgaggcacc tatctcagcg atctgtctat ttcgttcatc catagtgtgc 7740  
 tgactccccg tcgtgtagat aactacgata cgggagggtt taccatctgg cccagtgct 7800  
 40 gcaatgatac cgcgagaccc acgctcaccg gctccagatt tatcagcaat aaaccagcca 7860  
 gccggaaggc ccgagcgagc aagtggctct gcaactttat ccgcctccat ccagtctatt 7920  
 aaacaagtgg cagcaacgga ttgcgaaacc tgctacgcct tttgtgcaa aagccgcgcc 7980  
 45 aggtttgcga tccgctgtgc caggcggttag gcgtcatatg aagatttcgg tgatccctga 8040  
 gcaggtggcg gaaacattgg atgctgagaa ccatttcatt gttcgtgaag tgttcgatgt 8100  
 50 gcacctatcc gaccaaggct ttgaactatc taccagaagt gtgagcccct accggaagga 8160  
 ttacatctcg gatgatgact ctgatgaaga ctctgcttgc tatggcgcat tcatcgacca 8220  
 agagcttgctc gggaagattg aactcaactc aacatggaac gatctagcct ctatcgaa 8280  
 55 cattgttgtg tcgcacacgc accgaggcaa aggagtcgcg cacagtctca tcgaatttgc 8340  
 gaaaaagtgg gactaagca gacagctcct tggcatacga ttagagacac aaacgaacaa 8400  
 60 tgtacctgcc tgcaatttgt acgcaaatg tggctttact ctggcgcgca ttgacctgtt 8460  
 cacgtataaa actagacctc aagtctcgaa cgaaacagcg atgtactggt actggttctc 8520

	gggagcacag gatgacgcct aacaattcat tcaagccgac accgcttcgc ggcgcggctt	8580
	aattcaggag ttaaacatca tgagggaagc ggtgatcgcc gaagtatcga ctcaactatc	8640
5	agaggtagtt ggcgtcatcg agcgccatct cgaaccgacg ttgctggccg tacatttgta	8700
	cggctccgca gtggatggcg gcctgaagcc acacagtgat attgatttgc tggttacggt	8760
10	gaccgtaagg cttgatgaaa caacgcggcg agctttgatc aacgacctt tggaaacttc	8820
	ggcttccccct ggagagagcg agattctccg cgctgtagaa gtcaccattg ttgtgcacga	8880
	cgacatcatt ccgtggcggt atccagctaa gcgcgaactg caatttgag aatggcagcg	8940
15	caatgacatt cttgcaggta tcttcgagcc agccacgatc gacattgatc tggctatctt	9000
	gctgacaaaa gcaagagaac atagcgttgc cttggtaggt ccagcggcgg aggaactctt	9060
20	tgatccggtt cctgaacagg atctatttga ggcgctaaat gaaaccttaa cgctatggaa	9120
	ctcgccgccc gactgggctg gcgatgagcg aaatgtagtg cttacgttgt cccgcatttg	9180
	gtacagcgca gtaaccggca aaatcgcgcc gaaggatgtc gctgccgact gggcaatgga	9240
25	gcgcctgccg gccagtatc agcccgctcat acttgaagct aggcaggctt atcttggaca	9300
	agaagatcgc ttggcctcgc gcgcagatca gttggaagaa tttgttcaact acgtgaaagg	9360
30	cgagatcacc aaggtagtcg gcaaataatg tctaacaatt cgttcaagcc gacgccgctt	9420
	cgcgccgccc cttaactcaa gcgttagaga gctggggaag actatgcgcg atctgttgaa	9480
	ggtggttcta agcctcgta cttcgatggc atcggggcag gcacttgctg acctgccaat	9540
35	tgtttttagtg gatgaagctc gtcttcctta tgactactcc ccatccaact acgacatttc	9600
	tccaagcaac tacgacaact ccataagcaa ttacgacaat agtccatcaa attacgaca	9660
40	ctctgagagc aactacgata atagttcatc caattacgac aatagtcgca acggaaatcg	9720
	taggcttata tatagcgcaa atgggtctcg cactttcgcc ggctactacg tcattgcaa	9780
	caatgggaca acgaacttct tttccacatc tggcaaaagg atgttctaca ccccaaaagg	9840
45	ggggcgcgcc gtctatggcg gcaaagatgg gagcttctgc ggggcattgg tcgtcataaa	9900
	tggccaattt tcgcttgccc tgacagataa cggcctgaag atcatgtatc taagcaacta	9960
50	gcctgctctc taataaaatg ttaggagctt ggctgccatt tttggggtga ggccgttcgc	10020
	ggccgagggg cgcagccctt ggggggatgg gagggccgcg ttagcgggcc gggagggttc	10080
	gagaaggggg ggcaccccc ttcggcgctg gcggtcacgc gccagggcg agccctggtt	10140
55	aaaaacaagg tttataaata ttggtttaaa agcagggttaa aagacagggt agcgggtggcc	10200
	gaaaaacggg cggaaccct tgcaaagtct ggattttctg cctgtggaca gcccctcaaa	10260
60	tgtcaatagg tgcccccctc atctgtcagc actctgcccc tcaagtgtca aggatcgcg	10320
	ccctcatctg tcagtagtcg cggccctcaa gtgtcaatac cgcagggcac ttatccccag	10380

gcttgtccac atcatctgtg ggaaactcgc gtaaaatcag gcgttttgcg cgatttgcga 10440  
 5 ggctggccag ctccacgtcg ccggccgaaa tcgagcctgc ccctcatctg tcaacgccgc 10500  
 gccgggtgag tcggcccctc aagtgtcaac gtccgcccct catctgtcag tgagggccaa 10560  
 gttttccgcg aggtatccac aacgccggcg gccggccgcg gtgtctcgca cacggcttcg 10620  
 10 acggcgtttc tggcgcgttt gcagggccat agacggccgc cagcccagcg gcgagggcaa 10680  
 ccagcccggg gagcgtcggg aagggtcgac atcttgctgc gttcggatat tttcgtggag 10740  
 15 ttcccgccac agaccgggat tgaaggcgag atccagcaac tcgcccaga tcatcctgtg 10800  
 acggaacttt ggcgcgtgat gactggccag gacgtcggcc gaaagagcga caagcagatc 10860  
 acgattttcg acagcgtcgg atttgcgatc gaggattttt cggcgctgcg ctacgtccgc 10920  
 20 gaccgcgttg agggatcaag ccacagcagc cactcgacc ttctagccga cccagacgag 10980  
 ccaagggatc tttttggaat gctgctccgt cgtcaggctt tccgacgttt ggggtggtga 11040  
 acagaagtca ttatcgtacg gaatgccagc actcccagg ggaaccctgt ggttgcatg 11100  
 25 cacatacaaa tggacgaacg gataaacctt ttcacgccct tttaaatac cgttattcta 11160  
 ataaacgctc ttttctctta gggttaccg ccaatatatc ctgtcaaaca ctgatagttt 11220  
 30 aaactgaagg cgggaaacga caatctgatc atgagcggag aattaaggga gtcacgttat 11280  
 gacccccgcc gatgacgcgg gacaagccgt tttacgtttg gaactgacag aaccgcaacg 11340  
 attgaaggag cactcagcc ccaatacgca aaccgcctct cccgcgcgt tggccgattc 11400  
 35 attaattgag ctggcacgac aggtttcccg actggaaagc gggcagtgag cgcaacgcaa 11460  
 ttaatgtgag ttagctcact cattaggcac cccaggcttt acactttatg cttccggctc 11520  
 40 gtatgttgtg tggaaattgtg agcggataac aatttcacac aggaaacagc tatgaccatg 11580  
 attacgcaa gctatttagg tgacactata gaatactcaa gctatgcatc caacgcgttg 11640  
 45 ggagctctcc catatcgacc tgcaggcggc cgctcgacga attaatcca atcccacaaa 11700  
 aatctgagct taacagcaca gttgctcctc tcagagcaga atcgggtatt caacaccctc 11760  
 atatcaacta ctacgttgtg tataacggtc cacatgccg tatatacgat gactggggtt 11820  
 50 gtacaaaggc ggcaacaaac ggcgttcccg gagttgcaca caagaaattt gccactatta 11880  
 cagaggcaag agcagcagct gacgcgtaca caacaagtca gcaaacagac aggttgaact 11940  
 55 tcatcccaa aggagaagct caactcaagc ccaagagctt tgctaaggcc ctaacaagcc 12000  
 caccaaagca aaaagccac tggctcacgc taggaaccaa aaggcccagc agtgatccag 12060  
 cccaaaaga gatctccttt gccccggaga ttacaatgga cgatttcctc tatctttacg 12120  
 60 atctaggaag gaagttcgaa ggtgaagggtg acgacactat gttcaccact gataatgaga 12180  
 aggttagcct cttcaatttc agaaagaatg ctgaccacac gatgggttaga gaggcctacg 12240

cagcaggtct catcaagacg atctacccga gtaacaatct ccaggagatc aaataccttc 12300  
 ccaagaaggt taaagatgca gtcaaaagat tcaggactaa ttgcatcaag aacacagaga 12360  
 5 aagacatatt tctcaagatc agaagtacta ttccagtatg gacgattcaa ggcttgcttc 12420  
 ataaaccaag gcaagtaata gagattggag tctctaaaaa ggtagttcct actgaatcta 12480  
 10 aggccatgca tggagtctaa gattcaaadc gaggatctaa cagaactcgc cgtgaagact 12540  
 ggcgaacagt tcatacagag tcttttacga ctcaatgaca agaagaaaat cttcgtcaac 12600  
 atgggtggagc acgacactct ggtctactcc aaaaatgtca aagatacagt ctcagaagac 12660  
 15 caaagggcta ttgagacttt tcaacaaagg ataatttcgg gaaacctcct cggattccat 12720  
 tgcccagcta tctgtcactt catcgaaagg acagtagaaa aggaaggtgg ctctacaaa 12780  
 20 tgccatcatt gcgataaagg aaaggctatc attcaagatc tctctgccga cagtggctcc 12840  
 aaagatggac ccccccac gagggatc gtggaaaaag aagacgttcc aaccacgtct 12900  
 tcaaagcaag tggattgatg tgacatctcc actgacgtaa gggatgacgc acaatcccac 12960  
 25 tatccttcgc aagaccttc ctctatataa ggaagttcat ttcatttga gagacacgc 13020  
 tcgagacaag tttgtacaaa aaagctgaac gagaaacgta aaatgatata aatatcaata 13080  
 30 tattaatta gattttgcat aaaaaacaga ctacataata ctgtaaaaca caacatatcc 13140  
 agtcactatg aatcaactac ttagatggta ttagtgacct gtagtcgacc gacagccttc 13200  
 caaatgttct tcgggtgatg ctgccaaact agtcgaccga cagccttcca aatgttcttc 13260  
 35 tcaaacggaa tcgtcgtatc cagcctactc gctattgtcc tcaatgccgt attaaatcat 13320  
 aaaaagaaat aagaaaaaga ggtgcgagcc tctttttgtg gtgacaaaat aaaaacatct 13380  
 40 acctattcat atacgctagt gtcatagtcc tgaaaatcat ctgcatcaag aacaatttca 13440  
 caactcttat acttttctct tacaagtcgt tcggcttcat ctggattttc agcctctata 13500  
 cttactaaac gtgataaagt ttctgtaatt tctactgtat cgacctgcag actggctgtg 13560  
 45 tataagggag cctgacattt atattcccca gaacatcagg ttaatggcgt ttttgatgtc 13620  
 attttcgcgg tggtgagat cagccacttc tccccgata acggagaccg gcacactggc 13680  
 50 catatcgggtg gtcacatgc gccagcttcc atccccgata tgcaccaccg ggtaaagtcc 13740  
 acgggagact ttatctgaca gcagacgtgc actggccagg gggatcacca tccgtcgccc 13800  
 gggcgtgtca ataatatcac tctgtacatc caciaacaga cgataacggc tctctctttt 13860  
 55 ataggtgtaa accttaact gcatttcacc agtccctgtt ctgcgcagca aaagagccgt 13920  
 tcatttcaat aaaccgggcy acctcagcca tcccttcctg attttccgct ttccagcgtt 13980  
 60 cggcacgcag acgacgggct tcattctgca tgggtgtgct taccagaccg gagatattga 14040  
 catcatatat gccttgagca actgatagct gtcgctgtca actgtcactg taatacgtg 14100

cttcataagca cacctctttt tgacatactt cgggtagtgc cgatcaacgt ctcattttcg 14160  
ccaaaagttg gcccagggtc tcccgggtatc aacagggaaca ccaggattta tttattctgc 14220  
5 gaagtgatct tccgtcacag gtattttattc ggcgcaaagt gcgtcgggtg atgctgcca 14280  
cttagtcgac tacagggtcac taataccatc taagtagttg attcatagtg actggatatg 14340  
10 ttgtgtttta cagtattatg tagtctgttt tttatgcaaa atctaattta atatatgtat 14400  
atztatatca ttttacgttt ctggttcagc tttcttgtac aaagtggctc cgaggaattc 14460  
ggtagcccgag cttggtaagg aaataattat tttctttttt ctttttagta taaaatagtt 14520  
15 aagtgatgtt aattagtatg attataataa tatagttgtt ataattgtga aaaaataatt 14580  
tataaatata ttgtttacat aaacaacata gtaatgtaaa aaaatatgac aagtgatgtg 14640  
20 taagacgaag aagataaaag ttgagagtaa gtatattatt tttaatgaat ttgatcgaac 14700  
atgtaagatg atatactagc attaatattt gttttaatca taatagtaat tctagctggt 14760  
ttgatgaatt aaatatcaat gataaaatac tatagtaaaa ataagaataa ataaattaaa 14820  
25 ataataatttt tttatgatta atagttttatt atataattaa atatctatac cttactaaa 14880  
tatttttagtt taaaagttaa taaatatttt gttagaaatt ccaatctgct tgtaatttat 14940  
30 caataaaca aatattaaat aacaagctaa agtaacaaat aatatcaaac taatagaac 15000  
agtaatctaa tgtaacaaaa cataatctaa tgctaataa acaaagcgca agatctatca 15060  
ttttatatag tattattttc aatcaacatt cttattaatt tctaaataat acttgtagtt 15120  
35 ttattaactt ctaaattgat tgactattaa ttaaatgaat tagtcgaaca tgaataaaca 15180  
aggtaacatg atagatcatg tcattgtgtt atcattgatc ttacatttggt attgattaca 15240  
40 gttgggaagc tgggttcgaa atcgataagc ttgcgctgca gttatcatca tcatcataga 15300  
cacacgaaat aaagtaatca gattatcagt taaagctatg taatatttgc gccataacca 15360  
atcaattaaa aaatagatca gtttaaagaa agatcaaagc tcaaaaaaat aaaaagagaa 15420  
45 aagggtccta accaagaaaa tgaaggagaa aaactagaaa tttacctgca caagcttgga 15480  
tcctctagac cactttgtac aagaaagctg aacgagaaac gtaaaatgat ataaatatca 15540  
50 atatatataa ttagattttg cataaaaaac agactacata atactgtaaa acacaacata 15600  
tccagtcact atgaatcaac tacttagatg gtattagtgga cctgtagtcg actaagttgg 15660  
cagcatcacc cgacgcactt tgcgccgaat aaatacctgt gacggaagat cacttcgcag 15720  
55 aataaataaa tcctggtgtc cctgttgata ccgggaagcc ctgggccaac tttggcgaa 15780  
aatgagacgt tgatcggtt tcacaactct tatacttttc tcttacaagt cgttcggctt 15840  
60 catctggatt ttcagcctct atacttacta aacgtgataa agtttctgta atttctactg 15900  
tatcgacctg cagactggct gtgtataagg gagcctgaca tttatattcc ccagaacatc 15960

aggttaatgg cgtttttgat gtcattttcg cggtagctga gatcagccac ttcttccccg 16020  
5 ataacggaga ccggcacact ggccatatcg gtggatcatca tgcgccagct ttcattccccg 16080  
atatgcacca ccgggtaaag ttcacgggag actttatctg acagcagacg tgcactggcc 16140  
agggggatca ccatccgtcg cccgggctg tcaataatat cactctgtac atccacaaac 16200  
10 agacgataac ggctctctct tttatagggtg taaaccttaa actgcatttc accagtccct 16260  
gttctcgtca gcaaagagc cgttcatttc aataaacggg gcgacctcag ccatcccttc 16320  
ctgattttcc gctttccagc gttcggcacg cagacgacgg gcttcattct gcatggttgt 16380  
15 gcttaccaga ccggagatat tgacatcata tatgccttga gcaactgata gctgtcgtcg 16440  
tcaactgtca ctgtaatacg ctgcttcata gcacacctct ttttgacata cttctgttct 16500  
20 tgatgcagat gattttcagg actatgacac tagcgtatat gaataggtag atgtttttat 16560  
tttgtcacac aaaaagagg ctgcgacctc tttttcttat ttctttttat gatttaatac 16620  
ggcattgagg acaatagcga gtaggctgga tacgacgatt ccgtttgaga agaacatttg 16680  
25 gaaggctgtc ggtcgactaa gttggcagca tcaccgaag aacatttgga aggctgtcgg 16740  
tcgactacag gtcaactaata ccatctaagt agttgattca tagtgactgg atatgttggtg 16800  
30 ttttacagta ttatgtagtc tgttttttat gcaaatcta atttaataata ttgatattta 16860  
tatcatttta cgtttctcgt tcagcttttt tgtacaaact tgtctagagt cctgctttaa 16920  
tgagatatgc gagacgccta tgatcgcatg atatttgctt tcaattctgt tgtgcacgtt 16980  
35 gtaaaaaacc tgagcatgtg tagctcagat ccttaccgcc gggttcgggtt cattctaata 17040  
aatatatcac ccgttactat cgtattttta tgaataatat tctccgttca atttactgat 17100  
40 tgtaccctac tacttatatg tacaatatta aaatgaaaac aatatattgt gctgaatagg 17160  
tttatagcga catctatgat agagcgccac aataacaaac aattgcgttt tattattaca 17220  
aatccaattt taataaaagc ggcagaaccg gtcaaaccta aaagactgat tacataaatc 17280  
45 ttattcaaata ttcaaaaggc cccaggggct agtatctacg acacaccgag cggcgaaacta 17340  
ataacgttca ctgaagggaa ctccggttcc ccgccggcgc gcatgggtga gattccttga 17400  
50 agttgagtat tggccgtccg ctctaccgaa agttacgggc accattcaac ccggtccagc 17460  
acggcgcccg ggtaaccgac ttgctgcccc gagaattatg cagcattttt ttgggtgatg 17520  
tgggcccaa atgaagtga ggtcaaacct tgacagtga gacaaatcgt tgggcgggtc 17580  
55 caggcggaat tttgcgacaa catgtcgagg ctacgagga cctgcaggca tgcaagctag 17640  
cttactagt atgcatattc tatagtgtca cctaaatctg c 17681

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU02/00073

**A. CLASSIFICATION OF SUBJECT MATTER**Int. Cl. <sup>7</sup>: C12N 15/09 15/63

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

SEE ELECTRONIC DATABASE BOX BELOW

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SEE ELECTRONIC DATABASE BOX BELOW

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Medline, Chem Abs, Biosis, WPIDS

keywords: gene silencing, genetic vector, dsRNA, multiple recombination sites, recombinatorial cloning, RNAi  
GenBank, EMBL: sequence IDs 13, 23-26**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
PX	WESLEY, S. V. et al (2001) "Construct design for efficient, effective and high-throughput gene silencing in plants" <i>The Plant Journal</i> , 27(6), 581-590.	1-33
A	MONTGOMERY, M. K. et al (1998) "Double-stranded RNA as a mediator in sequence-specific genetic silencing and co-suppression" <i>TIG</i> 14(7), 255-258	
A	AU-A-43685/99 (Novartis AG) 2 December 1999	



Further documents are listed in the continuation of Box C



See patent family annex

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T"

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X"

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y"

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;"

document member of the same patent family

Date of the actual completion of the international search

15 February 2002

Date of mailing of the international search report

04 MAR 2002

Name and mailing address of the ISA/AU

AUSTRALIAN PATENT OFFICE  
PO BOX 200, WODEN ACT 2606, AUSTRALIA  
E-mail address: pct@ipaaustralia.gov.au  
Facsimile No. (02) 6285 3929

Authorized officer

PHILIPPA WYRDEMAN

Telephone No : (02) 6283 2554

**INTERNATIONAL SEARCH REPORT**  
Information on patent family members

International application No.  
**PCT/AU02/00073**

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report		Patent Family Member			
AU	43685/99	WO	99/61631	BR	9910729
HU	0102103	PL	344312	EP	1080208

END OF ANNEX